NORTH DAKOTA
DEPARTMENT *of* HEALTH

ENVIRONMENTAL HEALTH SECTION
Gold Seal Center, 918 E. Divide Ave.
Bismarck, ND 58501-1947
701.328.5200 (fax)
www.ndhealth.gov

August 8, 2012

FILE

Ms. Susan Johnson
National Park Service – Air
P.O. Box 25287
Denver, CO 80225-0287

Dear Ms. Johnson:

In March of 2010, the North Dakota Department of Health (Department) submitted its' Regional Haze State Implementation Plan to the U.S. Environmental Protection Agency. Subsequent to that submittal, an error was discovered in the information used to make the NO_x BART Determination for Great River Energy's Coal Creek Station. Because of that error, the Department requested and received updated information for NO_x controls at the Coal Creek Station. The Department has conducted a review of the information and its original BART Determination. Enclosed with this letter is a CD which contains our supplemental evaluation and the additional information.

Prior to conducting a public comment period regarding this supplemental evaluation, we would like to give each Federal Land Manager (FLM), the opportunity to review and comment on the supplemental evaluation. Since the supplemental evaluation is limited to only NO_x from the Coal Creek Station, we ask that any comments be provided by September 12, 2012. A thirty-day public comment period will occur immediately thereafter.

If you have any questions, please contact Tom Bachman of my staff at (701)328-5188.

Sincerely,

Terry L. O'Clair, P.E.
Director
Division of Air Quality

TLO/TB:csc
Enc:
xc/enc: Paul Seby, Special Assistant Attorney General
Margaret Olson, Assistant Attorney General
Carl Daly, EPA Region 8
Mary Jo Roth, Great River Energy

NORTH DAKOTA
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION
Gold Seal Center, 918 E. Divide Ave.
Bismarck, ND 58501-1947
701.328.5200 (fax)
www.ndhealth.gov

August 8, 2012

FILE

Mr. Tim Allen
U.S. Department of interior
U.S. Fish and Wildlife Service
National Wildlife Refuge System
Branch of Air Quality
7333 West Jefferson Ave., Ste 375
Lakewood, CO 80235-2017

Dear Mr. Allen:

In March of 2010, the North Dakota Department of Health (Department) submitted its' Regional Haze State Implementation Plan to the U.S. Environmental Protection Agency. Subsequent to that submittal, an error was discovered in the information used to make the NO_x BART Determination for Great River Energy's Coal Creek Station. Because of that error, the Department requested and received updated information for NO_x controls at the Coal Creek Station. The Department has conducted a review of the information and its original BART Determination. Enclosed with this letter is a CD which contains our supplemental evaluation and the additional information.

Prior to conducting a public comment period regarding this supplemental evaluation, we would like to give each Federal Land Manager (FLM), the opportunity to review and comment on the supplemental evaluation. Since the supplemental evaluation is limited to only NO_x from the Coal Creek Station, we ask that any comments be provided by September 12, 2012. A thirty-day public comment period will occur immediately thereafter.

If you have any questions, please contact Tom Bachman of my staff at (701)328-5188.

Sincerely,

Terry L. O'Clair, P.E.
Director
Division of Air Quality

TLO/TB:csc
Enc:
xc/enc: Paul Seby, Special Assistant Attorney General
Margaret Olson, Assistant Attorney General
Carl Daly, EPA Region 8
Mary Jo Roth, Great River Energy

NORTH DAKOTA
DEPARTMENT of HEALTH

ENVIRONMENTAL HEALTH SECTION
Gold Seal Center, 918 E. Divide Ave.
Bismarck, ND 58501-1947
701.328.5200 (fax)
www.ndhealth.gov

August 8, 2012

FILE

Mr. Mark Hummel
Deputy Forest Supervisor
U.S. Department of Agriculture
Superior National Forest
8901 Grand Avenue Place
Duluth, MN 55808-1122

Dear Mr. Hummel:

In March of 2010, the North Dakota Department of Health (Department) submitted its' Regional Haze State Implementation Plan to the U.S. Environmental Protection Agency. Subsequent to that submittal, an error was discovered in the information used to make the NO_x BART Determination for Great River Energy's Coal Creek Station. Because of that error, the Department requested and received updated information for NO_x controls at the Coal Creek Station. The Department has conducted a review of the information and its original BART Determination. Enclosed with this letter is a CD which contains our supplemental evaluation and the additional information.

Prior to conducting a public comment period regarding this supplemental evaluation, we would like to give each Federal Land Manager (FLM), the opportunity to review and comment on the supplemental evaluation. Since the supplemental evaluation is limited to only NO_x from the Coal Creek Station, we ask that any comments be provided by September 12, 2012. A thirty-day public comment period will occur immediately thereafter.

If you have any questions, please contact Tom Bachman of my staff at (701)328-5188.

Sincerely,

Terry O'Clair

Terry L. O'Clair, P.E.
Director
Division of Air Quality

TLO/TB:csc
Enc:
xc/enc: Paul Seby, Special Assistant Attorney General
Margaret Olson, Assistant Attorney General
Carl Daly, EPA Region 8
Mary Jo Roth, Great River Energy