

South- western District Health Unit

Dunn County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH
State Epidemiologist

Kodi Pinks, MPH
Epidemiologist

Matt Schmidt
Epidemiologist Intern

July 2018



TABLE OF CONTENTS

| | |
|---|----|
| Data Sources | ii |
| Photograph Credits | ii |
| POPULATION DATA | |
| Table 1: Population by Age Group | 1 |
| Table 2: Female Population and Percentage Female by Age | 1 |
| Table 3: Race | 1 |
| Table 4: Household Populations | 2 |
| Table 5: Population Change | 2 |
| Table 6: Marital Status of Persons Age 15 and Older | 2 |
| Table 7: Educational Attainment Among Persons 25+ | 2 |
| Table 8: Persons with Disability | 3 |
| Table 9: Income and Poverty Status by Age Group | 3 |
| Table 10: Family Poverty and Childhood and Elderly Poverty | 3 |
| Table 11: Age of Housing | 3 |
| VITAL STATISTICS DATA | |
| Birth and Deaths Definitions | 4 |
| Table 12: Births | 5 |
| Table 13: Child Deaths | 5 |
| Table 14: Deaths and Age Adjusted Death Rate by Cause | 5 |
| Table 15: Leading Causes of Death by Age Group for County | 6 |
| Table 16: Leading Causes of Death by Age Group for North Dakota | 6 |
| ADULT BEHAVIORAL RISK FACTORS | |
| Table 17: | |
| • Adult Behavioral Risk Factors Definition | 7 |
| • Alcohol | 8 |
| • Arthritis | 8 |
| • Asthma | 8 |
| • Body Weight | 8 |
| • Cancer | 8 |
| • Cardiovascular | 8 |
| Table 18: | |
| • Cholesterol | 9 |
| • Chronic Lung Disease | 9 |
| • Colorectal Cancer | 9 |
| • Diabetes | 9 |
| • Fruits and Vegetables | 9 |
| • General Health | 9 |
| Table 19: | |
| • Health Care Access | 10 |
| • Hypertension | 10 |
| • Immunization | 10 |
| • Injury | 10 |
| • Oral Health | 10 |
| • Physical Activity | 10 |
| • Tobacco | 10 |
| • Women’s Health | 10 |
| CRIME | |
| Table 20: County | 11 |
| Table 21: North Dakota | 11 |
| CHILD RISK | |
| Table 22: Child Indicators—Education | 12 |
| Table 23: Child Indicators—Economic Health | 12 |
| Table 24: Child Indicators—Families and Child Care | 12 |
| Table 25: Child Indicators—Juvenile Justice | 12 |

Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentiality, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/CrimeHomicide.htm.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: www.datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography - Theodore Roosevelt National Park in Winter
www.sthomasphotos.com/
- Jerry Blank – Lightening Storm north of Williston and Sunset over Little Missouri river
www.jerryblank.us/gallery-nd.html
- ND Department of Commerce – Oil wells
www.commerce.nd.gov/news/MediaGallery/
- ND Tourism Division – All other photos
www.ndtourism.com/

POPULATION DATA

Table 1

| Population by Age Group, 2016 Census Estimates | | | | |
|--|--------------|---------------|----------------|---------------|
| Age Group | Dunn County | | North Dakota | |
| | Number | Percent | Number | Percent |
| 0-9 | 609 | 13.9% | 105,035 | 13.9% |
| 10-19 | 477 | 10.9% | 93,820 | 12.4% |
| 20-29 | 633 | 14.5% | 127,579 | 16.8% |
| 30-39 | 562 | 12.9% | 101,492 | 13.4% |
| 40-49 | 446 | 10.2% | 79,632 | 10.5% |
| 50-59 | 683 | 15.6% | 95,466 | 12.6% |
| 60-69 | 540 | 12.4% | 80,159 | 10.6% |
| 70-79 | 232 | 5.3% | 41,996 | 5.5% |
| 80+ | 184 | 4.2% | 32,773 | 4.3% |
| Total | 4,366 | 100.0% | 757,952 | 100.0% |
| 0-17 | 1,003 | 23.0% | 176,311 | 23.3% |
| 65+ | 632 | 14.5% | 109,999 | 14.5% |

Table 2



| Female Population and Percentage Female by Age, 2016 Census Estimates | | | | |
|---|--------------|---------------|----------------|---------------|
| Age Group | Dunn County | | North Dakota | |
| | Number | Percent | Number | Percent |
| 0-9 | 317 | 15.6% | 51,145 | 13.9% |
| 10-19 | 246 | 12.1% | 45,349 | 12.3% |
| 20-29 | 257 | 12.7% | 58,619 | 15.9% |
| 30-39 | 241 | 11.9% | 47,001 | 12.7% |
| 40-49 | 191 | 9.4% | 37,992 | 10.3% |
| 50-59 | 310 | 15.3% | 46,809 | 12.7% |
| 60-69 | 239 | 11.8% | 39,397 | 10.7% |
| 70-79 | 118 | 5.8% | 22,236 | 6.0% |
| 80+ | 107 | 5.3% | 20,430 | 5.5% |
| Total | 2,026 | 100.0% | 368,978 | 100.0% |
| 0-17 | 522 | 25.8% | 85,921 | 23.3% |
| 65+ | 331 | 16.3% | 60,025 | 16.3% |

Table 3

| Race, Five Year Estimates (2012-2016) | | | | |
|---------------------------------------|--------------|---------------|----------------|-------------|
| Race | Dunn County | | North Dakota | |
| | Number | Percentage | Number | Percentage |
| Total | 4,284 | 100.0% | 736,162 | 100% |
| White | 3,626 | 84.6% | 649,730 | 88.3% |
| Black | 40 | 0.9% | 14,761 | 2.0% |
| American Indian | 423 | 9.9% | 38,369 | 5.2% |
| Asian | 19 | 0.4% | 9,296 | 1.3% |
| Pacific Islander | 13 | 0.3% | 336 | 0.0% |
| Other | 42 | 1.0% | 5,691 | 0.8% |
| Multi-race | 121 | 2.8% | 17,979 | 2.4% |

POPULATION DATA

Table 4

| | Dunn County | | North Dakota | |
|--------------------------|-------------|---------|--------------|---------|
| | Number | Percent | Number | Percent |
| Total | 3,535 | 100.0% | 666,783 | 100.0% |
| In Family Households | 2,879 | 81.4% | 509,097 | 76.4% |
| In Non-Family Households | 586 | 16.6% | 132,651 | 19.9% |
| Total In Households | 3,465 | 98.0% | 641,748 | 96.2% |
| Institutionalized* | 48 | 1.4% | 9,675 | 1.5% |
| Non-institutionalized* | 22 | 0.6% | 15,360 | 2.3% |
| Total in Group Quarters | 70 | 2.0% | 25,035 | 3.8% |

*2011 is the most recent data

Table 5

| Population Change 2000-2015 | | | | |
|-----------------------------|-------------|-------------------|--------------|-------------------|
| Census | Dunn County | 5 Year Change (%) | North Dakota | 5 Year Change (%) |
| 2000 | 3,600 | | 642,200 | |
| 2005 | 3,313 | -8.0% | 635,365 | -1.1% |
| 2010 | 3,536 | 6.7% | 672,591 | 5.9% |
| 2015 | 4,574 | 29.4% | 754,859 | 12.2% |



Table 6

| Marital Status | Dunn County | | North Dakota | |
|----------------|-------------|---------|--------------|---------|
| | Number | Percent | Number | Percent |
| Total Age 15+ | 3,464 | 100.0% | 594,068 | 100.0% |
| Never Married | 928 | 26.8% | 189,508 | 31.9% |
| Now Married | 1,943 | 56.1% | 308,915 | 52.0% |
| Separated | 10 | 0.3% | 5,347 | 0.9% |
| Widowed | 222 | 6.4% | 33,862 | 5.7% |
| Divorced | 360 | 10.4% | 56,436 | 9.5% |

Table 7

| Education | Dunn County | | North Dakota | |
|----------------------------|-------------|---------|--------------|---------|
| | Number | Percent | Number | Percent |
| Total | 2,957 | 100.0% | 477,607 | 100.0% |
| Less than 9th Grade | 116 | 3.9% | 16,846 | 3.5% |
| Some High School | 149 | 5.0% | 21,188 | 4.4% |
| High school or GRE | 960 | 27.0% | 131,086 | 27.4% |
| Some College/Assoc. Degree | 1,127 | 38.1% | 173,933 | 36.4% |
| Bachelor's Degree | 463 | 15.7% | 97,890 | 20.5% |
| Post Graduate Degree | 142 | 4.8% | 36,664 | 7.7% |

POPULATION DATA

Table 8

| Persons with Disability, 2016 ACS Five Year Estimates | | | | |
|---|-------------|---------|--------------|---------|
| Group | Dunn County | | North Dakota | |
| | Number | Percent | Number | Percent |
| Total | 4,230 | 100.0% | 720,312 | 100.0% |
| Any Disability | 570 | 13.5% | 77,651 | 10.8% |
| No Disability | 3,660 | 86.5% | 642,661 | 89.2% |
| | | | | |
| Self Care Disability | 65 | 1.6% | 11,469 | 1.7% |
| | | | | |
| 0-17 with any disability | 32 | 5.6% | 5,618 | 7.2% |
| 18-64 with any disability | 355 | 62.3% | 38,310 | 49.3% |
| 65+ with any disability | 183 | 32.1% | 33,723 | 43.4% |

Table 9

| Income and Poverty Status by Age Group, 2016 ACS Five Year Estimates | | | | |
|--|-------------|----------|--------------|----------|
| | Dunn County | | North Dakota | |
| | Number | Percent | Number | Percent |
| Median Household Income | | \$66,964 | | \$59,114 |
| Per Capita Income | | \$40,102 | | \$33,107 |
| | | | | |
| | Number | Percent | Number | Percent |
| Below Poverty Level | 490 | 11.7% | 79,314 | 11.2% |
| Under 5 Years | 40 | 8.2% | 7,618 | 9.6% |
| 5 to 11 Years | 57 | 11.6% | 8,423 | 10.6% |
| 12 to 17 Years | 8 | 1.6% | 5,349 | 6.7% |
| 18 to 64 Years | 316 | 64.5% | 48,969 | 61.7% |
| 65 to 74 Years | 20 | 4.1% | 3,532 | 4.5% |
| 75 Years and Over | 49 | 10.0% | 5,423 | 6.8% |

Table 10

| Family Poverty and Childhood and Elderly Poverty, 2016 ACS Five Year Estimates | | | | |
|--|-------------|---------|--------------|---------|
| | Dunn County | | North Dakota | |
| | Number | Percent | Number | Percent |
| Total Families | 1,074 | 100.0% | 183,466 | 100.00% |
| Families in Poverty | 97 | 9.0% | 12,659 | 6.90% |
| | | | | |
| Families with Own Children | 413 | 38.5% | 84,714 | 46.17% |
| Families with Own Children in Poverty | 52 | 4.8% | 9,912 | 5.40% |
| | | | | |
| Families with Own Children and Female Parent Only | 77 | 7.2% | 23,485 | 27.72% |
| Families with Own Children and Female Parent Only in Poverty | 30 | 2.8% | 8,408 | 4.58% |
| Total Known Children in Poverty | 106 | 10.6% | 21,390 | 12.1% |
| Total Known Age 65+ in Poverty | 69 | 10.9% | 8,955 | 8.1% |

* Percent family poverty is percent of total families

Table 11

| Age of Housing, 2016 ACS Five Year Estimates | | | | |
|--|-------------|---------|--------------|---------|
| | Dunn County | | North Dakota | |
| | Number | Percent | Number | Percent |
| Housing Units: Total | 2,450 | 100.0% | 350,134 | 100.0% |
| 1980 and Later | 1,013 | 41.3% | 149,657 | 42.7% |
| 1970 to 1979 | 346 | 14.1% | 67,069 | 19.2% |
| Prior to 1970 | 1,091 | 44.5% | 133,408 | 38.1% |

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age <20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age <20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.



Vital Statistics Data

BIRTHS AND DEATHS

Table 12

| | Dunn County | | North Dakota | |
|--------------------------------------|-------------|---------------|--------------|---------------|
| | Number | Rate or Ratio | Number | Rate or Ratio |
| Live Births and Rate | 319 | 18.0 | 54,644 | 16.3 |
| Pregnancies and Rate | 337 | 19.1 | 59,226 | 17.6 |
| Fertility Rate | | 126.1 | | 84.6 |
| Teen Births and Rate | 14 | 26.2 | 2,715 | 23.8 |
| Teen Pregnancies and Rate | 13 | 24.3 | 3,263 | 28.6 |
| Out of Wedlock Births and Ratio | 112 | 351.1 | 17,518 | 320.6 |
| Out of Wedlock Pregnancies and Ratio | 128 | 379.8 | 21,289 | 359.5 |
| Low Birth Weight Birth and Ratio | 14 | 43.9 | 3,448 | 63.1 |

Table 13

| | Dunn County | | North Dakota | |
|--------------------------------------|-------------|---------------|--------------|---------------|
| | Number | Rate or Ratio | Number | Rate or Ratio |
| Infant Deaths and Ratio | NR | 3.1 | 299 | 5.5 |
| Child and Adolescent Deaths and Rate | 0 | 0.0 | 235 | 28.8 |
| Total Deaths and Crude Rate | 163 | 922.0 | 30,152 | 896.6 |

Table 14

| | Dunn County | | North Dakota | |
|-------------------------|-------------|-----------|--------------|-----------|
| | Number | Adj. Rate | Number | Adj. Rate |
| All Causes | 163 | 549.4 | 30,303 | 674.8 |
| Heart Disease | 35 | 110.3 | 6,571 | 140.3 |
| Cancer | 38 | 115.4 | 6,215 | 142.1 |
| Stroke | 8 | 19.1 | 1,546 | 31.9 |
| Alzheimer's Disease | 6 | 10.3 | 2,130 | 41.2 |
| COPD | 6 | 14.2 | 1,623 | 35.2 |
| Unintentional Injury | 15 | 80.3 | 1,764 | 45.9 |
| Diabetes Mellitus | NR | 10.7 | 908 | 20.6 |
| Pneumonia and Influenza | NR | 11.5 | 791 | 16.5 |
| Cirrhosis | 0 | 0.0 | 429 | 11.6 |
| Suicide | NR | 24.3 | 630 | 18.4 |
| Hypertension | NR | 0.0 | 467 | 9.5 |

NR-Not Reportable

Vital Statistics Data

BIRTHS AND DEATHS

Table 15

| Leading Causes of Death by Age Group for Dunn County, 2012-2016 | | | |
|---|-----------------------|-----------------------|-----------------------|
| Age | 1 | 2 | 3 |
| 0-4 | Perinatal Condition* | No Reported Deaths | |
| 5-14 | No Reported Deaths | | |
| 15-24 | Unintentional Injury* | Homicide* | No Reported Deaths |
| 25-34 | Unintentional Injury* | Diabetes* | Homicide* |
| 35-44 | Unintentional Injury* | Heart* | Cancer* |
| 45-54 | Cancer* | Unintentional Injury* | Heart* |
| 55-64 | Cancer* | Unintentional Injury* | Suicide* |
| 65-74 | Cancer 10 | Heart* | Unintentional Injury* |
| 75-84 | Cancer 9 | Heart 7 | Alzheimer's Disease* |
| 85+ | Heart 18 | Cancer 10 | Alzheimer's Disease* |

*Numbers less than six are not listed.

Table 16

| Leading Causes of Death by Age Group for North Dakota, 2012-2016 | | | |
|--|-----------------------------|------------------------------|-----------------------------|
| Age | 1 | 2 | 3 |
| 0-4 | Congenital Anomaly 53 | Prematurity 50 | Sudden Infant Death 45 |
| 5-14 | Unintentional Injury 21 | Suicide 6 | Homicide* |
| 15-24 | Unintentional Injury 191 | Suicide 127 | Cancer 16 |
| 25-34 | Unintentional Injury 211 | Suicide 125 | Heart 50 |
| 35-44 | Unintentional Injury 184 | Suicide 107 | Heart 99 |
| 45-54 | Cancer 350 | Heart 282 | Unintentional Injury 210 |
| 55-64 | Cancer 1,094 | Heart 646 | Unintentional Injury 192 |
| 65-74 | Cancer 1,563 | Heart 902 | COPD 348 |
| 75-84 | Cancer 1,793 | Heart 1,441 | COPD 565 |
| 85+ | Heart 3,141 | Alzheimer's Disease 1,566 | Cancer 1,261 |

*Numbers less than six are not listed.

ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 17

| ALCOHOL | | Dunn 2011-2015 | North Dakota 2011-2015 |
|---|---|---------------------------|-----------------------------------|
| Binge Drinking | Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days. | 23.4 (16.2-30.7) | 24.1 (23.3-24.9) |
| Heavy Drinking | Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days. | 2.7 (0.4-5.0) | 6.7 (6.3-7.2) |
| Drunk Driving | Respondents who reported driving when they had too much to drink one or more times during the past 30 days. | 0.9 (0.0-2.1) | 3.4 (2.8-3.9) |
| ARTHRITIS | | | |
| Activity Limitation Due to Arthritis | Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. | 41.9 (24.3-59.5) | 47.0 (45.2-48.9) |
| Doctor Diagnosed Arthritis | Respondents who reported ever have been told by a doctor or other health professional that they had some form of arthritis. | 25.2 (17.9-32.4) | 24.6 (24.0-25.2) |
| ASTHMA | | | |
| Ever Asthma | Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma. | 15.2 (5.8-24.5) | 11.9 (11.3-12.4) |
| Current Asthma | Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. | 11.4 (2.2-20.7) | 8.4 (7.9-8.9) |
| BODY WEIGHT | | | |
| Overweight, Not Obese | Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). | 34.0 (26.2-41.7) | 36.5 (35.7-37.3) |
| Obese | Respondents with a body mass index greater than or equal to 30 (obese). | 27.6 (19.9-35.3) | 30.3 (29.6-31.1) |
| Overweight or Obese | Respondents with a body mass index greater than or equal to 25 (overweight or obese). | 61.6 (52.1-71.1) | 66.8 (66.0-67.7) |
| CANCER | | | |
| Any Cancer | Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). | 5.6 (2.7-8.6) | 6.4 (6.1-6.7) |
| CARDIOVASCULAR | | | |
| Heart Attack | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. | 7.4 (2.0-12.8) | 4.3 (4.0-4.5) |
| Angina | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. | 3.3 (1.5-5.1) | 4.0 (3.7-4.2) |
| Stroke | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. | 1.3 (0.0-2.7) | 2.4 (2.2-2.6) |
| Cardiovascular Disease | Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke. | 8.6 (3.1-14.1) | 7.5 (7.2-7.8) |

ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 18

| CHOLESTEROL | | Dunn 2011-2015 | North Dakota 2011-2015 |
|--|--|---------------------------|-----------------------------------|
| Never Cholesterol Test | Respondents who reported never having a cholesterol test. | 18.0 (7.9-28.1) | 22.8 (21.8-23.8) |
| No Cholesterol Test in Past 5 Years | Respondents who reported never having a cholesterol test in the past five years. | 28.1 (13.8-42.5) | 27.2 (26.2-28.3) |
| High Cholesterol | Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol. | 27.2 (18.0-36.3) | 36.1 (35.1-37.1) |
| CHRONIC LUNG DISEASE | | | |
| COPD | Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis. | 10.7 (2.4-18.9) | 4.7 (4.4-5.0) |
| COLORECTAL CANCER | | | |
| No Colorectal Cancer Screening within Recommended Timeframe | Respondents age 50 and older who reported not having a fecal occult blood test in the past two years. | 60.3 (40.7-80.0) | 40.0 (38.3-41.7) |
| DIABETES | | | |
| Diabetes Diagnosis | Respondents who reported ever having been told by a doctor that they had diabetes. | 12.4 (5.9-18.8) | 8.5 (8.2-8.9) |
| FRUITS AND VEGETABLES | | | |
| Five Fruits and Vegetables | Respondents who reported that they do not usually eat 5 fruits and vegetables per day. | 12.9 (6.8-19.0) | 13.9 (13.2-14.6) |
| GENERAL HEALTH | | | |
| Fair or Poor Health | Respondents who reported that their general health was fair or poor. | 14.9 (8.9-21.0) | 14.0 (13.5-14.6) |
| Poor Physical Health | Respondents who reported they had 8 or more days in the last 30 when their physical health was not good. | 14.0 (7.6-20.4) | 11.3 (10.8-11.8) |
| Poor Mental Health | Respondents who reported they had 8 or more days in the last 30 when their mental health was not good. | 8.2 (4.6-11.9) | 11.4 (10.9-12.0) |
| Activity Limitation Due to Poor Health | Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities. | 22.7 (11.3-34.1) | 13.6 (12.8-14.4) |
| Any Activity Limitation | Respondents who reported being limited in any way due to physical, mental or emotional problem. | 31.4 (24.1-38.8) | 31.3 (30.6-32.1) |



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 19

| HEALTH CARE ACCESS | | Dunn 2011-2015 | North Dakota 2011-2015 |
|-------------------------------------|---|---------------------------|-----------------------------------|
| Health Insurance | Respondents who reported not having any form or health care coverage. | 14.4 (5.4-23.3) | 10.8 (10.2-11.3) |
| Access Limited by Cost | Respondents who reported needing to see a doctor during the past 12 months but could not due to cost. | 13.4 (4.0-22.9) | 7.8 (7.3-8.3) |
| No Personal Provider | Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider. | 29.1 (21.6-36.6) | 26.7 (25.9-27.5) |
| HYPERTENSION | | | |
| High Blood Pressure | Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure. | 23.2 (15.7-30.6) | 29.9 (29.0-30.7) |
| IMMUNIZATION | | | |
| Influenza Vaccine | Respondents age 65 and older who reported that they did not have a flu shot in the past year. | 51.0 (37.9-64.2) | 40.1 (38.9-41.4) |
| Pneumococcal Vaccine | Respondents age 65 or older who reported never having had a pneumonia shot. | 35.3 (22.5-48.1) | 28.5 (27.3-29.7) |
| INJURY | | | |
| Falls | Respondents 45 years and older who reported that they had fallen in the past 12 months. | 43.3 (24.9-61.8) | 27.4 (26.2-28.7) |
| Seatbelt Use | Respondents who reported not always wearing their seatbelt. | 61.3 (52.6-69.9) | 61.4 (60.6-62.3) |
| ORAL HEALTH | | | |
| Dental Visit | Respondents who reported that they have not had a dental visit in the past year. | 38.3 (24.8-51.8) | 33.7 (32.4-35.0) |
| Tooth Loss | Respondents who reported they ever had a permanent tooth extracted. | 17.6 (5.9-29.3) | 14.3 (13.6-15.1) |
| PHYSICAL ACTIVITY | | | |
| No Leisure Physical Activity | Respondents who reported that they did not get the recommended amount of physical activity. | 31.6 (23.7-39.4) | 25.1 (24.4-25.8) |
| TOBACCO | | | |
| Current Smoking | Respondents who reported that they smoked every day or some days. | 20.9 (12.2-29.7) | 20.6 (19.9-21.4) |
| WOMEN'S HEALTH | | | |
| Pap Smear | Women 18 and older who reported that they have not had a pap smear in the past three years. | 19.8 (7.0-32.5) | 25.1 (23.1-27.1) |
| Mammogram Age 40+ | Women 40 and older who reported that they have not had a mammogram in the past two years. | 36.6 (18.1-55.2) | 27.0 (25.4-28.6) |

CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- Assault: only includes aggravated assault
- Larceny: all other property crimes

Table 20

| Dunn County | | | | | | | |
|----------------------------|-------------|-------------|-------------|-------------|-------------|---------------|--------------------|
| | 2012 | 2013 | 2014 | 2015 | 2016 | 5 Year | 5-Year Rate |
| Murder | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Rape | 2 | 0 | 1 | 0 | 3 | 6 | 27.5 |
| Robbery | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Assault | 7 | 3 | 9 | 8 | 2 | 29 | 132.8 |
| Violent crime | 9 | 3 | 10 | 8 | 5 | 35 | 160.2 |
| Burglary | 10 | 9 | 11 | 8 | 8 | 46 | 210.6 |
| Larceny | 29 | 21 | 18 | 36 | 18 | 122 | 558.5 |
| Motor vehicle theft | 6 | 3 | 11 | 6 | 6 | 32 | 146.5 |
| Property crime | 45 | 33 | 40 | 50 | 32 | 200 | 915.5 |
| Total | 54 | 36 | 50 | 58 | 37 | 235 | 1,075.8 |

Table 21

| North Dakota | | | | | | | |
|----------------------------|-------------|-------------|-------------|-------------|-------------|---------------|--------------------|
| | 2012 | 2013 | 2014 | 2015 | 2016 | 5 Year | 5-Year Rate |
| Murder | 20 | 14 | 19 | 21 | 17 | 91 | 2.5 |
| Rape | 243 | 237 | 389 | 428 | 365 | 1,662 | 44.9 |
| Robbery | 117 | 151 | 166 | 157 | 181 | 772 | 20.9 |
| Assault | 1,071 | 1,156 | 1,145 | 1,185 | 1,132 | 5,689 | 153.7 |
| Violent crime | 1,451 | 1,558 | 1,719 | 1,791 | 1,695 | 8,214 | 222.0 |
| Burglary | 2,200 | 2,656 | 2,490 | 3,212 | 3,051 | 13,609 | 367.8 |
| Larceny | 10,184 | 10,243 | 5,214 | 6,181 | 6,157 | 37,979 | 1,026.4 |
| Motor vehicle theft | 1,031 | 1,228 | 1,462 | 1,725 | 1,887 | 7,333 | 198.2 |
| Property crime | 13,415 | 14,127 | 9,166 | 11,118 | 11,095 | 47,826 | 1,292.5 |
| Total | 14,866 | 15,685 | 10,885 | 12,909 | 12,790 | 54,345 | 1,468.7 |



CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)

Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 22

| Child Indicators: Education 2016 | Dunn County | | North Dakota | |
|---|-------------|------|--------------|-------|
| | | | | |
| Children ages 3 to 21 enrolled in special education in public schools | 50 | 9.5% | 14,426 | 13.2% |
| Four-year high school cohort graduates | 78.6% | | 88.7% | |
| Average expenditure per student in public school | \$14,974 | | \$11,418 | |

Table 23

| Child Indicators: Economic Health 2016 | Dunn County | | North Dakota | |
|--|-------------|-------|--------------|-------|
| | | | | |
| TANF recipients ages 0-19 | 16 | 1.5% | 4,649 | 2.3% |
| SNAP recipients ages 0-18 | 154 | 14.8% | 37,758 | 20.3% |
| Eligible recipients of free or reduced price lunch | 153 | 27.6% | 37,928 | 32.6% |
| Medicaid recipients ages 0-20 | 342 | 30.2% | 59,156 | 28.0% |
| Median income for families with children ages 0-17 | \$63,917 | | \$75,818 | |
| Children ages 0 to 17 living in low-income families (<200% of poverty) | 297 | 31.7% | 50,147 | 30.5% |

Table 24

| Child Indicators: Families and Child Care 2016 | Dunn County | | North Dakota | |
|---|-------------|-------|--------------|-------|
| | | | | |
| Women in labor force, by age of children (ages 0-17) | 310 | 78.5% | 59,532 | 79.4% |
| Children ages 0-17 living in a single parent family | 188 | 19.0% | 39,192 | 23.4% |
| Children in foster care | 13 | 1.2% | 2,397 | 1.3% |
| Victims of child abuse and neglect - services required (Percent of suspected victims) | LNE | NA | 1,805 | 27.2% |
| Births to mothers receiving prenatal care beginning after first trimester or not at all | 9 | 13.2% | 1,612 | 14.2% |

Table 25

| Child Indicators: Juvenile Justice 2016 | Dunn County | | North Dakota | |
|--|-------------|------|--------------|------|
| | | | | |
| Children ages 10-17 referred to juvenile court | 11 | 2.5% | 3,471 | 4.9% |

*LNE-Low Number Events