

Grand Forks County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH State Epidemiologist

Kodi Pinks, MPH Epidemiologist

NORTH DAKOTA
DEPARTMENT of HEALTH



TABLE OF CONTENTS

Data Sources Photograph Credits	i i
POPULATION DATA	
Table 1: Population by Age Group	1
Table 2: Female Population and Percentage Female by Age	1
Table 3: Race	1
Table 4: Household Populations	2
Table 5: Population Change	2
Table 6: Marital Status of Persons Age 15 and Older	2
Table 7: Educational Attainment Among Persons 25+	2
Table 8: Persons with Disability	3
Table 9: Income and Poverty Status by Age Group	3
Table 10: Family Poverty and Childhood and Elderly Poverty	3
Table 11: Age of Housing	3
VITAL STATISTICS DATA	
Birth and Deaths Definitions	4
Table 12: Births	5
Table 13: Child Deaths	5
Table 14: Deaths and Age Adjusted Death Rate by Cause	5
Table 15: Leading Causes of Death by Age Group for County	6
Table 16: Leading Causes of Death by Age Group for North Dakota	0
ADULT BEHAVIORAL RISK FACTORS	
Table 17:	
Adult Behavioral Risk Factors Definition	7
Alcohol	8
Arthritis	8
• Asthma	
Body Weight	
• Cancer	
Cardiovascular	
Table 18:	
Cholesterol	9
Chronic Lung Disease	
Colorectal Cancer	
Diabetes	
Traits and Togotacies	
General Health Table 19:	9
	1.0
Health Care Access	
Hypertension	
Immunization	
• Injury	
Oral Health	
Physical Activity	
• Tobacco_	10
Women's Health	10
CRIME	
Table 20: County	11
Table 21: North Dakota	11
	1
CHILD RISK	
Table 22: Child Indicators—Education	12
Table 23: Child Indicators—Economic Health Table 24: Child Indicators—Eamilies and Child Care	12
Table 24: Child Indicators—Families and Child Care Table 25: Child Indicators—Juvenile Justice	12
1 aute 25. China mateators—Juvenne Justice	1∠

Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentially, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/CrimeHomicide.htm.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: www.datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography Theodore Roosevelt National Park in Winter www.sthomasphotos.com/
- Jerry Blank Lightening Storm north of Williston and Sunset over Little Missouri river www.jerryblank.us/gallery-nd.html
- ND Department of Commerce Oil wells <u>www.commerce.nd.gov/news/MediaGallery/</u>
- ND Tourism Division All other photos www.ndtourism.com/



POPULATION DATA

Population by Age Group, 2016 Census Estimates					
Age Group	Age Group Grand Forks County		North D	akota	
Age Cloup	Number	Percent	Number	Percent	
0-9	9,147	12.9%	105,035	13.9%	
10-19	9,028	12.7%	93,820	12.4%	
20-29	18,028	25.4%	127,579	16.8%	
30-39	8,850	12.5%	101,492	13.4%	
40-49	6,281	8.8%	79,632	10.5%	
50-59	7,639	10.7%	95,466	12.6%	
60-69	6,534	9.2%	80,159	10.6%	
70-79	3,276	4.6%	41,996	5.5%	
80+	2,300	3.2%	32,773	4.3%	
Total	71,083	100.0%	757,952	100.0%	
0-17	14,658	20.6%	176,311	23.3%	
65+	8,440	11.9%	109,999	14.5%	



Table 2

Female Population and Percentage Female by Age, 2016 Census Estimates					
Age Group	Grand Fork	s County	North D	akota	
Age Group	Number	Number Percent		Percent	
0-9	4,492	13.0%	51,145	13.9%	
10-19	4,313	12.5%	45,349	12.3%	
20-29	8,230	23.8%	58,619	15.9%	
30-39	4,111	11.9%	47,001	12.7%	
40-49	3,033	8.8%	37,992	10.3%	
50-59	3,822	11.1%	46,809	12.7%	
60-69	3,302	9.6%	39,397	10.7%	
70-79	1,790	5.2%	22,236	6.0%	
80+	1,474	4.3%	20,430	5.5%	
Total	34,567	100.0%	368,978	100.0%	
0-17	7,116	20.6%	85,921	23.3%	
65+	4,710	13.6%	60,025	16.3%	

Table 3

Race, Five Year Estimates (2012-2016)						
Race	Grand Fork	s County	North D	akota		
Nace	Number	Percentage	Number	Percentage		
Total	69,793	100.0%	736,162	100%		
White	61,670	88.4%	649,730	88.3%		
Black	1,999	2.9%	14,761	2.0%		
American Indian	1,721	2.5%	38,369	5.2%		
Asian	1,683	2.4%	9,296	1.3%		
Pacific Islander	48	0.1%	336	0.0%		
Other	590	0.8%	5,691	0.8%		
Multi-race	2,082	3.0%	17,979	2.4%		

POPULATION DATA

Table 4

Household Populations, 2011 ACS Five Year Estimates					
	Grand Fork	s County	North D	akota	
Number Percent Number Percer					
Total	66,662	100.0%	666,783	100.0%	
In Family Households	44,860	67.3%	509,097	76.4%	
In Non-Family Households	17,465	26.2%	132,651	19.9%	
Total In Households	62,325	93.5%	641,748	96.2%	
Institutionalized*	574	0.9%	9,675	1.5%	
Non-institutionalized*	3763	5.6%	15,360	2.3%	
Total in Group Quarters	4337	6.5%	25,035	3.8%	

*2011 is the most recent data

Table 5

Population Change 2000-2015						
Census	Grand Forks County	5 Year Change	North Dakota	5 Year Change		
2000	66,109	(%)	642,200			
2005	66,565	0.7%	635,365	-1.1%		
2010	66,861	0.4%	672,591	5.9%		
2015	70,746	5.8%	754,859	12.2%		



Table 6

Marital Status of Persons Age 15 and Older, 2016 ACS Five Year Estimates						
Marital Status Grand Forks County North Dakota						
marriar Status	Number Percent Number Percent					
Total Age 15+	57,658	100.0%	594,068	100.0%		
Never Married	23,121	40.1%	189,508	31.9%		
Now Married	26,350	45.7%	308,915	52.0%		
Separated	634	1.1%	5,347	0.9%		
Widowed	2,249	3.9%	33,862	5.7%		
Divorced	5,305	9.2%	56,436	9.5%		

Educational Attainment Among Persons 25+, 2016 ACS Five Year Estimates						
Education	Grand Fork	s County	North D	akota		
Ludcation	Number	Percent	Number	Percent		
Total	40,330	100.0%	477,607	100.0%		
Less than 9th Grade	867	2.1%	16,846	3.5%		
Some High School	1,688	4.2%	21,188	4.4%		
High school or GRE	10,131	19.5%	131,086	27.4%		
Some College/Assoc. Degree	14,297	35.4%	173,933	36.4%		
Bachelor's Degree	8,827	21.9%	97,890	20.5%		
Post Graduate Degree	4,520	11.2%	36,664	7.7%		

POPULATION DATA

Table 8

Persons with Disability, 2016 ACS Five Year Estimates							
Group	Grand Fork	s County	North Dakota				
Group	Number	Percent	Number	Percent			
Total	67,702	100.0%	720,312	100.0%			
Any Disability	6,973	10.3%	77,651	10.8%			
No Disability	60,729	89.7%	642,661	89.2%			
Self Care Disability	1,087	1.7%	11,469	1.7%			
0-17 with any disability	963	13.8%	5,618	7.2%			
18-64 with any disability	3,485	50.0%	38,310	49.3%			
65+ with any disability	2,525	36.2%	33,723	43.4%			

Table 9

	Grand Fork	s County	North D	akota
Median Household Income		\$50,652		\$59,114
Per Capita Income		\$29,376		\$33,107
	Number	Percent	Number	Percent
Below Poverty Level	11,507	17.7%	79,314	11.2%
Under 5 Years	745	6.5%	7,618	9.6%
5 to 11 Years	1,002	8.7%	8,423	10.6%
12 to 17 Years	667	5.8%	5,349	6.7%
18 to 64 Years	8,413	73.1%	48,969	61.7%
65 to 74 Years	387	3.4%	3,532	4.5%
75 Years and Over	293	2.5%	5,423	6.8%

Table 10

Family Poverty and Childhood and Elderly Poverty, 2016 ACS	Five Year Estimates Grand Forks County		North D	akota
	Number	Percent	Number	Percent
Total Families	16,261	100.0%	183,466	100.00%
Families in Poverty	1,529	9.4%	12,659	6.90%
Families with Own Children	7,725	47.5%	84,714	46.17%
Families with Own Children in Poverty	1197	7.4%	9,912	5.40%
Families with Own Children and Female Parent Only	1,719	10.6%	23,485	27.72%
Families with Own Children and Female Parent Only in Poverty	748	4.6%	8,408	4.58%
Total Known Children in Poverty	2,414	16.5%	21,390	12.1%
Total Known Age 65+ in Poverty	680	8.1%	8,955	8.1%

* Percent family poverty is percent of total families

Age of Housing, 2016 ACS Five Year Estimates						
	Grand Fork	s County	North D	akota		
	Number Percent Number Percen					
Housing Units: Total	31,288	100.0%	350,134	100.0%		
1980 and Later	13,354	42.7%	149,657	42.7%		
1970 to 1979	6,533	20.9%	67,069	19.2%		
Prior to 1970	11,401	36.4%	133,408	38.1%		

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS



Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age \leq 20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age<20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight ≤ 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) \times 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.

Vital Statistics Data

BIRTHS AND DEATHS

Table	12
-------	----

Births, 2012-2016				
	Grand For	ks County	North E	Dakota
	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	5,051	15.1	54,644	16.3
Pregnancies and Rate	5,597	16.7	59,226	17.6
Fertility Rate	65.5			84.6
Teen Births and Rate	181	12.5	2,715	23.8
Teen Pregnancies and Rate	249	17.2	3,263	28.6
Out of Wedlock Births and Ratio	1,549	306.7	17,518	320.6
Out of Wedlock Pregnancies and Ratio	2,017	360.4	21,289	359.5
Low Birth Weight Birth and Ratio	333	65.9	3,448	63.1

Table 13

Child Deaths, 2012-2016				
	Grand For		North I	
	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	24	4.8	299	5.5
Child and Adolescent Deaths and Rate	15	18.4	235	28.8
Total Deaths and Crude Rate	2,311	691.3	30,152	896.6

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2012-2016							
	Grand For	ks County	North I	Dakota			
	Number	Adj. Rate	Number	Adj. Rate			
All Causes	2311	538.5	30,303	674.8			
Heart Disease	509	118.3	6,571	140.3			
Cancer	493	111.3	6,215	142.1			
Stroke	104	23.6	1,546	31.9			
Alzheimer's Disease	184	43.0	2,130	41.2			
COPD	138	28.7	1,623	35.2			
Unintentional Injury	122	32.3	1,764	45.9			
Diabetes Mellitus	59	14.1	908	20.6			
Pneumonia and Influenza	51	10.7	791	16.5			
Cirrhosis	28	7.7	429	11.6			
Suicide	41	11.5	630	18.4			
Hypertension	31	5.5	467	9.5			

NR-Not Reportable



Vital Statistics Data

BIRTHS AND DEATHS

Table 15

Leading Caus	ses of Death by Age Group	for Grand Forks County, 20 2)12-2016 3
0-4	Sudden Infant Death*	Prematurity*	Congenital Anomaly*
5-14	Cancer*	Unintentional Injury*	Suicide*
15-24	Unintentional Injury 11	Suicide 9	Cancer*
25-34	Unintentional Injury 15	Suicide 10	Heart*
35-44	Heart	Unintentional Injury	Cancer
	10	9	6
45-54	Cancer	Heart	Unintentional Injury
	36	22	15
55-64	Cancer	Heart	COPD
	93	49	18
65-74	Cancer	Heart	COPD
	121	83	31
75-84	Cancer	Heart	COPD
	146	125	48
85+	Heart	Alzheimer's Dz	Cancer
	216	143	86

^{*}Numbers less than six are not listed.

Leading Causes of Death by Age Group for North Dakota, 2012-2016							
Age	1	2	3				
0-4	Congenital Anomaly	Prematurity	Sudden Infant Death				
0-4	53	50	45				
5-14	Unintentional Injury	Suicide	Homicide*				
J-14	21	6					
15-24	Unintentional Injury	Suicide	Cancer				
10-24	191	127	16				
25-34	Unintentional Injury	Suicide	Heart				
20-04	211	125	50				
35-44	Unintentional Injury	Suicide	Heart				
33-44	184	107	99				
45-54	Cancer	Heart	Unintentional Injury				
43-34	350	282	210				
55-64	Cancer	Heart	Unintentional Injury				
33-04	1,094	646	192				
65-74	Cancer	Heart	COPD				
03-74	1,563	902	348				
75-84	Cancer	Heart	COPD				
75-04	1,793	1,441	565				
85+	Heart	Alzheimer's Dz	Cancer				
001	3,141	1,566	1,261				

^{*}Numbers less than six are not listed.

ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Binge Drinking Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 2 days. Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days. Respondents who reported driving when they had too much to drink one or more times during the past 30 days. Respondents who reported driving when they had too much to drink one or more times during the past 30 days. ARTHRITIS Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis. Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. ASTHMA Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma. Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. Respondents win a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 25 (overweight or obese). Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANDIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANDIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANDIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANDIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANDIER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had a heart attack. Angina Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. CA		AL COHOL	Grand Forks	North Dakota
Binge Drinking men, 4 drinks for women) one or more times in the past 30 days. Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days. Respondents who reported driving when they had too much to drink one or more times during the past 30 days. ARTHRITIS Doctor Diagnosed Arthritis Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis. Activity Limitation Due to Arthritis Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. ASTHMA Ever Asthma Respondents who reported ever have been told by a doctor, nurse or other health professional that they had asthma. Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. BODY WEIGHT Overweight, Not Obese Overweight or Obese AND Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CARDER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CARDER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CARDER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CARDER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having be		ALCOHOL	2011-2015	2011-2015
Heavy Drinking drinks per day for men, more than 1 drink per day for women) during the past 30 days. Drunk Driving Respondents who reported driving when they had too much to drink one or more times during the past 30 days. ARTHRITIS Respondents who reported ever have been told by a doctor or other health professional that they had some for or arthritis Activity Limitation Due to Arthritis Respondents who reported ever have been told by a doctor or other health professional that they had some for or arthritis ACTHIMA Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. 42.1 (19.9-24.3) (24.0-25. (46.6-60.4) (45.2-48. (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4) (46.6-60.4)	Binge Drinking	men, 4 drinks for women) one or more times in the past		24.1 (23.3-24.9)
Drunk Driving days. ARTHRITS	Heavy Drinking	drinks per day for men, more than 1 drink per day for		6.7 (6.3-7.2)
Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis	Drunk Driving	much to drink one or more times during the past 30		3.4 (2.8-3.9)
Activity Limitation Due to Arthritis Respondents who reported being limited in any usual activities because of arthritis. ASTHMA Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Overweight or Obese Aspondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had an angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had		ARTHRITIS		
Due to Arthritis Current Asthma Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.		doctor or other health professional that they had some		24.6 (24.0-25.2)
Ever Asthma Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma. Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. BODY WEIGHT Overweight, Not Obese Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 30 (obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a neart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.		activities because of arthritis or joint symptoms.		47.0 (45.2-48.9)
Current Asthma Current Asthma Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. BODY WEIGHT Overweight, Not Obese Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 30 (obese). Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had an angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.				
Current Asthma doctor, nurse or other health professional that they had asthma and who still have asthma. BODY WEIGHT Overweight, Not Obese Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 30 (obese). Overweight or Obese Respondents with a body mass index greater than or equal to 30 (obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had an angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	Ever Asthma	doctor, nurse or other health professional that they had		11.9 (11.3-12.4)
Overweight, Not ObeseRespondents with a body mass index greater than or equal to 25 but less than 30 (overweight).35.7 (32.6-38.7)36.5 (35.7-37.36.5)ObeseRespondents with a body mass index greater than or equal to 30 (obese).27.3 (24.6-30.0)30.3 (29.6-31.36.5)Overweight or ObeseRespondents with a body mass index greater than or equal to 25 (overweight or obese).62.9 (59.8-66.1)66.8 (66.0-67.36.36.3)CANCERAny CancerRespondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).5.3 (4.2-6.4)6.4 (6.1-6.7)CARDIOVASCULARHeart AttackRespondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.3.5 (2.6-4.3)4.3 (4.0-4.5)AnginaRespondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.4.7 (3.7-5.7)4.0 (3.7-4.2)StrokeRespondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.2.0 (1.4-2.6)2.4 (2.2-2.6)CardiovascularRespondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.6.8 (7.5 and 6.7)	Current Asthma	doctor, nurse or other health professional that they had		8.4 (7.9-8.9)
Obese equal to 25 but less than 30 (overweight). (32.6-38.7) (35.7-37. Obese Respondents with a body mass index greater than or equal to 30 (obese). (24.6-30.0) (29.6-31. Overweight or Obese Respondents with a body mass index greater than or equal to 25 (overweight or obese). (59.8-66.1) (66.0-67. CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.		BODY WEIGHT		
Overweight or Obese Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.		equal to 25 but less than 30 (overweight).		36.5 (35.7-37.3)
CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	Obese			30.3 (29.6-31.1)
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	•			66.8 (66.0-67.7)
Any Cancer doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.				
Heart Attack Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they	Any Cancer	doctor, nurse or other health professional that they had		6.4 (6.1-6.7)
Heart Attack doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they doctor, nurse or other health care professional that they				
Angina doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they doctor, nurse or other health care professional that they	Heart Attack	doctor, nurse or other health care professional that they		4.3 (4.0-4.5)
Stroke doctor, nurse or other health care professional that they had a stroke. Cardiovascular Respondents who reported ever having been told by a doctor, nurse or other health care professional that they	Angina	doctor, nurse or other health care professional that they		4.0 (3.7-4.2)
Cardiovascular doctor, nurse or other health care professional that they	Stroke	doctor, nurse or other health care professional that they		2.4 (2.2-2.6)
Inad any of the following: neart attack, angina or stroke. (5.7-7.3) (7.2-7.0	Cardiovascular Disease		6.8 (5.7-7.9)	7.5 (7.2-7.8)

ADULT BEHAVIORAL RISK FACTORS, 2011-2015

		Crond Forke	North Dakete
	CHOLESTEROL	2011-2015	North Dakota 2011-2015
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	26.7 (22.4-30.9)	22.8 (21.8-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	30.4 (26.1-34.7)	27.2 (26.2-28.3)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	33.3 (29.6-37.1)	36.1 (35.1-37.1)
	CHRONIC LUNG DISEASE		
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	5.5 (4.3-6.7)	4.7 (4.4-5.0)
	COLORECTAL CANCER		
No Colorectal Cancer Screening within Recom- mended Timeframe	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	35.4 (29.1-41.8)	40.0 (38.3-41.7)
	DIABETES		
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	7.3 (6.0-8.6)	8.5 (8.2-8.9)
	FRUITS AND VEGETABLES		
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	12.0 (9.6-14.3)	13.9 (13.2-14.6)
	GENERAL HEALTH		
Fair or Poor Health	Respondents who reported that their general health was fair or poor.	12.7 (10.8-14.3)	14.0 (13.5-14.6)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	12.6 (10.6-14.5)	11.3 (10.8-11.8)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	11.7 (9.5-13.8)	11.4 (10.9-12.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	12.1 (9.5-14.7)	13.6 (12.8-14.4)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	29.6 (26.8-32.4)	31.3 (30.6-32.1)



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	HEALTH CARE ACCESS	Grand Forks 2011-2015	North Dakota 2011-2015
Health Insurance	Respondents who reported not having any form of health care coverage.	10.9 (8.6-13.1)	10.8 (10.2-11.3)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	10.3 (8.1-12.5)	7.8 (7.3-8.3)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	24.7 (21.7-27.7)	26.7 (25.9-27.5)
	HYPERTENSION		
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	25.9 (22.8-29.0)	29.9 (29.0-30.7)
	IMMUNIZATION		
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	32.6 (27.7-37.6)	40.1 (38.9-41.4)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	19.2 (14.9-23.4)	28.5 (27.3-29.7)
	INJURY		
Falls	Respondents 45 years and older who reported that they had fallen in the past 12 months.	28.5 (23.6-33.4)	27.4 (26.2-28.7)
Seatbelt Use	Respondents who reported not always wearing their seatbelt.	64.3 (61.1-67.5)	61.4 (60.6-62.3)
	ORAL HEALTH		
Dental Visit	Respondents who reported that they have not had a dental visit in the past year.	31.5 (26.7-36.2)	33.7 (32.4-35.0)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	13.3 (10.5-16.1)	14.3 (13.6-15.1)
	PHYSICAL ACTIVITY		
No Leisure Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity.	22.0 (19.4-24.5)	25.1 (24.4-25.8)
	TOBACCO		
Current Smoking	Respondents who reported that they smoked every day or some days.	15.3 (6.7-23.9)	20.6 (19.9-21.4)
	WOMEN'S HEALTH		
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years.	22.0 (15.5-28.4)	25.1 (23.1-27.1)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years.	24.2 (17.6-30.8)	27.0 (25.4-28.6)

CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the 2016 variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- Assault: only includes aggravated assault
- <u>Larceny</u>: all other crimes against property

Grand Forks County							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	0	1	1	2	1	5	1.4
Rape	25	39	35	48	44	191	54.5
Robbery	21	25	15	23	27	111	31.7
Assault	109	101	100	129	120	559	159.4
Violent crime	155	166	151	202	192	866	247.0
Burglary	269	235	284	269	355	1,412	402.7
Larceny	1,296	1,269	646	796	788	4,795	1,367.4
Motor vehicle theft	98	77	238	130	158	701	199.9
Property crime	1,663	1,581	1,168	1,195	1,301	6,908	1,970.0
Total	1,818	1,747	1,319	1,397	1,493	7,774	2,217.0

^{*} Starting in 2014, crime data from the University of North Dakota's Police Department was added.

Table 21

North Dakota							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	20	14	19	21	17	91	2.5
Rape	243	237	389	428	365	1,662	44.9
Robbery	117	151	166	157	181	772	20.9
Assault	1,071	1,156	1,145	1,185	1,132	5,689	153.7
Violent crime	1,451	1,558	1,719	1,791	1,695	8,214	222.0
Burglary	2,200	2,656	2,490	3,212	3,051	13,609	367.8
Larceny	10,184	10,243	5,214	6,181	6,157	37,979	1,026.4
Motor vehicle theft	1,031	1,228	1,462	1,725	1,887	7,333	198.2
Property crime	13,415	14,127	9,166	11,118	11,095	47,826	1,292.5
Total	14,866	15,685	10,885	12,909	12,790	54,345	1,468.7



CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)

Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 22

Child Indicators: Education 2016	Grand Forks County		North Dakota	
Children ages 3 to 21 enrolled in special education in public schools	1,344	14.8%	14,426	13.2%
Four-year high school cohort graduates	87.	87.5% 88		7%
Average expenditure per student in public school	\$11,652 \$11,418		,418	

Table 23

Child Indicators: Economic Health 2016	Grand Forks County		North Dakota	
TANF recipients ages 0-19 (Percentage of persons ages 0-19)	373	2.1%	4,649	2.3%
SNAP recipients ages 0-18 (Percentage of all children ages 0-19)	3,581	22.8%	37,758	20.3%
Eligible recipients of free or reduced price lunch	3,149	34.1%	37,928	32.6%
Medicaid recipients ages 0-20 (Percentage of all persons ages 0-20)	5,282	26.1%	59,156	28.0%
Median income for families with children ages 0-17 (Percentage of all women with children ages 0-17)	\$64,427		\$75,818	
Children ages 0 to 17 living in low-income families (<200% of poverty)	5,320	38.0%	50,147	30.5%

Table 24

Child Indicators: Families and Child Care 2016	Grand Forks County		North Dakota	
Women in labor force, by age of children (ages 0-17)	5,139	79.1%	59,532	79.4%
Children ages 0-17 living in a single parent family (Percentage of all children ages 0-17)	4,115	29.0%	39,192	23.4%
Children in foster care (Percentage of children ages 0-18)	342	2.2%	2,397	1.3%
Victims of child abuse and neglect - services required (Percent of suspected victims)	237	31.1%	1,805	27.2%
Births to mothers receiving prenatal care beginning after first trimester or not at all	140	13.9%	1,612	14.2%

Child Indicators: Juvenile Justice 2016	Grand Forks County		North Dakota	
Children ages 10-17 referred to juvenile court (Percentage of all children ages 0-17)	414	7.6%	3,471	4.9%

^{*}LNE-Low Number Events