First District Health Unit

McLean County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH State Epidemiologist

Kodi Pinks, MPH Epidemiologist

Matt Schmidt Epidemiologist Intern

August 2018





TABLE OF CONTENTS

Data Sources Photograph Credits	ii ii
POPULATION DATA	
Table 1: Population by Age Group	1
Table 2: Female Population and Percentage Female by Age	1
Table 3: Race	1
Table 4: Household Populations	2
Table 5: Population Change	2
Table 6: Marital Status of Persons Age 15 and Older	2
Table 7: Educational Attainment Among Persons 25+	2
Table 8: Persons with Disability Table 9: Income and Poverty Status by Age Group	3
Table 10: Family Poverty and Childhood and Elderly Poverty	3
Table 11: Age of Housing	3
VITAL STATISTICS DATA	
Birth and Deaths Definitions	1
Table 12: Births	5
Table 13: Child Deaths	5
Table 14: Deaths and Age Adjusted Death Rate by Cause	5
Table 15: Leading Causes of Death by Age Group for County	6
Table 16: Leading Causes of Death by Age Group for North Dakota	6
ADULT BEHAVIORAL RISK FACTORS	
Table 17:	
Adult Behavioral Risk Factors Definition	7
Alcohol	8
Arthritis	8
Asthma	
Body Weight	
• Cancer	
Cardiovascular	
Table 18:	
Cholesterol	9
Chronic Lung Disease	
Colorectal Cancer	
• Diabetes	
Fruits and Vegetables	
General Health	
Table 19:	
Health Care Access	10
Hypertension	
Immunization	
Injury	
Oral Health	
Physical Activity	
Tobacco	
Women's Health	
CRIME Table 20: Country	1 1
Table 20: County	11 11
	11
CHILD RISK	
Table 22: Child Indicators—Education	12
Table 23: Child Indicators—Economic Health Table 24: Child Indicators—Eamilies and Child Care	I2
Table 24: Child Indicators—Families and Child Care Table 25: Child Indicators—Juvenile Justice	12 12
1 aoie 25. Omia maicaiois—Javenne Justice	

Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentially, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/CrimeHomicide.htm.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: www.datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography Theodore Roosevelt National Park in Winter <u>www.sthomasphotos.com/</u>
- Jerry Blank Lightening Storm north of Williston and Sunset over Little Missouri river www.jerryblank.us/gallery-nd.html
- ND Department of Commerce Oil wells www.commerce.nd.gov/news/MediaGallery/
- ND Tourism Division All other photos www.ndtourism.com/



POPULATION DATA

Table 1

Population by Age Group, 2016 Census Estimates					
Age Group	McLean (County	North D	akota	
Age Croup	Number	Percent	Number	Percent	
0-9	1,179	12.1%	105,035	13.9%	
10-19	1,087	11.2%	93,820	12.4%	
20-29	906	9.3%	127,579	16.8%	
30-39	1,079	11.1%	101,492	13.4%	
40-49	1,041	10.7%	79,632	10.5%	
50-59	1,414	14.5%	95,466	12.6%	
60-69	1,566	16.1%	80,159	10.6%	
70-79	918	9.4%	41,996	5.5%	
80+	539	5.5%	32,773	4.3%	
Total	9,729	100.0%	757,952	100.0%	
0-17	2,077	21.3%	176,311	23.3%	
65+	2,194	22.6%	109,999	14.5%	

Table 2



Female Population and Percentage Female by Age, 2016 Census Estimates					
Age Group	McLean	County	North D	akota	
Age Group	Number	Percent	Number	Percent	
0-9	577	12.2%	51,145	13.9%	
10-19	519	10.9%	45,349	12.3%	
20-29	444	9.4%	58,619	15.9%	
30-39	495	10.4%	47,001	12.7%	
40-49	509	10.7%	37,992	10.3%	
50-59	697	14.7%	46,809	12.7%	
60-69	751	15.8%	39,397	10.7%	
70-79	448	9.4%	22,236	6.0%	
80+	301	6.3%	20,430	5.5%	
Total	4,741	100.0%	368,978	100.0%	
0-17	1,014	21.4%	85,921	23.3%	
65+	1,106	23.3%	60,025	16.3%	

Race, Five Year Estimates (2012-2016)							
Race	McLean	n County North Dakota					
Race	Number	Percentage	Number	Percentage			
Total	9,576	100.0%	736,162	100%			
White	8,677	90.6%	649,730	88.3%			
Black	12	0.1%	14,761	2.0%			
American Indian	677	7.1%	38,369	5.2%			
Asian	11	0.1%	9,296	1.3%			
Pacific Islander	0	0.0%	336	0.0%			
Other	58	0.6%	5,691	0.8%			
Multi-race	141	1.5%	17,979	2.4%			

POPULATION DATA

Table 4

Household Populations, 2011 ACS Five Year Estimates					
	McLean County North Dakota				
Number Percent Number Percer					
Total	8,923	100.0%	666,783	100.0%	
In Family Households	7,189	80.6%	509,097	76.4%	
In Non-Family Households	1,538	17.2%	132,651	19.9%	
Total In Households	8,727	97.8%	641,748	96.2%	
Institutionalized*	172	1.9%	9,675	1.5%	
Non-institutionalized*	24	0.3%	15,360	2.3%	
Total in Group Quarters	196	2.2%	25,035	3.8%	

*2011 is the most recent data

Table 5

Population Change 2000-2015						
Census	McLean County	5 Year Change	North Dakota	5 Year Change		
2000	9,311		642,200			
2005	8,438	-9.4%	635,365	-1.1%		
2010	8,962	6.2%	672,591	5.9%		
2015	9,729	8.6%	754,859	12.2%		



Table 6

Marital Status of Persons Age 15 and Older, 2016 ACS Five Year Estimates						
Marital Status McLean County North Dakota						
Maritai Status	Number Percent Number Percent					
Total Age 15+	7,874	100.0%	594,068	100.0%		
Never Married	1,591	20.2%	189,508	31.9%		
Now Married	5,079	64.5%	308,915	52.0%		
Separated	39	0.5%	5,347	0.9%		
Widowed	583	7.4%	33,862	5.7%		
Divorced	591	7.5%	56,436	9.5%		

Educational Attainment Among Persons 25+, 2016 ACS Five Year Estimates							
Education	McLean	County	North D	akota			
Education	Number	Number	Percent				
Total	6,972	100.0%	477,607	100.0%			
Less than 9th Grade	280	4.0%	16,846	3.5%			
Some High School	315	4.5%	21,188	4.4%			
High school or GRE	2,471	29.9%	131,086	27.4%			
Some College/Assoc. Degree	2,632	37.7%	173,933	36.4%			
Bachelor's Degree	998	14.3%	97,890	20.5%			
Post Graduate Degree	276	4.0%	36,664	7.7%			

POPULATION DATA

Table 8

Persons with Disability, 2016 ACS Five Year Estimates							
Group	McLean (County	North D	akota			
Group	Number Percent		Number	Percent			
Total	9,403	100.0%	720,312	100.0%			
Any Disability	979	10.4%	77,651	10.8%			
No Disability	8,424	89.6%	642,661	89.2%			
Self Care Disability	205	2.3%	11,469	1.7%			
0-17 with any disability	30	3.1%	5,618	7.2%			
18-64 with any disability	357	36.5%	38,310	49.3%			
65+ with any disability	592	60.5%	33,723	43.4%			

Table 9

Income and Poverty Status by Age Group, 2016 ACS Five Year Estimates Molecon County North Beleate					
	McLean	County	North D	akota	
Median Household Income		\$59,976		\$59,114	
Per Capita Income		\$34,218		\$33,107	
	Number	Percent	Number	Percent	
Below Poverty Level	923	9.8%	79,314	11.2%	
Under 5 Years	42	4.6%	7,618	9.6%	
5 to 11 Years	133	14.4%	8,423	10.6%	
12 to 17 Years	77	8.3%	5,349	6.7%	
18 to 64 Years	480	52.0%	48,969	61.7%	
65 to 74 Years	90	9.8%	3,532	4.5%	
75 Years and Over	101	10.9%	5,423	6.8%	

Table 10

Family Poverty and Childhood and Elderly Poverty, 2016 ACS Five Year Estimates						
	McLean	McLean County		North Dakota		
	Number	Percent	Number	Percent		
Total Families	2,851	100.0%	183,466	100.00%		
Families in Poverty	171	6.0%	12,659	6.90%		
	T	1				
Families with Own Children	1,031	36.2%	84,714	46.17%		
Families with Own Children in Poverty	118	4.1%	9,912	5.40%		
	1	ı				
Families with Own Children and Female Parent Only	123	4.3%	23,485	27.72%		
Families with Own Children and Female Parent Only in Poverty	45	1.6%	8,408	4.58%		
Total Known Children in Poverty	252	12.1%	21,390	12.1%		
Total Known Age 65+ in Poverty	191	8.7%	8,955	8.1%		


* Percent family poverty is percent of total families

Table 11

Age of Housing, 2016 ACS Five Year Estimates						
	McLean	County	North D	akota		
	Number Percent Number Percent					
Housing Units: Total	5,908	100.0%	350,134	100.0%		
1980 and Later	1,956	33.1%	149,657	42.7%		
1970 to 1979	1,311	22.2%	67,069	19.2%		
Prior to 1970	2,641	44.7%	133,408	38.1%		

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS



Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age \leq 20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age<20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) \times 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.

Vital Statistics Data

BIRTHS AND DEATHS

Table	12
Iuoic	1 4

Births, 2012-2016						
	McLean	County	North I	North Dakota		
	Number	Rate or Ratio	Number	Rate or Ratio		
Live Births and Rate	592	13.2	54,644	16.3		
Pregnancies and Rate	627	14.0	59,226	17.6		
Fertility Rate	99.4		84.6			
Teen Births and Rate	36	29.2	2,715	23.8		
Teen Pregnancies and Rate	45	36.4	3,263	28.6		
Out of Wedlock Births and Ratio	172	290.5	17,518	320.6		
Out of Wedlock Pregnancies and Ratio	199	317.4	21,289	359.5		
Low Birth Weight Birth and Ratio	41	69.3	3,448	63.1		

Table 13

Child Deaths, 2012-2016					
	McLean	County	North Dakota		
	Number	Rate or Ratio	Number	Rate or Ratio	
Infant Deaths and Ratio	NR	5.1	299	5.5	
Child and Adolescent Deaths and Rate	NR	43.6	235	28.8	
Total Deaths and Crude Rate	500	1,115.8	30,152	896.6	

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2012-2016							
	McLear	County	North	Dakota			
	Number	Adj. Rate	Number	Adj. Rate			
All Causes	507	457.6	30,303	674.8			
Heart Disease	118	105.4	6,571	140.3			
Cancer	116	83.2	6,215	142.1			
Stroke	20	11.2	1,546	31.9			
Alzheimer's Disease	46	5.6	2,130	41.2			
COPD	27	51.9	1,623	35.2			
Unintentional Injury	28	48.3	1,764	45.9			
Diabetes Mellitus	19	10.7	908	20.6			
Pneumonia and Influenza	7	24.1	791	16.5			
Cirrhosis	NR	6.7	429	11.6			
Suicide	8	0.0	630	18.4			
Hypertension	6	21.8	467	9.5			

NR-Not Reportable



Vital Statistics Data

BIRTHS AND DEATHS

Leading Caus	ses of Death by Age Grou 1	p for McLean County, 201 2	2-2016 3			
0-4	Prematurity*	No Reported Deaths				
5-14	Unintentional Injury*	No Repo	rted Deaths			
15-24	Unintentional Injury 6	No Repo	rted Deaths			
25-34	Unintentional Injury*	Suicide*	Heart*			
35-44	Unintentional Injury*	Cancer*	Suicide*			
45-54	Heart 10	Unintentional Injury	Cancer*			
55-64	Cancer 25	Heart 17	Suicide*			
65-74	Cancer 37	Heart 23	Unintentional Injury*			
75-84	Cancer 25	Heart 18	Alzheimer's Disease 12			
85+	Heart 49	Alzheimer's Disease 31	Cancer 19			

^{*}Numbers less than six are not listed.

Table 16

	eading Causes of Death by Age Group for North Dakota, 2012-2016 Age 1 2 3							
0-4	Congenital Anomaly	Prematurity	Sudden Infant Death					
	53	50	45					
5-14	Unintentional Injury 21	Suicide 6	Homicide*					
15-24	Unintentional Injury	Suicide	Cancer					
	191	127	16					
25-34	Unintentional Injury	Suicide	Heart					
	211	125	50					
35-44	Unintentional Injury	Suicide	Heart					
	184	107	99					
45-54	Cancer	Heart	Unintentional Injury					
	350	282	210					
55-64	Cancer	Heart	Unintentional Injury					
	1,094	646	192					
65-74	Cancer	Heart	COPD					
	1,563	902	348					
75-84	Cancer	Heart	COPD					
	1,793	1,441	565					
85+	Heart	Alzheimer's Disease	Cancer					
	3,141	1,566	1,261					

^{*}Numbers less than six are not listed.



ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 17

Table 17			
	ALCOHOL	McLean 2011-2015	North Dakota 2011-2015
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	20.5 (15.6-25.5)	24.1 (23.3-24.9)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.	3.0 (0.9-5.1)	6.7 (6.3-7.2)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days.	2.6 (0.0-5.7)	3.4 (2.8-3.9)
	ARTHRITIS		
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	35.4 (16.9-53.8)	47.0 (45.2-48.9)
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	30.0 (24.9-35.1)	24.6 (24.0-25.2)
	ASTHMA		
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	11.4 (7.2-15.5)	11.9 (11.3-12.4)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	8.2 (4.5-11.9)	8.4 (7.9-8.9)
	BODY WEIGHT		
Overweight, Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).	43.8 (37.8-49.7)	36.5 (35.7-37.3)
Obese	Respondents with a body mass index greater than or equal to 30 (obese).	31.8 (26.7-36.9)	30.3 (29.6-31.1)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese).	75.6 (70.7-80.4)	66.8 (66.0-67.7)
	CANCER		
Any Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	8.3 (5.7-10.9)	6.4 (6.1-6.7)
Heart Attack	CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	4.2 (2.3-6.1)	4.3 (4.0-4.5)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	4.2 (2.3-6.0)	4.0 (3.7-4.2)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	1.7 (0.7-2.7)	2.4 (2.2-2.6)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	7.3 (5.0-9.6)	7.5 (7.2-7.8)

ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 18

	CHOLESTEROL	McLean 2011-2015	North Dakota 2011-2015
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	21.9 (14.9-28.8)	22.8 (21.8-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	24.2 (17.2-31.2)	27.2 (26.2-28.3)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	43.9 (36.4-51.4)	36.1 (35.1-37.1)
COPD	CHRONIC LUNG DISEASE Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	4.3 (1.1-7.6)	4.7 (4.4-5.0)
No Colorectal Cancer Screening within Recommended Timeframe	COLORECTAL CANCER Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	44.6 (32.0-57.3)	40.0 (38.3-41.7)
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	11.0 (8.0-14.0)	8.5 (8.2-8.9)
Five Fruits and Vegetables	FRUITS AND VEGETABLES Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	12.6 (8.4-14.0)	13.9 (13.2-14.6)
Fair or Poor Health	GENERAL HEALTH Respondents who reported that their general health was fair or poor.	16.9 (12.1-21.6)	14.0 (13.5-14.6)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	12.3 (8.2-16.4)	11.3 (10.8-11.8)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	10.8 (6.4-15.2)	11.4 (10.9-12.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	18.1 (10.5-25.7)	13.6 (12.8-14.4)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	30.1 (25.0-35.2)	31.3 (30.6-32.1)



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	HEALTH CARE ACCESS	McLean 2011-2015	North Dakota 2011-2015
Health Insurance	Respondents who reported not having any form or health care coverage.	6.1 (3.2-8.9)	10.8 (10.2-11.3)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	7.3 (3.8-10.8)	7.8 (7.3-8.3)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	19.6 (14.7-24.4)	26.7 (25.9-27.5)
	HYPERTENSION		
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	37.5 (30.8-44.3)	29.9 (29.0-30.7)
	IMMUNIZATION		
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	44.9 (35.2-54.6)	40.1 (38.9-41.4)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	29.4 (21.5-37.2)	28.5 (27.3-29.7)
	INJURY		
Falls	Respondents 45 years and older who reported that they had fallen in the past 12 months.	35.0 (24.1-45.8)	27.4 (26.2-28.7)
Seatbelt Use	Respondents who reported not always wearing their seatbelt.	56.8 (50.7-62.9)	61.4 (60.6-62.3)
	ORAL HEALTH		
Dental Visit	Respondents who reported that they have not had a dental visit in the past year.	34.1 (25.5-42.6)	33.7 (32.4-35.0)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	18.9 (11.7-26.0)	14.3 (13.6-15.1)
	PHYSICAL ACTIVITY		
No Leisure Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity.	28.1 (22.6-33.5)	25.1 (24.4-25.8)
	TOBACCO		
Current Smoking	Respondents who reported that they smoked every day or some days.	19.3 (14.4-24.1)	20.6 (19.9-21.4)
	WOMEN'S HEALTH		
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years.	20.5 (9.5-31.4)	25.1 (23.1-27.1)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years.	23.3 (13.9-32.6)	27.0 (25.4-28.6)

CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- <u>Assault</u>: only includes aggravated assault
- <u>Larceny</u>: all other property crimes

McLean County							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	1	2	3	1	1	8	16.7
Robbery	1	0	0	1	0	2	4.2
Assault	6	9	5	10	9	39	81.5
Violent crime	8	11	8	12	10	49	102.5
Burglary	37	11	29	34	24	135	282.3
Larceny	79	69	53	62	59	322	673.3
Motor vehicle theft	13	7	11	11	20	62	129.6
Property crime	129	87	93	107	103	519	1,085.2
Total	137	98	101	119	113	568	1,187.7

Table 21

North Dakota								
	2012	2013	2014	2015	2016	5 Year	5-Year Rate	
Murder	20	14	19	21	17	91	2.5	
Rape	243	237	389	428	365	1,662	44.9	
Robbery	117	151	166	157	181	772	20.9	
Assault	1,071	1,156	1,145	1,185	1,132	5,689	153.7	
Violent crime	1,451	1,558	1,719	1,791	1,695	8,214	222.0	
Burglary	2,200	2,656	2,490	3,212	3,051	13,609	367.8	
Larceny	10,184	10,243	5,214	6,181	6,157	37,979	1,026.4	
Motor vehicle theft	1,031	1,228	1,462	1,725	1,887	7,333	198.2	
Property crime	13,415	14,127	9,166	11,118	11,095	47,826	1,292.5	
Total	14,866	15,685	10,885	12,909	12,790	54,345	1,468.7	



CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)

Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 22

Child Indicators: Education 2016		ean unty	North Dakota		
Children ages 3 to 21 enrolled in special education in public schools	212	12.7%	14,426	13.2%	
Four-year high school cohort graduates	83.2% 88.7%		7%		
Average expenditure per student in public school	\$11,371 \$11,41		418		

Table 23

Child Indicators: Economic Health 2016	McLean County		North Dakota	
TANF recipients ages 0-19	27	1.2%	4,649	2.3%
SNAP recipients ages 0-18	344	15.8%	37,758	20.3%
Eligible recipients of free or reduced price lunch	532	31.3%	37,928	32.6%
Medicaid recipients ages 0-20	681	29.1%	59,156	28.0%
Median income for families with children ages 0-17	\$78,860		\$75,818	
Children ages 0 to 17 living in low-income families (<200% of poverty)	583	29.1%	50,147	30.5%

Table 24

Child Indicators: Families and Child Care 2016	McLean County		North Dakota	
Women in labor force, by age of children (ages 0-17)	668	78.2%	59,532	79.4%
Children ages 0-17 living in a single parent family	327	16.0%	39,192	23.4%
Children in foster care	63	2.8%	2,397	1.3%
Victims of child abuse and neglect - services required (Percent of suspected victims)	98	58.3%	1,805	27.2%
Births to mothers receiving prenatal care beginning after first trimester or not at all	19	16.0%	1,612	14.2%

Child Indicators: Juvenile Justice 2016	McLean County		North Dakota	
Children ages 10-17 referred to juvenile court	32	3.3%	3,471	4.9%

^{*}LNE-Low Number Events