Lake Region District Health Unit

Ramsey County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH State Epidemiologist

Kodi Pinks, MPH Epidemiologist

September 2018





TABLE OF CONTENTS

Data Sources	ii
Photograph Credits	11
POPULATION DATA	
Table 1: Population by Age Group	1
Table 2: Female Population and Percentage Female by Age	1
Table 3: Race	1
Table 4: Household Populations	2
Table 5: Population Change	2
Table 6: Marital Status of Persons Age 15 and Older	2
Table 7: Educational Attainment Among Persons 25+ Table 8: Persons with Disability	2
Table 9: Income and Poverty Status by Age Group	3
Table 10: Family Poverty and Childhood and Elderly Poverty	3
Table 11: Age of Housing	3
VITAL STATISTICS DATA	4
Birth and Deaths Definitions	4
Table 12: Births	5
Table 13: Child Deaths Table 14: Deaths and Age Adjusted Death Rate by Cause	5
Table 15: Leading Causes of Death by Age Group for County	6
Table 16: Leading Causes of Death by Age Group for North Dakota	6
ADULT BEHAVIORAL RISK FACTORS	
Table 17:	-
Adult Behavioral Risk Factors Definition	
Alcohol	
Arthritis	8
Asthma	8
Body Weight	8
• Cancer	
Cardiovascular	
Table 18:	
Cholesterol	9
Chronic Lung Disease	
Colorectal Cancer	
Diabetes	
Fruits and Vegetables	
General Health Table 19:	9
	16
Health Care Access	
Hypertension	
Immunization	
• Injury	
Oral Health	
Physical Activity	1(
• Tobacco	10
Women's Health	
CRIME	
	1 1
Table 20: County	
	11
CHILD RISK	
Table 22: Child Indicators—Education	12
Table 23: Child Indicators—Economic Health	12
Table 24: Child Indicators—Families and Child Care	12
Table 25: Child Indicators—Juvenile Justice	1.2

Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentially, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/CrimeHomicide.htm.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: www.datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography Theodore Roosevelt National Park in Winter <u>www.sthomasphotos.com/</u>
- Jerry Blank Lightening Storm north of Williston and Sunset over Little Missouri river www.jerryblank.us/gallery-nd.html
- ND Department of Commerce Oil wells www.commerce.nd.gov/news/MediaGallery/
- ND Tourism Division All other photos www.ndtourism.com/



POPULATION DATA

Table 1

Population by Age Group, 2016 Census Estimates					
Age Group	Ramsey (County	North D	akota	
Age Group	Number	Percent	Number	Percent	
0-9	1,576	13.6%	105,035	13.9%	
10-19	1,392	12.1%	93,820	12.4%	
20-29	1,411	12.2%	127,579	16.8%	
30-39	1,320	11.4%	101,492	13.4%	
40-49	1,161	10.1%	79,632	10.5%	
50-59	1,711	14.8%	95,466	12.6%	
60-69	1,472	12.7%	80,159	10.6%	
70-79	863	7.5%	41,996	5.5%	
80+	641	5.6%	32,773	4.3%	
Total	11,547	100.0%	757,952	100.0%	
0-17	2,680	23.2%	176,311	23.3%	
65+	2,190	19.0%	109,999	14.5%	

Table 2



Female Population and Percentage Female by Age, 2016 Census Estimates				
Age Group	Ramsey	County	North D	akota
Age Group	Number	Percent	Number	Percent
0-9	776	13.5%	51,145	13.9%
10-19	687	12.0%	45,349	12.3%
20-29	691	12.0%	58,619	15.9%
30-39	627	10.9%	47,001	12.7%
40-49	563	9.8%	37,992	10.3%
50-59	861	15.0%	46,809	12.7%
60-69	712	12.4%	39,397	10.7%
70-79	446	7.8%	22,236	6.0%
80+	382	6.6%	20,430	5.5%
Total	5,745	100.0%	368,978	100.0%
0-17	1,329	23.1%	85,921	23.3%
65+	1,144	19.9%	60,025	16.3%

Table 3

Race, Five Year Estimates (2012-2016)						
Race	Ramsey	County	North D	akota		
Nace	Number	Percentage	Number	Percentage		
Total	11,578	100.0%	736,162	100%		
White	9,978	86.2%	649,730	88.3%		
Black	4	0.0%	14,761	2.0%		
American Indian	1,217	10.5%	38,369	5.2%		
Asian	53	0.5%	9,296	1.3%		
Pacific Islander	0	0.0%	336	0.0%		
Other	33	0.3%	5,691	0.8%		
Multi-race	293	2.5%	17,979	2.4%		

POPULATION DATA

Table 4

Household Populations, 2011 ACS Five Year Estimates					
	Ramsey County North Dakota				
	Number	Percent	Number	Percent	
Total	11,400	100.0%	666,783	100.0%	
In Family Households	8,875	77.9%	509,097	76.4%	
In Non-Family Households	2,059	18.1%	132,651	19.9%	
Total In Households	10,934	95.9%	641,748	96.2%	
Institutionalized*	296	2.6%	9,675	1.5%	
Non-institutionalized*	170	1.5%	15,360	2.3%	
Total in Group Quarters	466	4.1%	25,035	3.8%	

*2011 is the most recent data

Table 5

Population Change 2000-2015					
Census	Ramsey County	5 Year Change	North Dakota	5 Year Change	
2000	12,066		642,200		
2005	11,290	-6.4%	635,365	-1.1%	
2010	11,451	1.4%	672,591	5.9%	
2015	11,646	1.7%	754,859	12.2%	



Table 6

Marital Status of Persons Age 15 and Older, 2016 ACS Five Year Estimates					
Marital Status	Ramsey	County	North [Dakota	
Marital Status	Number	Percent	Number	Percent	
Total Age 15+	9,470	100.0%	594,068	100.0%	
Never Married	2,936	31.0%	189,508	31.9%	
Now Married	4,498	47.5%	308,915	52.0%	
Separated	19	0.2%	5,347	0.9%	
Widowed	729	7.7%	33,862	5.7%	
Divorced	1,288	13.6%	56,436	9.5%	

Educational Attainment Among Persons 25+, 2016 ACS Five Year Estimates						
Education	Ramsey	County	North D	akota		
Education	Number	Percent	Number	Percent		
Total	7,948	100.0%	477,607	100.0%		
Less than 9th Grade	219	2.8%	16,846	3.5%		
Some High School	504	6.3%	21,188	4.4%		
High school or GRE	2,489	20.3%	131,086	27.4%		
Some College/Assoc. Degree	2,997	37.8%	173,933	36.4%		
Bachelor's Degree	1,305	16.4%	97,890	20.5%		
Post Graduate Degree	434	5.5%	36,664	7.7%		

POPULATION DATA

Table 8

Persons with Disability, 2016 ACS Five Year Estimates							
Group	Ramsey (Ramsey County North Dakot					
Group	Number Percent		Number	Percent			
Total	11,069	100.0%	720,312	100.0%			
Any Disability	1,675	15.1%	77,651	10.8%			
No Disability	9,394	84.9%	642,661	89.2%			
Self Care Disability	157	1.5%	11,469	1.7%			
0-17 with any disability	146	8.7%	5,618	7.2%			
18-64 with any disability	677	40.4%	38,310	49.3%			
65+ with any disability	852	50.9%	33,723	43.4%			

Table 9

ncome and Poverty Status by Age Group, 2016 ACS Five Year Estimates					
	Ramsey	County	North D	akota	
Median Household Income		\$50,776		\$59,114	
Per Capita Income		\$30,372		\$33,107	
	Number	Percent	Number	Percent	
Below Poverty Level	1,217	11.0%	79,314	11.2%	
Under 5 Years	149	12.2%	7,618	9.6%	
5 to 11 Years	65	5.3%	8,423	10.6%	
12 to 17 Years	127	10.4%	5,349	6.7%	
18 to 64 Years	637	52.3%	48,969	61.7%	
65 to 74 Years	86	7.1%	3,532	4.5%	
75 Years and Over	153	12.6%	5,423	6.8%	

Table 10

Family Poverty and Childhood and Elderly Poverty, 2016 ACS Five Year Estimates					
	Ramsey	County	North D	rth Dakota	
	Number	Percent	Number	Percent	
Total Families	2,813	100.0%	183,466	100.0%	
Families in Poverty	208	7.4%	12,659	6.9%	
5 11 11 - O O - 11 - I	4.040	47.00/	04.744	40.00/	
Families with Own Children	1,340	47.6%	84,714	46.2%	
Families with Own Children in Poverty	182	6.5%	9,912	5.4%	
Families with Own Children and Female Parent Only	269	9.6%	23,485	27.7%	
Families with Own Children and Female Parent Only in Poverty	106	3.8%	8,408	4.6%	
Total Known Children in Poverty	341	12.7%	21,390	12.1%	
Total Known Age 65+ in Poverty	239	10.9%	8,955	8.1%	

* Percent family poverty is percent of total families

Table 11

Age of Housing, 2016 ACS Five Year Estimates						
	Ramsey County North Dakota					
	Number Percent Number Percent					
Housing Units: Total	5,772	100.0%	350,134	100.0%		
1980 and Later	1,586	27.5%	149,657	42.7%		
1970 to 1979	1,245	21.6%	67,069	19.2%		
Prior to 1970	2,941	51.0%	133,408	38.1%		

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age \leq 20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age<20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.


Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) \times 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.



Vital Statistics Data

BIRTHS AND DEATHS

TO 1 1	1 1	
Inh		
Tab		

Births, 2012-2016					
	Ramsey	County	North Dakota		
	Number	Rate or Ratio	Number	Rate or Ratio	
Live Births and Rate	766	13.4	54,644	16.3	
Pregnancies and Rate	839	14.7	59,226	17.6	
Fertility Rate	79	9.3	84.6		
Teen Births and Rate	62	30.9	2,715	23.8	
Teen Pregnancies and Rate	72	35.9	3,263	28.6	
Out of Wedlock Births and Ratio	360	470.0	17,518	320.6	
Out of Wedlock Pregnancies and Ratio	423	504.2	21,289	359.5	
Low Birth Weight Birth and Ratio	55	71.8	3,448	63.1	

Table 13

Child Deaths, 2012-2016					
	Ramsey	County	North Dakota		
	Number	Rate or Ratio	Number	Rate or Ratio	
Infant Deaths and Ratio	7	9.1	299	5.5	
Child and Adolescent Deaths and Rate	6	44.0	235	28.8	
Total Deaths and Crude Rate	635	1,109.1	30,152	896.6	

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2012-2016							
	Ramsey	County	North I	Dakota			
	Number	Adj. Rate	Number	Adj. Rate			
All Causes	641	551.1	30,303	674.8			
Heart Disease	172	134.6	6,571	140.3			
Cancer	124	106.5	6,215	142.1			
Stroke	60	41.4	1,546	31.9			
Alzheimer's Disease	24	14.3	2,130	41.2			
COPD	36	27.1	1,623	35.2			
Unintentional Injury	28	28.7	1,764	45.9			
Diabetes Mellitus	22	19.3	908	20.6			
Pneumonia and Influenza	14	9.9	791	16.5			
Cirrhosis	11	15.4	429	11.6			
Suicide	11	16.6	630	18.4			
Hypertension	NR	4.3	467	9.5			

NR-Not Reportable



Vital Statistics Data

BIRTHS AND DEATHS

Table 15

Leading Caus	Leading Causes of Death by Age Group for Ramsey County, 2012-2016							
Age	1	2	3					
0-4	Prematurity*	Sudden Infant Death*	Unintentional Injury*					
5-14		No Reported Deaths						
15-24	Suicide*	Unintentional Injury*	No Reported Deaths					
25-34	Unintentional Injury*	Suicide*	No Reported Deaths					
35-44	Cancer*	Cirrhosis*	Heart*					
45-54	Cancer*	Heart*	Unintentional Injury*					
55-64	Heart 18	Cancer 15	Cirrhosis*					
65-74	Cancer 37	Heart 24	Cerebrovascular Disease 6					
75-84	Heart 37	Cancer 33	Cerebrovascular Disease 32					
85+	Heart 87	Cerebrovascular Disease 37	Cancer 32					

^{*}Numbers less than six are not listed.

Leading Causes of Death by Age Group for North Dakota, 2012-2016							
Age	1	2	3				
0-4	Congenital Anomaly	Prematurity	Sudden Infant Death				
0-4	53	50	45				
5-14	Unintentional Injury	Suicide	Homicide*				
3-14	21	6					
15-24	Unintentional Injury	Suicide	Cancer				
13-24	191	127	16				
25-34	Unintentional Injury	Suicide	Heart				
20-04	211	125	50				
35-44	Unintentional Injury	Suicide	Heart				
33-44	184	107	99				
45-54	Cancer	Heart	Unintentional Injury				
43-34	350	282	210				
55-64	Cancer	Heart	Unintentional Injury				
33-04	1,094	646	192				
65-74	Cancer	Heart	COPD				
03-74	1,563	902	348				
75-84	Cancer	Heart	COPD				
75-04	1,793	1,441	565				
85+	Heart	Alzheimer's Disease	Cancer				
001	3,141	1,566	1,261				

^{*}Numbers less than six are not listed.



ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 17

Table 1/			
	ALCOHOL	Ramsey 2011-2015	North Dakota 2011-2015
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	27.7 (21.7-33.7)	24.1 (23.3-24.9)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.	8.5 (4.5-12.5)	6.7 (6.3-7.2)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days.	4.9 (0.0-10.0)	3.4 (2.8-3.9)
	ARTHRITIS		
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	55.0 (39.9-70.0)	47.0 (45.2-48.9)
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	27.1 (22.1-32.1)	24.6 (24.0-25.2)
	ASTHMA		
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	8.8 (4.6-13.0)	11.9 (11.3-12.4)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	6.7 (2.9-10.6)	8.4 (7.9-8.9)
	BODY WEIGHT		
Overweight, Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).	40.3 (34.4-46.3)	36.5 (35.7-37.3)
Obese	Respondents with a body mass index greater than or equal to 30 (obese).	32.3 (26.6-37.9)	30.3 (29.6-31.1)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese).	72.6 (66.7-78.5)	66.8 (66.0-67.7)
	CANCER		
Any Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	7.1 (4.7-9.4)	6.4 (6.1-6.7)
	CARDIOVASCULAR		
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	4.5 (2.6-6.5)	4.3 (4.0-4.5)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	5.2 (3.1-7.2)	4.0 (3.7-4.2)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	3.5 (1.3-5.7)	2.4 (2.2-2.6)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	9.0 (6.1-12.0)	7.5 (7.2-7.8)

ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 18

14016-16			
	CHOLESTEROL	Ramsey 2011-2015	North Dakota 2011-2015
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	21.4 (13.1-29.7)	22.8 (21.8-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	25.3 (16.7-33.8)	27.2 (26.2-28.3)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	41.5 (33.8-49.1)	36.1 (35.1-37.1)
	CHRONIC LUNG DISEASE		
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	7.7 (3.9-11.6)	4.7 (4.4-5.0)
	COLORECTAL CANCER		
No Colorectal Cancer Screening within Recommended Timeframe	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	35.1 (24.0-46.2)	40.0 (38.3-41.7)
	DIABETES		
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	7.2 (4.9-9.5)	8.5 (8.2-8.9)
Five Fruits and Vegetables	FRUITS AND VEGETABLES Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	11.7 (6.6-16.8)	13.9 (13.2-14.6)
	GENERAL HEALTH		
Fair or Poor Health	Respondents who reported that their general health was fair or poor.	15.2 (10.5-19.9)	14.0 (13.5-14.6)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	12.9 (8.3-17.5)	11.3 (10.8-11.8)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	10.4 (6.6-14.1)	11.4 (10.9-12.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	11.2 (4.4-18.0)	13.6 (12.8-14.4)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	36.3 (30.3-42.4)	31.3 (30.6-32.1)



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	HEALTH CARE ACCESS	Ramsey 2011-2015	North Dakota 2011-2015
Health Insurance	Respondents who reported not having any form or health care coverage.	12.1 (7.4-16.9)	10.8 (10.2-11.3)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	7.7 (4.0-11.4)	7.8 (7.3-8.3)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	24.4 (18.7-30.1)	26.7 (25.9-27.5)
	HYPERTENSION		
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	28.5 (22.2-34.7)	29.9 (29.0-30.7)
	IMMUNIZATION		
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	37.3 (27.5-47.1)	40.1 (38.9-41.4)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	31.2 (22.1-40.2)	28.5 (27.3-29.7)
	INJURY		
Falls	Respondents 45 years and older who reported that they had fallen in the past 12 months.	28.0 (18.2-37.7)	27.4 (26.2-28.7)
Seatbelt Use	Respondents who reported not always wearing their seatbelt.	59.6 (53.3-66.0)	61.4 (60.6-62.3)
	ORAL HEALTH		
Dental Visit	Respondents who reported that they have not had a dental visit in the past year.	31.2 (22.1-40.2)	33.7 (32.4-35.0)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	20.2 (12.9-27.5)	14.3 (13.6-15.1)
	PHYSICAL ACTIVITY		
No Leisure Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity.	23.3 (18.3-28.4)	25.1 (24.4-25.8)
	TOBACCO		
Current Smoking	Respondents who reported that they smoked every day or some days.	25.9 (20.0-31.8)	20.6 (19.9-21.4)
	WOMEN'S HEALTH		
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years.	17.9 (5.3-30.5)	25.1 (23.1-27.1)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years.	24.9 (11.4-38.4)	27.0 (25.4-28.6)

CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- <u>Assault</u>: only includes aggravated assault
- <u>Larceny</u>: all other property crimes

Ramsey County							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	5	4	7	8	5	29	49.9
Robbery	2	3	1	0	1	7	12.1
Assault	8	15	12	7	7	49	84.4
Violent crime	15	22	20	15	13	85	146.4
Burglary	65	51	59	51	42	268	461.5
Larceny	266	280	91	79	89	805	1,386.1
Motor vehicle theft	15	22	32	47	43	159	273.8
Property crime	346	353	182	177	174	1,232	2,121.4
Total	361	375	202	192	187	1,317	2,267.8

Table 21

North Dakota							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	20	14	19	21	17	91	2.5
Rape	243	237	389	428	365	1,662	44.9
Robbery	117	151	166	157	181	772	20.9
Assault	1,071	1,156	1,145	1,185	1,132	5,689	153.7
Violent crime	1,451	1,558	1,719	1,791	1,695	8,214	222.0
Burglary	2,200	2,656	2,490	3,212	3,051	13,609	367.8
Larceny	10,184	10,243	5,214	6,181	6,157	37,979	1,026.4
Motor vehicle theft	1,031	1,228	1,462	1,725	1,887	7,333	198.2
Property crime	13,415	14,127	9,166	11,118	11,095	47,826	1,292.5
Total	14,866	15,685	10,885	12,909	12,790	54,345	1,468.7



CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)

Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 22

Child Indicators: Education 2016	Ramsey County		North Dakota	
Children ages 3 to 21 enrolled in special education in public schools	349	19.0%	14,426	13.2%
Four-year high school cohort graduates	82.	82.8%		7%
Average expenditure per student in public schools	\$11,625		\$11,418	

Table 23

Child Indicators: Economic Health 2016	Ramsey County		North Dakota	
TANF recipients ages 0 to 19	88	3.0%	4,649	2.3%
SNAP recipients ages 0 to 18	743	26.3%	37,758	20.3%
Eligible recipients of free or reduced price lunch	830	41.5%	37,928	32.6%
Medicaid recipients ages 0 to 20	1,189	38.3%	59,156	28.0%
Median income for families with children ages 0 to 17	\$66,864		\$75,818	
Children ages 0 to 17 living in low-income families (<200% of poverty)	650	25.0%	50,147	30.5%

Table 24

Child Indicators: Families and Child Care 2016	Ramsey County		North Dakota	
Women in labor force, by age of children (ages 0-17)	911	82.8%	59,532	79.4%
Children ages 0 to 17 living in a single parent family	760	29.0%	39,192	23.4%
Children in foster care	86	3.0%	2,397	1.3%
Victims of child abuse and neglect - services required (Percent of suspected victims)	52	42.6%	1,805	27.2%
Births to mothers receiving prenatal care beginning after first trimester or not at all	17	11.3%	1,612	14.2%

Child Indicators: Juvenile Justice 2016	Ramsey County		North Dakota	
Children ages 10 to 17 referred to juvenile court	130	11.6%	3,471	4.9%

^{*}LNE-Low Number Events