First District Health Unit

Renville County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH State Epidemiologist

Kodi Pinks, MPH Epidemiologist

Matt Schmidt Epidemiologist Intern

NORTH DAKOTA
DEPARTMENT of HEALTH



TABLE OF CONTENTS

Data Sources	ii
Photograph Credits	11
POPULATION DATA	
Table 1: Population by Age Group	1
Table 2: Female Population and Percentage Female by Age	1
Table 3: Race	1
Table 4: Household Populations	2
Table 5: Population Change	2
Table 6: Marital Status of Persons Age 15 and Older	2
Table 7: Educational Attainment Among Persons 25+ Table 8: Persons with Disability	2
Table 9: Income and Poverty Status by Age Group	3
Table 10: Family Poverty and Childhood and Elderly Poverty	3
Table 11: Age of Housing	3
VITAL STATISTICS DATA	4
Birth and Deaths Definitions	4
Table 12: Births	5
Table 13: Child Deaths Table 14: Deaths and Age Adjusted Death Rate by Cause	5
Table 15: Leading Causes of Death by Age Group for County	6
Table 16: Leading Causes of Death by Age Group for North Dakota	6
ADULT BEHAVIORAL RISK FACTORS	
Table 17:	-
Adult Behavioral Risk Factors Definition	
Alcohol	
Arthritis	8
Asthma	8
Body Weight	8
• Cancer	
Cardiovascular	
Table 18:	
Cholesterol	9
Chronic Lung Disease	
Colorectal Cancer	
Diabetes	
Fruits and Vegetables	
General Health Table 19:	9
	16
Health Care Access	
Hypertension	
Immunization	
• Injury	
Oral Health	
Physical Activity	1(
• Tobacco	10
Women's Health	
CRIME	
	1 1
Table 20: County	
	11
CHILD RISK	
Table 22: Child Indicators—Education	12
Table 23: Child Indicators—Economic Health	12
Table 24: Child Indicators—Families and Child Care	12
Table 25: Child Indicators—Juvenile Justice	1.2

Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentially, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/CrimeHomicide.htm.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: www.datacenter.kidscount.org.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography Theodore Roosevelt National Park in Winter <u>www.sthomasphotos.com/</u>
- Jerry Blank Lightening Storm north of Williston and Sunset over Little Missouri river www.jerryblank.us/gallery-nd.html
- ND Department of Commerce Oil wells www.commerce.nd.gov/news/MediaGallery/
- ND Tourism Division All other photos www.ndtourism.com/



POPULATION DATA

Population	Population by Age Group, 2016 Census Estimates					
Age Group	Renville	Renville County		akota		
Age Group	Number	Percent	Number	Percent		
0-9	334	13.1%	105,035	13.9%		
10-19	310	12.2%	93,820	12.4%		
20-29	258	10.1%	127,579	16.8%		
30-39	298	11.7%	101,492	13.4%		
40-49	269	10.5%	79,632	10.5%		
50-59	391	15.3%	95,466	12.6%		
60-69	345	13.5%	80,159	10.6%		
70-79	185	7.3%	41,996	5.5%		
80+	160	6.3%	32,773	4.3%		
Total	2,550	100.0%	757,952	100.0%		
0-17	590	23.1%	176,311	23.3%		
65+	500	19.6%	109,999	14.5%		

Table 2



Female Population and Percentage Female by Age, 2016 Census Estimates				
Age Group	Renville	Renville County		akota
Age Gloup	Number	Percent	Number	Percent
0-9	166	13.6%	51,145	13.9%
10-19	156	12.8%	45,349	12.3%
20-29	107	8.8%	58,619	15.9%
30-39	122	10.0%	47,001	12.7%
40-49	145	11.9%	37,992	10.3%
50-59	179	14.7%	46,809	12.7%
60-69	163	13.4%	39,397	10.7%
70-79	90	7.4%	22,236	6.0%
80+	91	7.5%	20,430	5.5%
Total	1,219	100.0%	368,978	100.0%
0-17	295	24.2%	85,921	23.3%
65+	251	20.6%	60,025	16.3%

Table 3

Race, Five Year Estimates (2012-2016)						
Race	Renville (lle County North Dakota				
Race	Number	Percentage	Number	Percentage		
Total	2,573	100.0%	736,162	100%		
White	2,471	96.0%	649,730	88.3%		
Black	17	0.7%	14,761	2.0%		
American Indian	13	0.5%	38,369	5.2%		
Asian	24	0.9%	9,296	1.3%		
Pacific Islander	0	0.0%	336	0.0%		
Other	12	0.5%	5,691	0.8%		
Multi-race	36	1.4%	17,979	2.4%		

POPULATION DATA

Table 4

Household Populations, 2011 ACS Five Year Estimates					
	Renville County North Dakota				
	Number Percent Number Percer				
Total	2,440	100.0%	666,783	100.0%	
In Family Households	1,965	80.5%	509,097	76.4%	
In Non-Family Households	420	17.2%	132,651	19.9%	
Total In Households	2,385	97.7%	641,748	96.2%	
Institutionalized*	54	2.2%	9,675	1.5%	
Non-institutionalized*	1	0.0%	15,360	2.3%	
Total in Group Quarters	55	2.3%	25,035	3.8%	

*2011 is the most recent data

Table 5

Population Change 2000-2015					
Census	Renville County	5 Year Change	North Dakota	5 Year Change	
2000	2,610		642,200		
2005	2,401	-8.0%	635,365	-1.1%	
2010	2,470	2.9%	672,591	5.9%	
2015	2,567	3.9%	754,859	12.2%	



Table 6

Marital Status of Persons Age 15 and Older, 2016 ACS Five Year Estimates					
Marital Status	Marital Status Renville County North Dakota Number Percent Number Percent				
Total Age 15+	2,005	100.0%	594,068	100.0%	
Never Married	497	24.8%	189,508	31.9%	
Now Married	1,211	60.4%	308,915	52.0%	
Separated	36	1.8%	5,347	0.9%	
Widowed	114	5.7%	33,862	5.7%	
Divorced	144	7.2%	56,436	9.5%	

Educational Attainment Among Persons 25+, 2016 ACS Five Year Estimates						
Education	Renville	e County	North D	akota		
Ludcation	Number	Percent	Number	Percent		
Total	1,722	2 100.0%	477,607	100.0%		
Less than 9th Grade	60	3.5%	16,846	3.5%		
Some High School	75	5 4.4%	21,188	4.4%		
High school or GRE	534	39.8%	131,086	27.4%		
Some College/Assoc. Degree	757	7 44.0%	173,933	36.4%		
Bachelor's Degree	231	l 13.4%	97,890	20.5%		
Post Graduate Degree	65	3.8%	36,664	7.7%		

POPULATION DATA

Table 8

Persons with Disability, 2016 ACS Five Year Estimates						
Group	Renville	County North Dakota				
Group	Number	Percent	Number	Percent		
Total	2,496	100.0%	720,312	100.0%		
Any Disability	276	11.1%	77,651	10.8%		
No Disability	2,220	88.9%	642,661	89.2%		
Self Care Disability	50	2.2%	11,469	1.7%		
0-17 with any disability	23	8.3%	5,618	7.2%		
18-64 with any disability	130	47.1%	38,310	49.3%		
65+ with any disability	123	44.6%	33,723	43.4%		

Table 9

ncome and Poverty Status by Age Group, 2016 ACS Five Year Estimates					
	Renville	County	North D	akota	
Median Household Income		\$65,927		\$59,114	
Per Capita Income		\$31,646		\$33,107	
	Number	Percent	Number	Percent	
Below Poverty Level	169	6.7%	79,314	11.2%	
Under 5 Years	17	10.1%	7,618	9.6%	
5 to 11 Years	17	10.1%	8,423	10.6%	
12 to 17 Years	6	3.6%	5,349	6.7%	
18 to 64 Years	92	54.4%	48,969	61.7%	
65 to 74 Years	10	5.9%	3,532	4.5%	
75 Years and Over	27	16.0%	5,423	6.8%	

Table 10

Family Poverty and Childhood and Elderly Poverty, 2016 ACS Five Year Estimates					
	Renville	e County	North Dakota		
	Number	Percent	Number	Percent	
Total Families	660	100.0%	183,466	100.00%	
Families in Poverty	20	3.0%	12,659	6.90%	
	_				
Families with Own Children	264	40.0%	84,714	46.17%	
Families with Own Children in Poverty	17	2.6%	9,912	5.40%	
	_				
Families with Own Children and Female Parent Only	22	3.3%	23,485	27.72%	
Families with Own Children and Female Parent Only in Poverty	8	1.2%	8,408	4.58%	
Total Known Children in Poverty	40	6.8%	21,390	12.1%	
Total Known Age 65+ in Poverty	37	7.4%	8,955	8.1%	

* Percent family poverty is percent of total families

Table 11

Age of Housing, 2016 ACS Five Year Estimates						
	Renville	County	North D	akota		
	Number Percent Number Percent					
Housing Units: Total	1,279	100.0%	350,134	100.0%		
1980 and Later	363	28.4%	149,657	42.7%		
1970 to 1979	249	19.5%	67,069	19.2%		
Prior to 1970	667	52.2%	133,408	38.1%		

Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age \leq 20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age<20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight ≤ 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) \times 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.



Vital Statistics Data

BIRTHS AND DEATHS

Table	12
-------	----

Births, 2012-2016					
	Renville County Nor		North I	th Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio	
Live Births and Rate	165	13.4	54,644	16.3	
Pregnancies and Rate	173	14.0	59,226	17.6	
Fertility Rate	88.5		84	ł.6	
Teen Births and Rate	9	25.4	2,715	23.8	
Teen Pregnancies and Rate	12	33.8	3,263	28.6	
Out of Wedlock Births and Ratio	35	212.1	17,518	320.6	
Out of Wedlock Pregnancies and Ratio	39	225.4	21,289	359.5	
Low Birth Weight Birth and Ratio	NR	24.2	3,448	63.1	

Table 13

Child Deaths, 2012-2016								
	Renville Number	County Rate or Ratio	North I Number	Dakota Rate or Ratio				
Infant Deaths and Ratio	0	0.0	299	5.5				
Child and Adolescent Deaths and Rate	0	0.0	235	28.8				
Total Deaths and Crude Rate	157	1,271.3	30,152	896.6				

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2012-2016								
	Renville	County	North I	Dakota				
	Number Adj. Rate		Number	Adj. Rate				
All Causes	157	601.5	30,303	674.8				
Heart Disease	38	109.3	6,571	140.3				
Cancer	37	147.5	6,215	142.1				
Stroke	15	51.4	1,546	31.9				
Alzheimer's Disease	19	68.0	2,130	41.2				
COPD	10	9.5	1,623	35.2				
Unintentional Injury	8	75.7	1,764	45.9				
Diabetes Mellitus	NR	8.5	908	20.6				
Pneumonia and Influenza	NR	3.5	791	16.5				
Cirrhosis	NR	10.4	429	11.6				
Suicide	NR	22.1	630	18.4				
Hypertension	NR	3.5	467	9.5				

NR-Not Reportable



Vital Statistics Data

BIRTHS AND DEATHS

Table 15

Leading Cause	es of Death by Age Group 1	for Renville County, 2012-: 2	2016 3					
0-4		No Reported Deaths						
5-14		No Reported Deaths						
15-24	Unintentional Injury*	Unintentional Injury* No Reported Deaths						
25-34	Unintentional Injury*	Suicide	Cirrhosis*					
35-44	Unintentional Injury*	Cancer*	No Reported Deaths					
45-54	Cancer*	Heart*	Suicide					
55-64	Cancer*	Heart*	Diabetes*					
65-74	Cancer* 12	Cerebrovascular Disease*	Heart*					
75-84	Heart* 13	Cancer 11	COPD 8					
85+	Alzheimer's Disease 16	Heart 16	Cerebrovascular Disease 8					

^{*}Numbers less than six are not listed.

Leading Causes of Death by Age Group for North Dakota, 2012-2016								
Age	1	2	3					
0-4	Congenital Anomaly	Prematurity	Sudden Infant Death					
0-4	53	50	45					
5-14	Unintentional Injury	Suicide	Homicide*					
5-14	21	6						
15-24	Unintentional Injury	Suicide	Cancer					
13-24	191	127	16					
25-34	Unintentional Injury	Suicide	Heart					
25-54	211	125	50					
35-44	Unintentional Injury	Suicide	Heart					
33-44	184	107	99					
45-54	Cancer	Heart	Unintentional Injury					
40-04	350	282	210					
55-64	Cancer	Heart	Unintentional Injury					
33-04	1,094	646	192					
65-74	Cancer	Heart	COPD					
03-74	1,563	902	348					
75-84	Cancer	Heart	COPD					
7 3-04	1,793	1,441	565					
85+	Heart	Alzheimer's Disease	Cancer					
00+	3,141	1,566	1,261					

^{*}Numbers less than six are not listed.



ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 17

ALCOHOL	Renville 2011-2015	North Dakota 2011-2015
Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	28.0 (18.0-38.1)	24.1 (23.3-24.9)
Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.	4.2 (0.0-8.4)	6.7 (6.3-7.2)
Respondents who reported driving when they had too much to drink one or more times during the past 30 days.	3.9 (0.0-9.8)	3.4 (2.8-3.9)
ARTHRITIS		
Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	57.0 (30.1-84.0)	47.0 (45.2-48.9)
Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	17.2 (10.8-23.6)	24.6 (24.0-25.2)
ASTHMA		
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	11.7 (5.3-18.1)	11.9 (11.3-12.4)
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	5.4 (1.4-9.4)	8.4 (7.9-8.9)
BODY WEIGHT		
Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).	41.0 (30.6-51.4)	36.5 (35.7-37.3)
Respondents with a body mass index greater than or equal to 30 (obese).	29.0 (19.3-38.7)	30.3 (29.6-31.1)
Respondents with a body mass index greater than or equal to 25 (overweight or obese).	70.0 (60.5-79.5)	66.8 (66.0-67.7)
CANCER		
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	4.9 (1.5-8.3)	6.4 (6.1-6.7)
CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	3.8 (0.9-6.7)	4.3 (4.0-4.5)
Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	2.2 (0.2-4.2)	4.0 (3.7-4.2)
Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	1.7 (0.0-4.0)	2.4 (2.2-2.6)
Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	6.7 (2.7-10.7)	7.5 (7.2-7.8)
	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days. Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days. Respondents who reported driving when they had too much to drink one or more times during the past 30 days. ARTHRITIS Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis. ASTHMA Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma. Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. BODY WEIGHT Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 30 (obese). Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days. Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days. Respondents who reported driving when they had too much to drink one or more times during the past 30 days. Respondents who reported being limited in any usual activities because of arthritis or joint symptoms. Respondents who reported ever have been told by a doctor, nurse or other health professional that they had asthma. Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma. BODY WEIGHT Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight). Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma or equal to 25 (overweight or obese). CANCIER Respondents with a body mass index greater than or equal to 25 (overweight or obese). CANCIER Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer). CARDIOVASCULAR Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke. Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.

ADULT BEHAVIORAL RISK FACTORS, 2011-2015

Table 18

	CHOLESTEROL	Renville 2011-2015	North Dakota 2011-2015
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	14.7 (3.6-25.9)	22.8 (21.8-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	24.6 (11.8-37.4)	27.2 (26.2-28.3)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	37.2 (24.2-50.3)	36.1 (35.1-37.1)
	CHRONIC LUNG DISEASE		
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	7.4 (2.5-12.3)	4.7 (4.4-5.0)
	COLORECTAL CANCER		
No Colorectal Cancer Screening within Recommended Timeframe	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	24.1 (6.1-42.1)	40.0 (38.3-41.7)
	DIABETES		
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	10.2 4.5-15.8)	8.5 (8.2-8.9)
	FRUITS AND VEGETABLES		
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	11.1 (3.1-19.1)	13.9 (13.2-14.6)
	GENERAL HEALTH		
Fair or Poor Health	Respondents who reported that their general health was fair or poor.	15.6 (8.7-22.4)	14.0 (13.5-14.6)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	6.4 (2.0-10.9)	11.3 (10.8-11.8)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	6.0 (0.8-11.2)	11.4 (10.9-12.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	11.4 (1.4-21.4)	13.6 (12.8-14.4)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	35.3 (25.6-45.1)	31.3 (30.6-32.1)



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	HEALTH CARE ACCESS	Renville 2011-2015	North Dakota 2011-2015
Health Insurance	Respondents who reported not having any form or health care coverage.	4.7 (0.8-8.6)	10.8 (10.2-11.3)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	1.4 (0.0-3.0)	7.8 (7.3-8.3)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	21.8 (12.4-31.2)	26.7 (25.9-27.5)
	HYPERTENSION		
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	39.0 (26.1-51.8)	29.9 (29.0-30.7)
	IMMUNIZATION		
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	45.6 (30.0-61.3)	40.1 (38.9-41.4)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	42.3 (26.3-58.3)	28.5 (27.3-29.7)
	INJURY		
Falls	Respondents 45 years and older who reported that they had fallen in the past 12 months.	29.6 (5.7-53.5)	27.4 (26.2-28.7)
Seatbelt Use	Respondents who reported not always wearing their seatbelt.	56.0 (44.9-67.0)	61.4 (60.6-62.3)
	ORAL HEALTH		
Dental Visit	Respondents who reported that they have not had a dental visit in the past year.	26.4 (12.8-39.9)	33.7 (32.4-35.0)
Tooth Loss	Respondents who reported they ever had a permanent tooth extracted.	17.2 (6.9-27.5)	14.3 (13.6-15.1)
	PHYSICAL ACTIVITY		
No Leisure Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity.	28.7 (18.6-38.7)	25.1 (24.4-25.8)
	TOBACCO		
Current Smoking	Respondents who reported that they smoked every day or some days.	11.3 (5.2-17.5)	20.6 (19.9-21.4)
	WOMEN'S HEALTH		
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years.	22.3 (0.0-45.8)	25.1 (23.1-27.1)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years.	21.4 (0.0-43.4)	27.0 (25.4-28.6)

CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- <u>Assault</u>: only includes aggravated assault
- <u>Larceny</u>: all other crimes against property

Table 20

Renville County							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	0	0	0	0	1	1	7.8
Robbery	0	0	0	0	0	0	0.0
Assault	1	0	2	3	2	8	62.1
Violent crime	1	0	2	3	3	9	69.8
Burglary	2	1	19	5	2	29	225.0
Larceny	18	17	10	3	4	52	403.4
Motor vehicle theft	0	5	5	2	4	16	124.1
Property crime	20	23	34	10	10	97	752.5
Total	21	23	36	13	13	106	822.3

Table 21

North Dakota							
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	20	14	19	21	17	91	2.5
Rape	243	237	389	428	365	1,662	44.9
Robbery	117	151	166	157	181	772	20.9
Assault	1,071	1,156	1,145	1,185	1,132	5,689	153.7
Violent crime	1,451	1,558	1,719	1,791	1,695	8,214	222.0
Burglary	2,200	2,656	2,490	3,212	3,051	13,609	367.8
Larceny	10,184	10,243	5,214	6,181	6,157	37,979	1,026.4
Motor vehicle theft	1,031	1,228	1,462	1,725	1,887	7,333	198.2
Property crime	13,415	14,127	9,166	11,118	11,095	47,826	1,292.5
Total	14,866	15,685	10,885	12,909	12,790	54,345	1,468.7



CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)

Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 22

Child Indicators: Education 2016	_	nville unty	North Dakota		
Children ages 3 to 21 enrolled in special education in public schools	97	15.2%	14,426	13.2%	
Four-year high school cohort graduates	90.9%		88.	7%	
Average expenditure per student in public school	\$11,917		\$11	,418	

Table 23

Child Indicators: Economic Health 2016	Renville County		North Dakota	
TANF recipients ages 0-19	2	0.3%	4,649	2.3%
SNAP recipients ages 0-18	90	14.5%	37,758	20.3%
Eligible recipients of free or reduced price lunch	216	35.2%	37,928	32.6%
Medicaid recipients ages 0-20	140	21.1%	59,156	28.0%
Median income for families with children ages 0-17	\$81,250		\$75,818	
Children ages 0 to 17 living in low-income families (<200% of poverty)	210	32.4%	50,147	30.5%

Table 24

Child Indicators: Families and Child Care 2016	Renville County		North Dakota	
Women in labor force, by age of children (ages 0-17)	186	72.1%	59,532	79.4%
Children ages 0-17 living in a single parent family	95	14.5%	39,192	23.4%
Children in foster care	7	1.1%	2,397	1.3%
Victims of child abuse and neglect - services required (Percent of suspected victims)	9	20.0%	1,805	27.2%
Births to mothers receiving prenatal care beginning after first trimester or not at all	LNE	NA	1,612	14.2%

Child Indicators: Juvenile Justice 2016	Renville County		North Dakota	
Children ages 10-17 referred to juvenile court	3	1.2%	3,471	4.9%

^{*}LNE-Low Number Events