

# Wells County Community Health Profile


## POPULATION

The Demographic Section of this report comes from the US Census Bureau ([www.census.gov](http://www.census.gov)). Most tables are derived either from the full (100%) census taken in 2010 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The table showing percent population change uses census data from 2000 also. Tables present number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group which is in poverty (e.g., percentage of children under five years in poverty).

1

Population by Age Group, 2010 Census				
Age Group	Wells County		North Dakota	
0-9	410	9.7%	84,671	12.6%
10-19	412	9.8%	87,264	13.0%
20-29	278	6.6%	108,552	16.1%
30-39	317	7.5%	77,954	11.6%
40-49	583	13.9%	84,577	12.6%
50-59	694	16.5%	96,223	14.3%
60-69	569	13.5%	61,901	9.2%
70-79	519	12.3%	39,213	5.8%
80+	425	10.1%	32,236	4.8%
<b>Total</b>	<b>4,207</b>	<b>100.0%</b>	<b>672,591</b>	<b>100.0%</b>
0-17	764	18.2%	149,871	22.3%
65+	1,221	29.0%	97,477	14.5%

2



3

Female Population and Percentage Female by Age, 2010 Census				
Age Group	Wells County		North Dakota	
0-9	205	50.0%	41,330	48.8%
10-19	193	46.8%	42,277	48.4%
20-29	134	48.2%	50,571	46.6%
30-39	150	47.3%	37,144	47.6%
40-49	304	52.1%	41,499	49.1%
50-59	316	45.5%	47,283	49.1%
60-69	295	51.8%	30,699	49.6%
70-79	271	52.2%	21,453	54.7%
80+	274	64.5%	20,471	63.5%
<b>Total</b>	<b>2,142</b>	<b>50.9%</b>	<b>332,727</b>	<b>49.5%</b>
0-17	375	49.1%	73,083	48.8%
65+	684	56.0%	55,050	56.5%

# Wells County Community Health Profile

## POPULATION

4

Race, 2010 Census				
Race	Wells County		North Dakota	
	Number	Percentage	Number	Percentage
Total	4,207	100.0%	672,591	100.0%
White	4,160	98.9%	605,449	90.0%
Black	3	0.1%	7,960	1.2%
Am. Indian	13	0.3%	36,591	5.4%
Asian	4	0.1%	6,909	1.0%
Pac. Islander	1	0.0%	320	0.0%
Other	2	0.0%	3,509	0.5%
Multirace	24	0.6%	11,853	1.8%

5

Household Populations, 2010				
Household Type	Wells County		North Dakota	
	Number	Percentage	Number	Percentage
Total	4,276	100.0%	659,858	100.0%
<b>In households</b>	4,189	98.0%	634,679	96.2%
In family households:	3,345	78.2%	504,148	76.4%
In nonfamily households:	844	19.7%	130,531	19.8%
<b>In group quarters</b>	119	2.8%	25,179	3.8%
Institutionalized population	103	2.4%	9,675	1.5%
Noninstitutionalized population	16	0.4%	15,504	2.3%

6

Marital Status of Persons Age 15 and Older, 2006-2010 ACS				
Marital Status	Wells County		North Dakota	
	Number	Percent	Number	Percent
Total Age 15+	3,655	100.0%	538,799	100.0%
Never Married	552	15.1%	163,256	30.3%
Now Married	2,339	64.0%	288,257	53.5%
Separated	26	0.7%	4,310	0.8%
Widowed	490	13.4%	36,100	6.7%
Divorced	249	6.8%	46,876	8.7%

7

Decennial Population Change, 1990 to 2000, 2000 to 2010				
Census	Wells County	10 Year Change (%)	North Dakota	10 Year Change (%)
1990	5,864	(%)	638,800	(%)
2000	5,102	-13.0%	642,200	0.5%
2010	4,207	-17.5%	672,591	4.7%

# Wells County Community Health Profile

## POPULATION

Educational Attainment, 2006-2010, ACS				
	Wells County		North Dakota	
	Estimate	Percent	Estimate	Percent
Population 25 years and over	3,292	100.0%	429,333	100.0%
Less than 9th grade	300	9.1%	24,043	5.6%
9th to 12th grade, no diploma	257	7.8%	21,467	5.0%
High school graduate or GED	1,106	33.6%	120,643	28.1%
Some college, no degree	662	20.1%	99,176	23.1%
Associate's degree	323	9.8%	51,091	11.9%
Bachelor's degree	537	16.3%	83,291	19.4%
Grad degree or prof degree	105	3.2%	29,624	6.9%

8

Income and Poverty Status by Age Group, 2006-2010, ACS				
	Wells County		North Dakota	
	Number	Percent	Number	Percent
Median Household Income	\$40,136		\$46,781	
Per Capita Income	\$25,531		\$25,803	
	Number	Percent	Number	Percent
Below Poverty Level	431	10.3%	78,405	12.3%
Under 5 years	36	17.4%	4,120	9.2%
5 to 11 years	33	11.3%	7,908	14.2%
12 to 17 years	32	12.0%	5,457	11.0%
18 to 64 years	128	5.8%	46,471	12.0%
65 to 74 years	78	14.4%	4,149	8.9%
75 years and over	124	18.2%	7,072	14.0%
Total Known Children in Poverty (0-17)	101	13.2%	17,485	11.7%
Total Known Age 65+ in Poverty	202	16.5%	11,221	11.5%

9

Family Poverty and Childhood and Elderly Poverty, 2006-2010, ACS				
	Wells County		North Dakota	
	Number	Percent	Number	Percent
Total Families	1,276	100.0%	170,477	100.0%
Families in Poverty	78	6.1%	12,274	7.2%
Families with Related Children	431	33.8%	78,224	45.9%
Families with Related Children in Poverty	27	2.1%	10,679	6.3%
Families with Related Children and Female Parent Only	36	2.8%	15,482	9.1%
Families with Related Children and Female Parent Only in Poverty	17	1.3%	6,022	3.5%

10

# Wells County Community Health Profile

## Vital Statistics Data

### BIRTHS AND DEATHS

Vital Statistics Data comes from the birth and death records collected by the State of North Dakota aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. The number of events is blocked if fewer than six.

Formulas for calculating rates and ratios are as follows:

**Birth Rate** = Resident live births divided by the total resident population x 1000.

**Pregnancies** = Live births + Fetal deaths + Induced termination of pregnancy.

**Pregnancy Rate** = Total pregnancies divided by the total resident population x 1000.

**Fertility Rate** = Resident live births divided by female population (age 15-44) x 1000.

**Teenage Birth Rate** = Teenage births (age <20) divided by female teen population x 1000.

**Teenage Pregnancy Rate** = Teenage pregnancies (age <20) divided by female teen population x 1000.

**Out of Wedlock Live Birth Ratio** = Resident OOW live births divided by total resident live births x 1000.

**Out of Wedlock Pregnancy Ratio** = Resident OOW pregnancies divided by total pregnancies x 1000.

**Low Weight Ratio** = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

**Infant Death Ratio** = Number of infant deaths divided by the total resident live births x 1000.

**Childhood & Adolescent Deaths** = Deaths to individuals 1 - 19 years of age.

**Childhood and Adolescent Death Rate** = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

**Crude Death Rate** = Death events divided by population x 100,000.

**Age-Adjusted Death Rate** = Death events with age specific adjustments x 100,000 population.

11

Births, 2006-2010				
	Wells County		North Dakota	
	Number	Rate	Number	Rate
Live Births	174	8.3	44,427	13.2
Pregnancies	184	8.7	48,818	14.5
Fertility Ratio		70.3		71.4
Teen Births	6	7.6	3,337	19.2
Teen Pregnancies	6	7.6	4,062	23.4
	Number	Ratio	Number	Ratio
Out of Wedlock Births	49	281.6	14,506	326.5
Out of Wedlock Pregnancies	57	309.8	18,103	370.8
Low Birth Weight Births	0	0.0	2,919	65.7

12

Child Deaths, 2006-2010				
	Wells County		North Dakota	
	Number	Ratio	Number	Ratio
Infant Deaths	0	0	281	6
	Number	Rate	Number	Rate
Child and Adolescent Deaths	<6	NR	285	35
Total Deaths	364	1,730	28,984	862

# Wells County Community Health Profile

## Vital Statistics Data

### BIRTHS AND DEATHS

Deaths and Age Adjusted Death Rate by Cause, 2006-2010		
	Wells County	North Dakota
	Number (Adj. Rate)	Number (Adj. Rate)
All Causes	364 (708)	28,985 (689)
Heart Disease	120 (194)	7,122 (162)
Cancer	75 (165)	6,544 (162)
Stroke	18 (48)	1,696 (38)
Alzheimers Disease	28 (40)	1,936 (40)
COPD	23 (37)	1,607 (39)
Unintentional Injury	17 (65)	1,545 (42)
Diabetes Mellitus	19 (34)	1,072 (26)
Pneumonia and Influenza	<6	702 (15)
Cirrhosis	<6	289 (8)
Suicide	<6	462 (14)

# Wells County Community Health Profile

## Vital Statistics Data

### BIRTHS AND DEATHS

**Leading Causes of Death by Age Group for Wells County, 2006-2010**

Age	1	2	3
0-4			
5-14	Cancer		
15-24	Unintentional Injury		
25-34	Unintentional Injury		
35-44	Stroke	Suicide Unintentional Injury	
45-54	Cancer Unintentional Injury	Heart Disease Diabetes	Cirrhosis COPD
55-64	Cancer 12	Heart Disease 6	Stroke
65-74	Cancer 18	Heart Disease 8	Unintentional Injury
75-84	Cancer 20	Heart Disease 18	Stroke 7
85+	Heart Disease 86	Cancer 21	Alzheimer's Disease 23

14

**Leading Causes of Death by Age Group for North Dakota, 2006-2010**


Age	1	2	3
0-4	Congenital Anomaly 69	Prematurity 44	SIDS 40
5-14	Unintentional Injury 26	Cancer 10	Congenital Anomaly 6
15-24	Unintentional Injury 184	Suicide 109	Cancer 20
25-34	Unintentional Injury 166	Suicide 91	Heart 32
35-44	Unintentional Injury 173	Heart 94	Cancer 88
45-54	Cancer 493	Heart 335	Unintentional Injury 194
55-64	Cancer 1001	Heart 579	Unintentional Injury 137
65-74	Cancer 1562	Heart 843	COPD 313
75-84	Cancer 1992	Heart 1797	COPD 626
85+	Heart 3421	Alzheimer's Dz 1391	Cancer 1352

15

# Wells County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS, 2001-2010

Adult Behavioral Risk Factor data are derived from aggregated data (the number of years specified is in the table) continuously collected by telephone survey from persons 18 years and older. All data is self-reported data. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalences in the two populations.



	<b>ALCOHOL</b>	<b>Wells County %</b>	<b>North Dakota %</b>
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	16.7 (12.0-21.4)	21.1 (20.5-21.6)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days	2.0 ( 0.7- 3.4)	5.0 ( 4.7- 5.3)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days	8.4 ( 3.1-13.7)	5.7 ( 5.1- 6.2)
<b>ARTHRITIS</b>			
Chronic Joint Symptoms	Respondents who reported pain, aching or stiff in a joint during the past 30 days which started more than 3 months ago	36.4 (26.6-46.3)	35.3 (34.4-36.2)
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	18.3 (11.2-25.4)	13.0 (12.4-13.5)
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form of arthritis.	31.3 (23.6-39.0)	27.2 (26.5-27.9)
<b>ASTHMA</b>			
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	8.8 ( 5.9-11.8)	10.7 (10.3-11.1)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	7.6 ( 4.8-10.4)	7.5 ( 7.2- 7.9)
<b>BODY WEIGHT</b>			
Overweight But Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight)	37.4 (31.8-43.0)	38.7 (38.0-39.3)
Obese	Respondents with a body mass index greater than or equal to 30 (obese)	29.6 (24.4-34.7)	25.4 (24.9-26.0)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese)	67.0 (60.9-73.1)	64.1 (63.5-64.8)

# Wells County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS 2001-2010

	<b>CARDIOVASCULAR</b>	<b>Wells County %</b>	<b>North Dakota %</b>
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	7.9 ( 5.0-10.8)	4.0 ( 3.8- 4.2)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	5.6 ( 3.2- 8.0)	4.0 ( 3.8- 4.3)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	3.1 ( 1.5- 4.7)	2.2 ( 2.1- 2.4)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	10.1 ( 6.9-13.3)	7.4 ( 7.1- 7.7)
<b>CHOLESTEROL</b>			
Never Cholesterol Test	Respondents who reported never having a cholesterol test	18.9 (11.5-26.3)	23.0 (22.2-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years	21.3 (13.7-29.0)	28.2 (27.4-29.0)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	42.7 (34.4-51.0)*	34.0 (33.2-34.8)
<b>COLORECTAL CANCER</b>			
Fecal Occult Blood	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	83.8 (76.3-91.2)	78.3 (77.5-79.2)
Never Sigmoidoscopy	Respondents age 50 and older who reported never having had a sigmoidoscopy or colonoscopy	40.6 (31.7-49.5)	42.6 (41.4-43.7)
No Sigmoidoscopy in Past 5 Years	Respondents age 50 and older who reported not having a sigmoidoscopy or colonoscopy in the past five years.	65.2 (57.2-73.1)	55.0 (54.0-56.1)
<b>DIABETES</b>			
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	8.0 ( 4.9-11.0)	6.9 ( 6.6- 7.2)
<b>FRUITS AND VEGETABLES</b>			
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day	69.8 (62.2-77.3)	78.4 (77.7-79.1)

# Wells County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS 2001-2010

	GENERAL HEALTH	Wells County %	North Dakota %
Fair or Poor Health	Respondents who reported that their general health was fair or poor	16.1 (12.3-19.9)	12.6 (12.2-12.9)
Poor physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good	10.7 ( 7.5-14.0)	10.2 ( 9.8-10.5)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good	10.6 ( 6.9-14.2)	9.6 ( 9.2-10.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	6.5 ( 3.8- 9.1)	5.7 ( 5.4- 6.0)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	19.9 (15.6-24.3)	16.0 (15.6-16.5)
HEALTH CARE ACCESS			
Health Insurance	Respondents who reported not having any form or health care coverage	8.5 ( 5.5-11.5)	11.4 (11.0-11.9)
Access Limited by Cost	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	4.9 ( 2.5- 7.4)	6.8 ( 6.4- 7.1)
No Personal Provider	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	20.1 (18.5-21.7)	23.5 (23.0-24.1)
HYPERTENSION			
High Blood Pressure	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	27.7 ( 5.7-49.7)	25.0 (24.4-25.7)
IMMUNIZATION			
Influenza Vaccine	Respondents age 65 and older who reported that they did not have a flu shot in the past year	33.3 (24.9-41.7)	28.6 (27.6-29.6)
Pneumococcal Vaccine	Respondents age 65 or older who reported never having had a pneumonia shot.	28.2 (20.2-36.3)	30.0 (28.9-31.0)
INJURY			
Fall	Respondents 45 years and older who reported that they had fallen in the past 3 months	18.5 (11.2-25.7)	15.5 (14.7-16.2)
Seat Belt	Respondents who reported not always wearing their seatbelt	55.6 (47.0-64.1)	41.9 (40.9-42.9)

# Wells County Community Health Profile

## ADULT BEHAVIORAL RISK FACTORS 2001-2010

19

	<b>ORAL HEALTH</b>	<b>Wells County %</b>	<b>North Dakota %</b>
Dental Visit	Respondents who reported that they have not had a dental visit in the past year	37.4 (30.4-44.4)	29.5 (28.8-30.3)
Tooth Loss	Respondents who reported they had lost 6 or more permanent teeth due to gum disease or decay.	28.1 (21.8-34.5)	16.0 (15.5-16.6)
<b>PHYSICAL ACTIVITY</b>			
Recommend Physical Activity	Respondents who reported that they did not get the recommended amount of physical activity	55.1 (46.8-63.4)	50.5 (49.7-51.4)
No Leisure Physical Activity	Respondents who reported that they participated in no leisure time physical activity	8.5 ( 3.9-13.1)	6.9 ( 6.5- 7.4)
<b>TOBACCO</b>			
Current Smoking	Respondents who reported that they smoked every day or some days	13.5 ( 9.8-17.2)	19.8 (19.3-20.4)
<b>WOMEN'S HEALTH</b>			
Pap Smear	Women 18 and older who reported that they have not had a pap smear in the past three years	NA	14.0 (13.1-15.0)
Mammogram Age 40+	Women 40 and older who reported that they have not had a mammogram in the past two years	30.8 (20.9-40.7)	24.3 (23.3-25.3)

# Wells County Community Health Profile

## CRIME

<b>Wells</b>								
	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>5 year</b>	<b>5-Year Rate</b>	
Murder	0	2	0	0	0	2	9.6	
Rape	0	2	3	2	0	7	33.4	
Robbery	0	0	0	0	0	0	0.0	
Assault	1	5	6	2	6	20	95.5	
<b>Violent crime</b>	<b>1</b>	<b>9</b>	<b>9</b>	<b>4</b>	<b>6</b>	<b>29</b>	<b>138.5</b>	
Burglary	21	17	33	6	6	83	396.4	
Larceny	41	29	33	34	35	172	821.4	
Motor vehicle theft	1	3	0	1	2	7	33.4	
<b>Property crime</b>	<b>63</b>	<b>49</b>	<b>66</b>	<b>41</b>	<b>43</b>	<b>262</b>	<b>1251.2</b>	
<b>Total</b>	<b>64</b>	<b>58</b>	<b>75</b>	<b>45</b>	<b>49</b>	<b>291</b>	<b>1389.7</b>	

20

<b>North Dakota</b>								
	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>5 year</b>	<b>5-Year Rate</b>	
Murder	8	16	4	15	11	54	1.7	
Rape	184	202	222	206	222	1,036	32.3	
Robbery	69	68	71	102	85	395	12.3	
Assault	525	599	738	795	847	3,504	109.2	
<b>Violent crime</b>	<b>786</b>	<b>885</b>	<b>1,035</b>	<b>1,118</b>	<b>1,165</b>	<b>4,989</b>	<b>155.5</b>	
Burglary	2,364	2,096	2,035	2,180	1,826	10,501	327.4	
Larceny	8,884	8,672	8,926	8,699	8,673	43,854	1367.2	
Motor vehicle theft	966	878	854	825	763	4,286	133.6	
<b>Property crime</b>	<b>12,214</b>	<b>11,646</b>	<b>11,815</b>	<b>11,704</b>	<b>11,262</b>	<b>58,641</b>	<b>1828.2</b>	
<b>Total</b>	<b>13,000</b>	<b>12,531</b>	<b>12,850</b>	<b>12,822</b>	<b>12,427</b>	<b>63,630</b>	<b>1983.8</b>	

# Wells County Community Health Profile

## CHILD HEALTH INDICATORS

21

Child Indicators: Education 2010	Wells County	North Dakota
Children Ages 3 to 4 in Head Start (Percent of eligible 3 to 4 year olds)*	29 (81)	2,607 (65)
Enrolled in Special Education Ages 3-21 (Percent of persons ages 3-21)	88 (15)	13,170 (14)
Speech or Language Impaired Children in Special Education (Percent of all special education children)	28 (32)	3,298 (25)
Mentally Handicapped Children in Special Education (Percentage of total special education children)	6 (6.8)	763 (5.8)
Children with Specific Learning Disability in Special Education (Percentage of total special education children)	33 (38)	4,143 (32)
High School Dropouts (Dropouts per 1000 persons ages 16-24)	2 (1.0)	701 (2.2)
Average ACT Composite Score	20.8	21.5
Average Expenditure per Student in Public School	\$9,872	\$9,812
*Year 2008 data		

22

Child Indicators: Economic Health 2010	Wells County	North Dakota
TANF Recipients Ages 0-19 (Percent of persons ages 0-19)	22 (2.6)	7,819 (4.7)
SNAP Recipients Ages 0-19 (Percent of all children ages 0-19)	157 (20)	37,553 (24)
Children Receiving Free and Reduced Price Lunches (Percent of total school enrollment)	181 (32)	33,870 (33)
WIC Program Participants	113	24,331
Medicaid Recipients Ages 0-20 (Percent of all persons ages 0-20)	229 (25)	49,110 (27)
Median Income for Families with Children Ages 0-17 *	\$54,375	\$61,035
Children Ages 0-17 Living in Extreme Poverty (Percent of children 0-17 for whom poverty is determined)*	NA	10,100 (7.2)
*Year 2009 data		

# Wells County Community Health Profile

## CHILD HEALTH INDICATORS

Child Indicators: Families and Child Care 2010	Wells County	North Dakota
Child Care Providers	8	3,176
Child Care Capacity (As percent of all children 0-13 in child care)	136	41,478
Mothers with a Child Ages 0-17 in Labor Force (Percent of all mothers with a child ages 0-17)*	329 (84)	57,059 (82)
Children Ages 0-17 Living in a Single Parent Family (Percent of all children ages 0-17)*	129 (15)	30,058 (21)
Children in Foster Care (Percent of children ages 0-18)	8 (1.0)	1,912 (1.2)
Children Ages 0-17 with Suspected Child Abuse or Neglect (Cases per 100 children 0-17)	48 (6.4)	6,399 (4.4)
Children Ages 0-17 Impact by Domestic Violence (Percent of all children ages 0-17)	9 (1.2)	4,180 (2.9)
Births to Mothers with Inadequate Prenatal Care**	NA	389 (4.3)
* Year 2009 data		

23

Child Indicators: Juvenile Justice 2010	Wells County	North Dakota
Children Ages 0-17 Referred to Juvenile Court (Percent of all children ages 0-17)	29 (7.5)	5,139 (8.1)
Offense Against Person Juvenile Court Referral (Percent of total juvenile court referral)	4 (8.7)	784 (8.2)
Alcohol-Related Juvenile Court Referral (Percent of all juvenile court referrals)	12 (26)	1,464 (15)

24