

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 1: Diabetes**

**Table 4: About how long has it been since you were first told by a doctor that you have diabetes?  
Denominator: Percentage among respondents ever diagnosed with non-gestational diabetes.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Past year	10.8	6.3-15.4
1-5 years	32.6	25.8-39.4
> 5 years	56.5	49.4-63.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003**

**State Added 2: Violence**

**Table 1: Looking back on your childhood, did you ever have injuries (such as bruises, cuts, a black eye, broken bones, etc.)  
as a result of being spanked, hit, slapped, punched, shoved, kicked, or otherwise physically hurt by your parents, or  
guardians, their spouse, partner, boyfriend, or girlfriend?**

**Denominator: Percentage among all respondents.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	6.6	5.6-7.5
No	93.4	92.5-94.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 2: As a child, did you ever see or hear one of your parents or guardians being hit, slapped, punched, shoved, kicked, or otherwise physically hurt by their spouse or partner?**

**Denominator: Percentage among all respondents.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	9.2	8.0-10.4
No	90.8	89.6-92.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 3: Were you ever forced to have sex before your eighteenth birthday?**

**Denominator: Percentage among all respondents.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	3.5	2.7-4.2
No	96.5	95.8-97.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 4: Was the person who most recently forced you to have sex before your 18th birthday five or more years older than you?**

**Denominator: Percentage among respondents who report being forced to have sex before age 18.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	67.3	57.0-77.5
No	32.7	22.5-43.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 5: What was your relationship to the last person who forced you to have sex before your 18th birthday?  
Denominator: Percentage among respondents who report being forced to have sex before age 18.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Spouse/partner	0.8	0.0-2.5
Former partner	1.3	0.0-2.7
Boy/girlfriend	12.8	5.8-19.8
Former boy/girlfriend	5.1	0.0-12.2
Date	3.7	0.0-7.6
Parent/partner	11.2	4.0-18.4
Sibling	8.4	2.7-14.2
Other relative	12.1	4.6-19.6
Work superior	0.5	0.0-1.6
Co-worker	0	0
Friend	17.4	8.6-26.6
Acquaintance	8.3	2.9-13.6
Stranger	8.7	3.6-13.9
Other	9.5	2.7-16.4

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003**

**State Added 2: Violence**

**Table 6: Have you ever been threatened, coerced or physically forced to engage in any unwanted sexual activity that did not result in intercourse or penetration?**

**Denominator: Percentage among all respondents.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	6.3	5.2-7.4
No	93.7	92.6-94.8

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 7: Did this occur before or after your 18th birthday?**

**Denominator: Percentage among all respondent who report forced sexual activity other than intercourse.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Before	63.4	55.3-71.5
After	30.6	23.0-38.3
Both	6.0	2.4-9.5

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 8: What was your relationship to the last person who threatened, coerced, or physically forced you to engage in unwanted sexual acts that did not result in intercourse or penetration?  
Denominator: Percentage among all respondent who report forced sexual activity other than intercourse.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Spouse/partner	2.2	0.5-3.9
Former partner	5.3	1.6-8.9
Boy/girlfriend	8.6	3.5-13.7
Former boy/girlfriend	3.6	0.3-6.8
Date	3.6	1.2-6.1
Parent/partner	2.9	0.4-5.4
Sibling	3.8	0.9-6.6
Other relative	13.3	7.6-19.0
Work superior	1.6	0.1-3.0
Co-worker	2.2	0.0-4.8
Friend	12.2	6.8-17.6
Acquaintance	20.2	11.1-29.3
Stranger	16.4	10.4-22.5
Other	4.2	1.4-7.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 9: Did you seek help from family following any experience of unwanted sexual activity or forced sex?  
Denominator: Percentage among respondents reporting any unwanted sexual activity.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	7.9	3.8-11.9
No	92.1	88.1-96.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 10: Did you seek help from clergy following any experience of unwanted sexual activity or forced sex?  
Denominator: Percentage among respondents reporting any unwanted sexual activity.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	1.2	0.0-2.4
No	98.8	97.6-100.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 11: Did you seek help from health care providers following any experience of unwanted sexual activity or forced sex?  
Denominator: Percentage among respondents reporting any unwanted sexual activity.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	7.8	4.0-11.6
No	92.2	88.4-96.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 12: Did you seek help from the legal system following any experience of unwanted sexual activity or forced sex?  
Denominator: Percentage among respondents reporting any unwanted sexual activity.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	5.7	1.7-9.7
No	94.3	90.3-98.3

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 13: Did you seek help from a counselor or mental health provider or rape hotline following any experience of unwanted sexual activity or forced sex?**

**Denominator: Percentage among respondents reporting any unwanted sexual activity.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	22.7	16.8-28.6
No	77.3	71.4-83.2

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 14: Did you seek help from a domestic violence shelter or domestic violence hotline following any experience of unwanted sexual activity or forced sex?**

**Denominator: Percentage among respondents reporting any unwanted sexual activity.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	0.7	0.0-2.1
No	99.3	97.9-100.0

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 15: Did you seek help from other source besides family, clergy, health care provider, legal system, rape counselor, or domestic violence counselor following any experience of unwanted sexual activity or forced sex?**

**Denominator: Percentage among respondents reporting any unwanted sexual activity.**

**Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	5.7	2.4-9.0
No	94.3	91.0-97.6

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System  
North Dakota State Added Questions Data Report, 2003  
State Added 2: Violence**

**Table 16: Did you seek help from [nowhere] following any experience of unwanted sexual activity or forced sex?  
Denominator: Percentage among respondents reporting any unwanted sexual activity.  
Denominator excludes: Respondents with do not know/refused/missing responses.**

<b>Response Categories</b>	<b>%</b>	<b>C.I. (95%)</b>
Yes	60.1	52.3-68.0
No	39.9	32.0-47.7

Note: % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.