

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006**

SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3) | |
| 1 | MALES AND FEMALES | 48 |
| 2 | MALES ONLY | 49 |
| 3 | FEMALES ONLY | 50 |
| | [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3) | |
| 4 | MALES AND FEMALES | 51 |
| 5 | MALES ONLY | 52 |
| 6 | FEMALES ONLY | 53 |
| | [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3) | |
| 7 | MALES AND FEMALES | 54 |
| 8 | MALES ONLY | 55 |
| 9 | FEMALES ONLY | 56 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|------|-------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| TOTAL | 4756 | 492,009 | 268 | 4.0 | 03.4-04.6 | 4488 | 96.0 | 95.4-96.6 | |
| Male | 1915 | 242,973 | 137 | 4.6 | 03.6-05.6 | 1778 | 95.4 | 94.4-96.4 | |
| Female | 2841 | 249,036 | 131 | 3.5 | 02.7-04.3 | 2710 | 96.5 | 95.7-97.3 | |
| Native | 108 | 15,866 | 6 | 4.2 | 00.3-08.1 | 102 | 95.8 | 91.9-99.7 | |
| Non-Native | 4594 | 471,194 | 253 | 3.9 | 03.3-04.5 | 4341 | 96.1 | 95.5-96.7 | |
| 18-24 | 202 | 77,844 | | | | 202 | 100.0 | 0100-0100 | |
| 25-34 | 518 | 75,961 | 1 | 0.3 | 00.0-00.9 | 517 | 99.7 | 99.1-0100 | |
| 35-44 | 747 | 81,491 | 5 | 0.6 | 00.0-01.2 | 742 | 99.4 | 98.8-0100 | |
| 45-54 | 1060 | 95,642 | 22 | 2.2 | 01.0-03.4 | 1038 | 97.8 | 96.6-99.0 | |
| 55-64 | 813 | 63,800 | 48 | 5.5 | 03.5-07.5 | 765 | 94.5 | 92.5-96.5 | |
| 65+ | 1362 | 93,921 | 192 | 14.4 | 12.0-16.8 | 1170 | 85.6 | 83.2-88.0 | |
| Less Than H.S. | 426 | 37,556 | 58 | 10.0 | 06.5-13.5 | 368 | 90.0 | 86.5-93.5 | |
| H.S. or G.E.D. | 1425 | 141,506 | 100 | 5.2 | 04.0-06.4 | 1325 | 94.8 | 93.6-96.0 | |
| Some Post-H.S. | 1481 | 159,566 | 67 | 3.6 | 02.6-04.6 | 1414 | 96.4 | 95.4-97.4 | |
| College Graduate | 1416 | 152,756 | 42 | 1.9 | 01.3-02.5 | 1374 | 98.1 | 97.5-98.7 | |
| Less than \$15,000 | 389 | 33,970 | 39 | 6.5 | 04.0-09.0 | 350 | 93.5 | 91.0-96.0 | |
| \$15,000- 24,999 | 717 | 63,965 | 66 | 7.0 | 04.8-09.2 | 651 | 93.0 | 90.8-95.2 | |
| \$25,000- 34,999 | 611 | 61,878 | 42 | 5.2 | 03.4-07.0 | 569 | 94.8 | 93.0-96.6 | |
| \$35,000- 49,999 | 831 | 85,760 | 27 | 2.5 | 01.3-03.7 | 804 | 97.5 | 96.3-98.7 | |
| \$50,000- 74,999 | 782 | 88,881 | 23 | 2.1 | 01.1-03.1 | 759 | 97.9 | 96.9-98.9 | |
| \$75,000+ | 734 | 90,458 | 25 | 3.0 | 01.6-04.4 | 709 | 97.0 | 95.6-98.4 | |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1915 | 242,973 | 137 | 4.6 | 03.6-05.6 | 1778 | 95.4 | 94.4-96.4 |
| Non-Native | 1858 | 235,153 | 130 | 4.4 | 03.4-05.4 | 1728 | 95.6 | 94.6-96.6 |
| 18-24 | 88 | 41,066 | | | | 88 | 100.0 | 0100-0100 |
| 25-34 | 215 | 39,649 | | | | 215 | 100.0 | 0100-0100 |
| 35-44 | 326 | 41,351 | 3 | 0.4 | 00.0-01.0 | 323 | 99.6 | 99.0-0100 |
| 45-54 | 462 | 47,883 | 13 | 3.2 | 01.2-05.2 | 449 | 96.8 | 94.8-98.8 |
| 55-64 | 337 | 32,932 | 28 | 6.9 | 03.8-10.0 | 309 | 93.1 | 90.0-96.2 |
| 65+ | 475 | 39,321 | 93 | 18.0 | 13.9-22.1 | 382 | 82.0 | 77.9-86.1 |
| Less Than H.S. | 197 | 21,476 | 34 | 10.5 | 05.6-15.4 | 163 | 89.5 | 84.6-94.4 |
| H.S. or G.E.D. | 583 | 72,528 | 47 | 5.6 | 03.6-07.6 | 536 | 94.4 | 92.4-96.4 |
| Some Post-H.S. | 544 | 70,522 | 35 | 4.5 | 02.7-06.3 | 509 | 95.5 | 93.7-97.3 |
| College Graduate | 586 | 78,027 | 21 | 2.1 | 01.1-03.1 | 565 | 97.9 | 96.9-98.9 |
| Less than \$15,000 | 107 | 12,400 | 11 | 5.5 | 01.6-09.4 | 96 | 94.5 | 90.6-98.4 |
| \$15,000- 24,999 | 269 | 29,173 | 31 | 8.1 | 04.4-11.8 | 238 | 91.9 | 88.2-95.6 |
| \$25,000- 34,999 | 245 | 31,274 | 21 | 5.8 | 02.9-08.7 | 224 | 94.2 | 91.3-97.1 |
| \$35,000- 49,999 | 371 | 43,855 | 19 | 3.1 | 01.5-04.7 | 352 | 96.9 | 95.3-98.5 |
| \$50,000- 74,999 | 374 | 49,699 | 16 | 2.7 | 01.1-04.3 | 358 | 97.3 | 95.7-98.9 |
| \$75,000+ | 359 | 50,566 | 18 | 3.9 | 01.9-05.9 | 341 | 96.1 | 94.1-98.1 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFRACTION? (CVDINFR3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2841 | 249,036 | 131 | 3.5 | 02.7-04.3 | 2710 | 96.5 | 95.7-97.3 |
| Native | 76 | 10,171 | 4 | 3.7 | 00.0-08.4 | 72 | 96.3 | 91.6-0100 |
| Non-Native | 2736 | 236,041 | 123 | 3.4 | 02.6-04.2 | 2613 | 96.6 | 95.8-97.4 |
| 18-24 | 114 | 36,778 | | | | 114 | 100.0 | 0100-0100 |
| 25-34 | 303 | 36,312 | 1 | 0.6 | 00.0-01.8 | 302 | 99.4 | 98.2-0100 |
| 35-44 | 421 | 40,140 | 2 | 0.7 | 00.0-01.7 | 419 | 99.3 | 98.3-0100 |
| 45-54 | 598 | 47,759 | 9 | 1.2 | 00.2-02.2 | 589 | 98.8 | 97.8-99.8 |
| 55-64 | 476 | 30,867 | 20 | 4.1 | 01.9-06.3 | 456 | 95.9 | 93.7-98.1 |
| 65+ | 887 | 54,600 | 99 | 11.7 | 09.2-14.2 | 788 | 88.3 | 85.8-90.8 |
| Less Than H.S. | 229 | 16,080 | 24 | 9.4 | 04.5-14.3 | 205 | 90.6 | 85.7-95.5 |
| H.S. or G.E.D. | 842 | 68,978 | 53 | 4.7 | 03.1-06.3 | 789 | 95.3 | 93.7-96.9 |
| Some Post-H.S. | 937 | 89,043 | 32 | 2.9 | 01.7-04.1 | 905 | 97.1 | 95.9-98.3 |
| College Graduate | 830 | 74,729 | 21 | 1.8 | 00.8-02.8 | 809 | 98.2 | 97.2-99.2 |
| Less than \$15,000 | 282 | 21,570 | 28 | 7.1 | 03.8-10.4 | 254 | 92.9 | 89.6-96.2 |
| \$15,000- 24,999 | 448 | 34,792 | 35 | 6.1 | 03.6-08.6 | 413 | 93.9 | 91.4-96.4 |
| \$25,000- 34,999 | 366 | 30,604 | 21 | 4.5 | 02.3-06.7 | 345 | 95.5 | 93.3-97.7 |
| \$35,000- 49,999 | 460 | 41,905 | 8 | 1.8 | 00.4-03.2 | 452 | 98.2 | 96.8-99.6 |
| \$50,000- 74,999 | 408 | 39,182 | 7 | 1.4 | 00.2-02.6 | 401 | 98.6 | 97.4-99.8 |
| \$75,000+ | 375 | 39,892 | 7 | 1.8 | 00.4-03.2 | 368 | 98.2 | 96.8-99.6 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 4: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4731 | 490,839 | 260 | 4.0 | 03.4-04.6 | 4471 | 96.0 | 95.4-96.6 |
| Male | 1911 | 242,793 | 141 | 4.9 | 03.9-05.9 | 1770 | 95.1 | 94.1-96.1 |
| Female | 2820 | 248,046 | 119 | 3.1 | 02.5-03.7 | 2701 | 96.9 | 96.3-97.5 |
| Native | 107 | 15,904 | 3 | 2.4 | 00.0-05.1 | 104 | 97.6 | 94.9-0100 |
| Non-Native | 4570 | 469,980 | 251 | 4.0 | 03.4-04.6 | 4319 | 96.0 | 95.4-96.6 |
| 18-24 | 202 | 77,844 | | | | 202 | 100.0 | 0100-0100 |
| 25-34 | 519 | 75,972 | | | | 519 | 100.0 | 0100-0100 |
| 35-44 | 746 | 81,426 | 3 | 0.4 | 00.0-01.0 | 743 | 99.6 | 99.0-0100 |
| 45-54 | 1059 | 95,615 | 23 | 2.2 | 01.0-03.4 | 1036 | 97.8 | 96.6-99.0 |
| 55-64 | 814 | 64,300 | 50 | 5.9 | 03.9-07.9 | 764 | 94.1 | 92.1-96.1 |
| 65+ | 1337 | 92,331 | 182 | 14.3 | 11.9-16.7 | 1155 | 85.7 | 83.3-88.1 |
| Less Than H.S. | 421 | 37,482 | 50 | 9.4 | 06.1-12.7 | 371 | 90.6 | 87.3-93.9 |
| H.S. or G.E.D. | 1412 | 140,761 | 90 | 4.7 | 03.5-05.9 | 1322 | 95.3 | 94.1-96.5 |
| Some Post-H.S. | 1478 | 159,401 | 65 | 3.3 | 02.3-04.3 | 1413 | 96.7 | 95.7-97.7 |
| College Graduate | 1412 | 152,571 | 54 | 2.8 | 02.0-03.6 | 1358 | 97.2 | 96.4-98.0 |
| Less than \$15,000 | 386 | 34,099 | 27 | 4.4 | 02.4-06.4 | 359 | 95.6 | 93.6-97.6 |
| \$15,000- 24,999 | 711 | 63,769 | 69 | 6.6 | 04.4-08.8 | 642 | 93.4 | 91.2-95.6 |
| \$25,000- 34,999 | 611 | 61,775 | 39 | 4.8 | 03.0-06.6 | 572 | 95.2 | 93.4-97.0 |
| \$35,000- 49,999 | 830 | 85,890 | 36 | 3.6 | 02.2-05.0 | 794 | 96.4 | 95.0-97.8 |
| \$50,000- 74,999 | 781 | 88,742 | 30 | 2.7 | 01.5-03.9 | 751 | 97.3 | 96.1-98.5 |
| \$75,000+ | 734 | 90,458 | 25 | 3.0 | 01.8-04.2 | 709 | 97.0 | 95.8-98.2 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1911 | 242,793 | 141 | 4.9 | 03.9-05.9 | 1770 | 95.1 | 94.1-96.1 |
| Non-Native | 1854 | 234,967 | 134 | 4.8 | 03.8-05.8 | 1720 | 95.2 | 94.2-96.2 |
| 18-24 | 88 | 41,066 | | | | 88 | 100.0 | 0100-0100 |
| 25-34 | 216 | 39,660 | | | | 216 | 100.0 | 0100-0100 |
| 35-44 | 325 | 41,286 | 2 | 0.3 | 00.0-00.9 | 323 | 99.7 | 99.1-0100 |
| 45-54 | 461 | 47,874 | 9 | 2.2 | 00.4-04.0 | 452 | 97.8 | 96.0-99.6 |
| 55-64 | 343 | 33,650 | 31 | 7.5 | 04.4-10.6 | 312 | 92.5 | 89.4-95.6 |
| 65+ | 466 | 38,486 | 98 | 20.7 | 16.4-25.0 | 368 | 79.3 | 75.0-83.6 |
| Less Than H.S. | 196 | 21,534 | 34 | 11.4 | 06.3-16.5 | 162 | 88.6 | 83.5-93.7 |
| H.S. or G.E.D. | 581 | 72,250 | 47 | 5.4 | 03.6-07.2 | 534 | 94.6 | 92.8-96.4 |
| Some Post-H.S. | 544 | 70,677 | 29 | 3.6 | 02.0-05.2 | 515 | 96.4 | 94.8-98.0 |
| College Graduate | 585 | 77,913 | 31 | 3.7 | 02.1-05.3 | 554 | 96.3 | 94.7-97.9 |
| Less than \$15,000 | 108 | 12,618 | 10 | 4.5 | 01.0-08.0 | 98 | 95.5 | 92.0-99.0 |
| \$15,000- 24,999 | 267 | 28,973 | 26 | 6.4 | 03.1-09.7 | 241 | 93.6 | 90.3-96.9 |
| \$25,000- 34,999 | 245 | 31,236 | 18 | 5.1 | 02.4-07.8 | 227 | 94.9 | 92.2-97.6 |
| \$35,000- 49,999 | 373 | 44,077 | 26 | 4.9 | 02.7-07.1 | 347 | 95.1 | 92.9-97.3 |
| \$50,000- 74,999 | 374 | 49,703 | 22 | 3.5 | 01.7-05.3 | 352 | 96.5 | 94.7-98.3 |
| \$75,000+ | 359 | 50,566 | 18 | 4.0 | 02.0-06.0 | 341 | 96.0 | 94.0-98.0 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] ANGINA OR CORONARY HEART DISEASE. (CVDCRHD3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2820 | 248,046 | 119 | 3.1 | 02.5-03.7 | 2701 | 96.9 | 96.3-97.5 |
| Native | 75 | 10,209 | 1 | 1.0 | 00.0-03.0 | 74 | 99.0 | 97.0-0100 |
| Non-Native | 2716 | 235,013 | 117 | 3.2 | 02.6-03.8 | 2599 | 96.8 | 96.2-97.4 |
| 18-24 | 114 | 36,778 | | | | 114 | 100.0 | 0100-0100 |
| 25-34 | 303 | 36,312 | | | | 303 | 100.0 | 0100-0100 |
| 35-44 | 421 | 40,140 | 1 | 0.4 | 00.0-01.2 | 420 | 99.6 | 98.8-0100 |
| 45-54 | 598 | 47,741 | 14 | 2.3 | 00.9-03.7 | 584 | 97.7 | 96.3-99.1 |
| 55-64 | 471 | 30,650 | 19 | 4.1 | 01.9-06.3 | 452 | 95.9 | 93.7-98.1 |
| 65+ | 871 | 53,845 | 84 | 9.7 | 07.3-12.1 | 787 | 90.3 | 87.9-92.7 |
| Less Than H.S. | 225 | 15,948 | 16 | 6.8 | 02.9-10.7 | 209 | 93.2 | 89.3-97.1 |
| H.S. or G.E.D. | 831 | 68,511 | 43 | 3.9 | 02.5-05.3 | 788 | 96.1 | 94.7-97.5 |
| Some Post-H.S. | 934 | 88,724 | 36 | 3.0 | 01.8-04.2 | 898 | 97.0 | 95.8-98.2 |
| College Graduate | 827 | 74,658 | 23 | 1.8 | 01.0-02.6 | 804 | 98.2 | 97.4-99.0 |
| Less than \$15,000 | 278 | 21,480 | 17 | 4.3 | 01.9-06.7 | 261 | 95.7 | 93.3-98.1 |
| \$15,000- 24,999 | 444 | 34,797 | 43 | 6.8 | 04.3-09.3 | 401 | 93.2 | 90.7-95.7 |
| \$25,000- 34,999 | 366 | 30,539 | 21 | 4.4 | 02.2-06.6 | 345 | 95.6 | 93.4-97.8 |
| \$35,000- 49,999 | 457 | 41,813 | 10 | 2.3 | 00.7-03.9 | 447 | 97.7 | 96.1-99.3 |
| \$50,000- 74,999 | 407 | 39,040 | 8 | 1.7 | 00.3-03.1 | 399 | 98.3 | 96.9-99.7 |
| \$75,000+ | 375 | 39,892 | 7 | 1.7 | 00.3-03.1 | 368 | 98.3 | 96.9-99.7 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 7: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4769 | 493,016 | 136 | 2.0 | 01.6-02.4 | 4633 | 98.0 | 97.6-98.4 |
| Male | 1923 | 243,835 | 62 | 2.3 | 01.7-02.9 | 1861 | 97.7 | 97.1-98.3 |
| Female | 2846 | 249,181 | 74 | 1.7 | 01.3-02.1 | 2772 | 98.3 | 97.9-98.7 |
| Native | 108 | 15,866 | 3 | 1.3 | 00.0-02.9 | 105 | 98.7 | 97.1-0100 |
| Non-Native | 4607 | 472,260 | 130 | 2.0 | 01.6-02.4 | 4477 | 98.0 | 97.6-98.4 |
| 18-24 | 202 | 77,844 | | | | 202 | 100.0 | 0100-0100 |
| 25-34 | 519 | 75,972 | 2 | 0.4 | 00.0-01.0 | 517 | 99.6 | 99.0-0100 |
| 35-44 | 749 | 81,622 | 2 | 0.1 | 00.0-00.3 | 747 | 99.9 | 99.7-0100 |
| 45-54 | 1060 | 95,624 | 9 | 0.8 | 00.2-01.4 | 1051 | 99.2 | 98.6-99.8 |
| 55-64 | 819 | 64,484 | 26 | 2.7 | 01.3-04.1 | 793 | 97.3 | 95.9-98.7 |
| 65+ | 1366 | 94,119 | 97 | 7.4 | 05.6-09.2 | 1269 | 92.6 | 90.8-94.4 |
| Less Than H.S. | 432 | 37,982 | 36 | 7.8 | 04.7-10.9 | 396 | 92.2 | 89.1-95.3 |
| H.S. or G.E.D. | 1429 | 141,789 | 40 | 1.9 | 01.1-02.7 | 1389 | 98.1 | 97.3-98.9 |
| Some Post-H.S. | 1485 | 159,898 | 34 | 1.3 | 00.7-01.9 | 1451 | 98.7 | 98.1-99.3 |
| College Graduate | 1415 | 152,721 | 25 | 1.4 | 00.8-02.0 | 1390 | 98.6 | 98.0-99.2 |
| Less than \$15,000 | 395 | 34,365 | 24 | 4.2 | 02.0-06.4 | 371 | 95.8 | 93.6-98.0 |
| \$15,000- 24,999 | 720 | 64,342 | 45 | 5.0 | 03.2-06.8 | 675 | 95.0 | 93.2-96.8 |
| \$25,000- 34,999 | 613 | 61,894 | 15 | 2.2 | 01.0-03.4 | 598 | 97.8 | 96.6-99.0 |
| \$35,000- 49,999 | 833 | 86,009 | 15 | 1.6 | 00.8-02.4 | 818 | 98.4 | 97.6-99.2 |
| \$50,000- 74,999 | 782 | 88,885 | 6 | 0.7 | 00.1-01.3 | 776 | 99.3 | 98.7-99.9 |
| \$75,000+ | 733 | 90,363 | 4 | 0.4 | 00.0-00.8 | 729 | 99.6 | 99.2-0100 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 8: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1923 | 243,835 | 62 | 2.3 | 01.7-02.9 | 1861 | 97.7 | 97.1-98.3 |
| Non-Native | 1865 | 236,003 | 60 | 2.3 | 01.7-02.9 | 1805 | 97.7 | 97.1-98.3 |
| 18-24 | 88 | 41,066 | | | | 88 | 100.0 | 0100-0100 |
| 25-34 | 216 | 39,660 | 1 | 0.5 | 00.0-01.5 | 215 | 99.5 | 98.5-0100 |
| 35-44 | 326 | 41,351 | 1 | 0.1 | 00.0-00.3 | 325 | 99.9 | 99.7-0100 |
| 45-54 | 462 | 47,948 | 5 | 1.2 | 00.0-02.4 | 457 | 98.8 | 97.6-0100 |
| 55-64 | 343 | 33,616 | 7 | 1.8 | 00.0-03.6 | 336 | 98.2 | 96.4-0100 |
| 65+ | 476 | 39,423 | 48 | 10.5 | 07.2-13.8 | 428 | 89.5 | 86.2-92.8 |
| Less Than H.S. | 201 | 21,847 | 23 | 9.7 | 05.0-14.4 | 178 | 90.3 | 85.6-95.0 |
| H.S. or G.E.D. | 586 | 72,818 | 16 | 1.9 | 00.7-03.1 | 570 | 98.1 | 96.9-99.3 |
| Some Post-H.S. | 546 | 70,789 | 9 | 0.8 | 00.0-01.6 | 537 | 99.2 | 98.4-0100 |
| College Graduate | 585 | 77,962 | 14 | 1.9 | 00.9-02.9 | 571 | 98.1 | 97.1-99.1 |
| Less than \$15,000 | 110 | 12,691 | 10 | 5.5 | 01.8-09.2 | 100 | 94.5 | 90.8-98.2 |
| \$15,000- 24,999 | 270 | 29,394 | 21 | 6.0 | 02.7-09.3 | 249 | 94.0 | 90.7-97.3 |
| \$25,000- 34,999 | 246 | 31,286 | 9 | 3.1 | 00.9-05.3 | 237 | 96.9 | 94.7-99.1 |
| \$35,000- 49,999 | 374 | 44,190 | 10 | 2.3 | 00.7-03.9 | 364 | 97.7 | 96.1-99.3 |
| \$50,000- 74,999 | 374 | 49,703 | 4 | 1.0 | 00.0-02.0 | 370 | 99.0 | 98.0-0100 |
| \$75,000+ | 359 | 50,566 | 1 | 0.2 | 00.0-00.6 | 358 | 99.8 | 99.4-0100 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2006
SECTION 7: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 9: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2846 | 249,181 | 74 | 1.7 | 01.3-02.1 | 2772 | 98.3 | 97.9-98.7 |
| Native | 76 | 10,171 | 3 | 2.0 | 00.0-04.5 | 73 | 98.0 | 95.5-0100 |
| Non-Native | 2742 | 236,256 | 70 | 1.7 | 01.3-02.1 | 2672 | 98.3 | 97.9-98.7 |
| 18-24 | 114 | 36,778 | | | | 114 | 100.0 | 0100-0100 |
| 25-34 | 303 | 36,312 | 1 | 0.3 | 00.0-00.9 | 302 | 99.7 | 99.1-0100 |
| 35-44 | 423 | 40,271 | 1 | 0.1 | 00.0-00.3 | 422 | 99.9 | 99.7-0100 |
| 45-54 | 598 | 47,677 | 4 | 0.5 | 00.1-00.9 | 594 | 99.5 | 99.1-99.9 |
| 55-64 | 476 | 30,867 | 19 | 3.6 | 01.6-05.6 | 457 | 96.4 | 94.4-98.4 |
| 65+ | 890 | 54,696 | 49 | 5.2 | 03.4-07.0 | 841 | 94.8 | 93.0-96.6 |
| Less Than H.S. | 231 | 16,136 | 13 | 5.4 | 01.9-08.9 | 218 | 94.6 | 91.1-98.1 |
| H.S. or G.E.D. | 843 | 68,971 | 24 | 1.9 | 00.9-02.9 | 819 | 98.1 | 97.1-99.1 |
| Some Post-H.S. | 939 | 89,109 | 25 | 1.7 | 00.9-02.5 | 914 | 98.3 | 97.5-99.1 |
| College Graduate | 830 | 74,759 | 11 | 0.8 | 00.2-01.4 | 819 | 99.2 | 98.6-99.8 |
| Less than \$15,000 | 285 | 21,674 | 14 | 3.4 | 00.9-05.9 | 271 | 96.6 | 94.1-99.1 |
| \$15,000- 24,999 | 450 | 34,948 | 24 | 4.2 | 02.2-06.2 | 426 | 95.8 | 93.8-97.8 |
| \$25,000- 34,999 | 367 | 30,609 | 6 | 1.2 | 00.0-02.4 | 361 | 98.8 | 97.6-0100 |
| \$35,000- 49,999 | 459 | 41,819 | 5 | 0.8 | 00.0-01.6 | 454 | 99.2 | 98.4-0100 |
| \$50,000- 74,999 | 408 | 39,182 | 2 | 0.2 | 00.0-00.6 | 406 | 99.8 | 99.4-0100 |
| \$75,000+ | 374 | 39,797 | 3 | 0.6 | 00.0-01.2 | 371 | 99.4 | 98.8-0100 |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.