

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007**

MODULE 6: CARDIOVASCULAR HEALTH CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB)	
1	MALES AND FEMALES	60
2	MALES ONLY	61
3	FEMALES ONLY	62
	AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)	
4	MALES AND FEMALES	63
5	MALES ONLY	64
6	FEMALES ONLY	65
	DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7	MALES AND FEMALES	66
8	MALES ONLY	67
9	FEMALES ONLY	68
	DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10	MALES AND FEMALES	69
11	MALES ONLY	70
12	FEMALES ONLY	71

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 1: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB."
(HAREHAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	223	18,167	98	47.3	40.0-54.6	125	52.7	45.4-60.0	
Male	129	11,985	60	47.9	38.3-57.5	69	52.1	42.5-61.7	
Non-Native	199	16,982	91	47.7	40.1-55.3	108	52.3	44.7-59.9	
65+	144	11,971	68	50.8	41.8-59.8	76	49.2	40.2-58.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 2: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB."
(HAREHAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	129	11,985	60	47.9	38.5-57.3	69	52.1	42.7-61.5
Non-Native	118	11,260	56	48.2	38.2-58.2	62	51.8	41.8-61.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH

TABLE 3: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR HEART ATTACK DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB."
(HAREHAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 4: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	136	10,311	46	33.1	24.3-41.9	90	66.9	58.1-75.7	
Non-Native	118	9,415	42	34.4	25.0-43.8	76	65.6	56.2-75.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH

TABLE 5: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH

TABLE 6: AFTER YOU LEFT THE HOSPITAL FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 35 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4504	476,794	1542	27.2	25.6-28.8	2962	72.8	71.2-74.4
Male	1822	234,765	665	27.6	25.2-30.0	1157	72.4	70.0-74.8
Female	2682	242,028	877	26.7	24.7-28.7	1805	73.3	71.3-75.3
Native	334	21,666	109	22.7	14.9-30.5	225	77.3	69.5-85.1
Non-Native	4128	451,107	1412	27.2	25.6-28.8	2716	72.8	71.2-74.4
18-24	182	71,981	14	8.1	03.4-12.8	168	91.9	87.2-96.6
25-34	486	80,189	27	4.7	02.7-06.7	459	95.3	93.3-97.3
35-44	680	74,117	89	12.9	10.2-15.6	591	87.1	84.4-89.8
45-54	1039	89,952	281	26.2	23.1-29.3	758	73.8	70.7-76.9
55-64	887	67,841	393	45.2	41.5-48.9	494	54.8	51.1-58.5
65+	1197	90,272	724	61.1	58.0-64.2	473	38.9	35.8-42.0
Less Than H.S.	362	34,911	178	40.6	33.7-47.5	184	59.4	52.5-66.3
H.S. or G.E.D.	1337	139,275	528	31.5	28.4-34.6	809	68.5	65.4-71.6
Some Post-H.S.	1431	154,133	433	23.8	21.1-26.5	998	76.2	73.5-78.9
College Graduate	1372	148,324	401	23.4	21.0-25.8	971	76.6	74.2-79.0
Less than \$15,000	370	34,243	149	34.5	26.9-42.1	221	65.5	57.9-73.1
\$15,000- 24,999	657	60,163	277	35.6	30.9-40.3	380	64.4	59.7-69.1
\$25,000- 34,999	556	55,897	196	28.9	24.4-33.4	360	71.1	66.6-75.6
\$35,000- 49,999	708	70,968	248	27.7	24.0-31.4	460	72.3	68.6-76.0
\$50,000- 74,999	761	88,544	206	22.2	18.9-25.5	555	77.8	74.5-81.1
\$75,000+	858	104,526	226	20.7	17.8-23.6	632	79.3	76.4-82.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1822	234,765	665	27.6	25.2-30.0	1157	72.4	70.0-74.8	
Non-Native	1681	222,442	611	27.6	25.2-30.0	1070	72.4	70.0-74.8	
18-24	88	36,946	6	6.3	00.8-11.8	82	93.7	88.2-99.2	
25-34	199	42,810	11	4.2	01.5-06.9	188	95.8	93.1-98.5	
35-44	283	37,623	40	13.5	09.2-17.8	243	86.5	82.2-90.8	
45-54	445	44,958	137	28.8	24.1-33.5	308	71.2	66.5-75.9	
55-64	381	33,710	191	50.4	44.7-56.1	190	49.6	43.9-55.3	
65+	413	37,598	274	67.1	62.2-72.0	139	32.9	28.0-37.8	
Less Than H.S.	166	18,216	82	41.4	31.8-51.0	84	58.6	49.0-68.2	
H.S. or G.E.D.	541	71,219	204	29.1	24.6-33.6	337	70.9	66.4-75.4	
Some Post-H.S.	551	72,574	181	23.7	19.8-27.6	370	76.3	72.4-80.2	
College Graduate	564	72,756	198	26.6	22.7-30.5	366	73.4	69.5-77.3	
\$15,000- 24,999	217	23,427	100	42.7	34.5-50.9	117	57.3	49.1-65.5	
\$25,000- 34,999	233	28,781	90	30.6	23.5-37.7	143	69.4	62.3-76.5	
\$35,000- 49,999	310	38,341	109	27.1	21.8-32.4	201	72.9	67.6-78.2	
\$50,000- 74,999	336	45,770	109	23.5	18.8-28.2	227	76.5	71.8-81.2	
\$75,000+	442	60,339	144	24.5	20.2-28.8	298	75.5	71.2-79.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2682	242,028	877	26.7	24.7-28.7	1805	73.3	71.3-75.3	
Non-Native	2447	228,665	801	26.8	24.6-29.0	1646	73.2	71.0-75.4	
18-24	94	35,034	8	10.0	02.4-17.6	86	90.0	82.4-97.6	
25-34	287	37,379	16	5.3	02.6-08.0	271	94.7	92.0-97.4	
35-44	397	36,495	49	12.2	08.7-15.7	348	87.8	84.3-91.3	
45-54	594	44,994	144	23.6	19.7-27.5	450	76.4	72.5-80.3	
55-64	506	34,131	202	40.1	35.2-45.0	304	59.9	55.0-64.8	
65+	784	52,674	450	56.9	53.0-60.8	334	43.1	39.2-47.0	
Less Than H.S.	196	16,695	96	39.8	30.4-49.2	100	60.2	50.8-69.6	
H.S. or G.E.D.	796	68,056	324	34.1	30.0-38.2	472	65.9	61.8-70.0	
Some Post-H.S.	880	81,559	252	23.9	20.2-27.6	628	76.1	72.4-79.8	
College Graduate	808	75,568	203	20.2	17.3-23.1	605	79.8	76.9-82.7	
Less than \$15,000	250	20,824	104	39.8	29.8-49.8	146	60.2	50.2-70.2	
\$15,000- 24,999	440	36,735	177	31.0	25.7-36.3	263	69.0	63.7-74.3	
\$25,000- 34,999	323	27,116	106	27.1	21.4-32.8	217	72.9	67.2-78.6	
\$35,000- 49,999	398	32,627	139	28.5	23.6-33.4	259	71.5	66.6-76.4	
\$50,000- 74,999	425	42,773	97	20.7	16.0-25.4	328	79.3	74.6-84.0	
\$75,000+	416	44,187	82	15.5	12.0-19.0	334	84.5	81.0-88.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2945	345,932	178	4.1	03.3-04.9	162	4.2	03.4-05.0	2605	91.7	90.7-92.7
Male	1153	169,542	39	2.2	01.4-03.0	47	3.4	02.4-04.4	1067	94.4	93.0-95.8
Female	1792	176,390	139	5.9	04.7-07.1	115	5.1	03.9-06.3	1538	89.0	87.4-90.6
Native	224	16,708	20	5.1	01.4-08.8	11	2.2	00.2-04.2	193	92.6	88.3-96.9
Non-Native	2700	327,270	155	4.0	03.2-04.8	150	4.4	03.6-05.2	2395	91.6	90.4-92.8
18-24	168	66,151	1	0.0	00.0-00.0	3	1.4	00.0-03.4	164	98.5	96.5-0100
25-34	458	76,396	8	1.7	00.5-02.9	8	2.3	00.7-03.9	442	96.0	94.0-98.0
35-44	587	64,133	20	2.9	01.5-04.3	16	2.7	01.3-04.1	551	94.4	92.4-96.4
45-54	753	66,045	39	5.0	03.2-06.8	38	5.0	03.2-06.8	676	90.0	87.6-92.4
55-64	493	37,118	34	5.8	03.4-08.2	34	6.4	04.0-08.8	425	87.8	84.7-90.9
65+	468	34,716	76	15.4	11.7-19.1	62	13.1	09.6-16.6	330	71.4	66.7-76.1
Less Than H.S.	182	20,564	25	8.5	04.4-12.6	21	9.1	04.0-14.2	136	82.4	75.9-88.9
H.S. or G.E.D.	803	94,918	48	3.5	02.3-04.7	50	4.5	02.9-06.1	705	92.0	90.0-94.0
Some Post-H.S.	993	116,997	60	4.4	03.0-05.8	50	4.0	02.6-05.4	883	91.5	89.5-93.5
College Graduate	967	113,453	45	3.3	02.1-04.5	41	3.4	02.2-04.6	881	93.3	91.7-94.9
Less than \$15,000	216	22,132	31	8.6	04.9-12.3	15	3.8	01.4-06.2	170	87.7	83.2-92.2
\$15,000- 24,999	377	38,570	32	5.6	03.2-08.0	28	7.2	03.3-11.1	317	87.2	82.9-91.5
\$25,000- 34,999	361	39,791	23	4.5	02.3-06.7	22	4.6	02.2-07.0	316	90.9	87.8-94.0
\$35,000- 49,999	455	50,737	20	3.3	01.5-05.1	23	4.2	02.2-06.2	412	92.5	90.0-95.0
\$50,000- 74,999	554	68,859	29	4.4	02.6-06.2	21	3.8	02.0-05.6	504	91.8	89.4-94.2
\$75,000+	633	82,998	17	1.9	00.9-02.9	24	3.1	01.7-04.5	592	95.0	93.2-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1153	169,542	39	2.2	01.4-03.0	47	3.4	02.4-04.4	1067	94.4	93.0-95.8
Native	75	7,523	5	2.7	00.0-06.0	1	0.5	00.0-01.5	69	96.9	93.4-0100
Non-Native	1067	160,724	33	2.1	01.3-02.9	46	3.6	02.4-04.8	988	94.3	92.9-95.7
18-24	82	34,614				1	0.1	00.0-00.3	81	99.9	99.7-0100
25-34	187	40,980	2	0.8	00.0-02.0	4	2.4	00.0-04.8	181	96.8	94.1-99.5
35-44	241	32,301	3	1.4	00.0-03.0	7	2.9	00.5-05.3	231	95.7	93.0-98.4
45-54	309	32,114	6	2.3	00.3-04.3	19	6.3	03.4-09.2	284	91.4	88.1-94.7
55-64	189	16,618	7	2.5	00.1-04.9	11	6.9	02.8-11.0	171	90.6	85.9-95.3
65+	138	12,297	21	14.3	07.8-20.8	5	5.2	00.5-09.9	112	80.6	73.0-88.2
Less Than H.S.	84	10,670	8	5.4	01.1-09.7	7	7.7	01.4-14.0	69	86.9	79.3-94.5
H.S. or G.E.D.	335	50,275	9	1.5	00.3-02.7	9	2.8	00.6-05.0	317	95.7	93.3-98.1
Some Post-H.S.	368	55,227	14	3.2	01.4-05.0	19	3.7	01.9-05.5	335	93.2	90.7-95.7
College Graduate	366	53,369	8	1.2	00.2-02.2	12	2.8	01.0-04.6	346	96.0	94.0-98.0
Less than \$15,000	73	9,740	3	2.8	00.0-06.1	5	3.9	00.0-08.0	65	93.2	87.7-98.7
\$15,000- 24,999	116	13,308	9	3.3	00.8-05.8	5	5.6	00.0-11.5	102	91.0	84.5-97.5
\$25,000- 34,999	143	19,984	8	3.4	00.5-06.3	7	4.0	00.5-07.5	128	92.6	88.1-97.1
\$35,000- 49,999	200	27,805	8	2.5	00.5-04.5	4	2.0	00.0-04.0	188	95.4	92.7-98.1
\$50,000- 74,999	227	35,012	6	2.3	00.3-04.3	12	5.0	02.1-07.9	209	92.7	89.2-96.2
\$75,000+	299	45,670	2	0.8	00.0-02.0	13	3.2	01.4-05.0	284	96.0	93.8-98.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2007
MODULE 6: CARDIOVASCULAR HEALTH**

TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1792	176,390	139	5.9	04.7-07.1	115	5.1	03.9-06.3	1538	89.0	87.4-90.6
Native	149	9,185	15	7.1	01.2-13.0	10	3.7	00.2-07.2	124	89.1	82.2-96.0
Non-Native	1633	166,546	122	5.8	04.6-07.0	104	5.1	03.9-06.3	1407	89.1	87.3-90.9
18-24	86	31,537	1	0.1	00.0-00.3	2	2.9	00.0-07.0	83	97.0	92.9-0100
25-34	271	35,416	6	2.8	00.6-05.0	4	2.2	00.0-04.4	261	95.1	92.2-98.0
35-44	346	31,832	17	4.5	02.1-06.9	9	2.5	00.7-04.3	320	93.0	90.1-95.9
45-54	444	33,931	33	7.6	04.9-10.3	19	3.8	01.8-05.8	392	88.6	85.3-91.9
55-64	304	20,500	27	8.6	04.9-12.3	23	6.0	03.3-08.7	254	85.4	81.1-89.7
65+	330	22,418	55	16.1	11.6-20.6	57	17.5	12.8-22.2	218	66.4	60.7-72.1
Less Than H.S.	98	9,893	17	11.8	04.7-18.9	14	10.6	02.6-18.6			
H.S. or G.E.D.	468	44,642	39	5.9	03.7-08.1	41	6.3	03.9-08.7	388	87.8	84.7-90.9
Some Post-H.S.	625	61,770	46	5.6	03.6-07.6	31	4.3	02.1-06.5	548	90.1	87.2-93.0
College Graduate	601	60,084	37	5.2	03.2-07.2	29	4.0	02.4-05.6	535	90.8	88.3-93.3
Less than \$15,000	143	12,392	28	13.0	06.9-19.1	10	3.6	01.1-06.1	105	83.3	76.4-90.2
\$15,000- 24,999	261	25,262	23	6.7	03.6-09.8	23	8.1	03.2-13.0	215	85.2	79.5-90.9
\$25,000- 34,999	218	19,807	15	5.6	02.3-08.9	15	5.2	02.3-08.1	188	89.2	84.7-93.7
\$35,000- 49,999	255	22,932	12	4.2	01.3-07.1	19	6.9	03.6-10.2	224	88.9	84.6-93.2
\$50,000- 74,999	327	33,847	23	6.6	03.7-09.5	9	2.6	00.8-04.4	295	90.8	87.5-94.1
\$75,000+	334	37,328	15	3.3	01.3-05.3	11	2.9	00.9-04.9	308	93.8	91.1-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'