

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 1: Occupation**

**Table 1: Which of the following most accurately describes the type of work or business you currently work in most often?
Denominator: Percentage of respondents who are employed for wages, self-employed, homemakers, students, or retired.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	C.I. (95%)
State Government Employee	4.7	3.7-5.7
Other Government Employee	4.8	3.9-5.7
Farmer / Rancher / Farmhand	8.0	7.0-9.1
Construction/ Manufacturing/Repair	10.8	9.5-12.1
Education	7.6	6.6-8.6
Health Care	8.9	7.8-9.9
Food or Drink Server	3.6	2.6-4.6
Wholesale or Retail Sales	7.6	6.4-8.7
Financial Services	2.7	2.1-3.3
Other	22.8	21.1-24.6
Does not work	18.5	17.1-19.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 1: Occupation**

**Table 2: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to physical illness (excluding mental or emotional illness)?
Denominator: Percentage among respondents with jobs.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
0	55.6	53.3-57.9
1-5	34.0	31.8-36.2
6-10	3.0	2.3-3.7
11-20	2.1	1.4-2.7
21+	5.3	4.3-6.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 1: Occupation**

Table 3: Excluding vacation days or other planned days off, during the past 12 months, how many days did you miss work due to mental or emotional illness?

Denominator: Percentage among respondents with jobs.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
0	90.9	89.6-92.3
1-5	3.8	2.9-4.7
6-10	0.4	0.1-0.7
11-20	0.3	0.1-0.5
21+	4.7	3.7-5.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 2: Childhood Asthma**

**Table 1: Has a doctor or other health professional ever told you that [RANDOMLY SELECTED CHILD] has asthma?
Denominator: Percentage among all respondents with children.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	9.3	7.4-11.2
No	90.7	88.8-92.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 2: Childhood Asthma**

**Table 2: Has Does [RANDOMLY SELECTED CHILD] still have asthma?
Denominator: Percentage among all respondents with children ever told had asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	64.7	53.6-76.9
No	35.3	24.1-46.4

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 2: Childhood Asthma**

Table 3: During the past 12 months, did [RANDOMLY SELECTED CHILD] take Prednisone or another steroid such as a pill, capsule, or injection to help control his or her asthma?

**Denominator: Percentage among all respondents with children with current asthma.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	58.9	46.8-71.1
No	41.1	28.9-53.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 2: Childhood Asthma**

**Table 4: Does the [RANDOMLY SELECTED CHILD] currently take the preventive kind of asthma medication used every day to protect [his/her] lungs and keep [him/her] from having an attack? Include both pills and inhalers. This is different from inhalers used for quick relief.
 Denominator: Percentage among all respondents with children with current asthma.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	43.9	30.5-37.2
No	56.1	42.8-69.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 2: Childhood Asthma**

Table 5: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness, and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did [RANDOMLY SELECTED CHILD] have any symptoms of asthma? Would you say two days a week or less, three to six days a week, daily but not all the time, continually, or none?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Two days a week or less	55.3	41.7-68.8
Three to six days a wee	6.2	0.9-11.4
Daily but not all the t	14.2	3.0-25.3
Continually	0.5	0.0-1.6
None	23.8	13.5-34.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 2: Childhood Asthma**

Table 6: During the past 30 days, how many days did symptoms of asthma make it difficult for [RANDOMLY SELECTED CHILD] to stay asleep? Would you say two nights a month or less, three or four nights a month, more than one night per week, every night or almost every night, or none?

**Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Two nights a month or less	42.5	28.5-56.5
Three to four nights a month	7.1	1.5-12.8
More than One night per we	3.5	0.0-7.6
Every night or almost every night	5.3	0.0-15.4
None	41.6	28.6-54.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 2: Childhood Asthma**

Table 7: During the past 30 days, how many days of daycare or preschool/school/school or work did [RANDOMLY SELECTED CHILD] miss because of his/her asthma?

**Denominator: Percentage among all respondents with children with current asthma.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
None	91.8	85.2-98.4
1-3	5.3	0.0-11.1
4+	2.9	0.0-6.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 2: Childhood Asthma**

Table 8: During the past 30 days, how many days was [RANDOMLY SELECTED CHILD] miss unable to do his/her usual activities because of asthma symptoms?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
None	84.0	75.1-92.9
1-3	14.8	6.1-23.6
4+	1.2	0.0-2.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 2: Childhood Asthma**

**Table 9: Is there a bird, cat, dog or other pet with fur that spends some or all the time in the house?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	70.5	59.1-81.9
No	29.5	18.1-40.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 2: Childhood Asthma**

**Table 10: Does anyone, including household members or guests, smoke inside the home?
Denominator: Percentage among all respondents with children with current asthma.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	7.6	1.8-13.4
No	92.4	86.6-98.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 2: Childhood Asthma**

Table 11: What type of home heating do you use?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Natural Gas or Bottled Gas	57.4	44.3-70.5
Oil	2.7	0.0-6.0
Wood	0.1	0.0-0.2
Electricity	24.2	14.0-34.5
Other	15.6	6.3-24.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 2: Childhood Asthma**

Table 12: During the cold months, about how often do you light a fire in the fireplace to burn wood or other solid fuel? Do not include gas fireplaces only. Would you say less than once per month, more than once per month but not every week, more than once per week but not every day, daily or never?

Denominator: Percentage among all respondents with children with current asthma.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Never/ no fireplace	88.5	75.4-100
Less than once per month	1.3	0.0-3.3
2+ per month but not every week	3.1	0.0-6.4
Daily	7.0	0.0-20.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 1: Have you ever used or tried any smokeless tobacco products such as chewing tobacco or snuff?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	23.1	21.3-24.9
No	76.9	75.1-78.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 2: Do you currently use chewing tobacco or snuff every day, some days, or not at all?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Every day	12.1	9.4-14.7
Some days	10.4	7.2-13.7
Not at all	77.5	73.6-81.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 3: Have you ever smoked a cigar, even one or two puffs?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	45.3	43.3-47.3
No	54.7	52.7-56.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 4: Do you now smoke cigars every day, some days or not at all?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Every day	0.3	0.1-0.6
Some days	11.0	8.6-13.4
Not at all	88.6	86.2-91.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 5: Have you ever smoked tobacco in a pipe, even one or two puffs?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	19.6	18.1-21.2
No	80.4	78.8-81.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 6: Do you now smoke a pipe every day, some days or not at all?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Every day	0.4	0.0-0.8
Some days	4.5	2.3-6.8
Not at all	95.0	92.8-97.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 7: A bidi is a flavored cigarette from India. Have you ever smoked a bidi, even one or two puffs?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	1.9	1.2-2.7
No	98.1	97.3-98.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 3: Smokeless tobacco**

**Table 8: Do you now smoke bidis every day, some days or not at all?
Denominator: Percentage among respondents who have ever tried smokeless tobacco.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Every day	1.6	0.0-4.8
Some days	10.6	0.0-25.8
Not at all	87.8	72.4-100

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 4: Health Care Coverage**

**Table 1: What is the name of the health plan you use to pay for most of your medical care?
Denominator: Percentage among respondents who reported to have any kind of health care coverage.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Medicare	15.4	14.2-16.7
Medicaid or Medical Assistance	2.7	1.9-3.6
Military, Tricare or CHAMPUS	4.0	3.1-4.8
Indian Health Services	0.2	0.1-0.4
Blue Cross Blue Shield or Noridian	63.1	61.1-65.0
ND-PERS	0.4	0.2-0.6
Fortis Insurance	0.4	0.1-0.6
American Family Mutual	0.5	0.2-0.7
Medica Health Plans	0.8	0.4-1.2
Heart of America (HMO)	0.3	0.1-0.4
Altru Health Plan	0.2	0.0-0.3
Other	11.5	10.2-12.9
None	0.6	0.1-1.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 5: Osteoporosis**

Table 1: Osteoporosis is a condition where bones become brittle and break (fracture) more easily. It is not the same condition as osteoarthritis, a joint disease. Have you ever been told by a doctor, nurse, or other health professional how to prevent osteoporosis?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	38.1	36.2-39.9
No	61.9	60.1-63.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 5: Osteoporosis**

**Table 2: A bone density test uses a special machine to look for osteoporosis. Have you ever had a bone density test?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	19.5	18.2-20.8
No	80.5	79.2-81.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 5: Osteoporosis**

**Table 3: Have you ever been told by a doctor, nurse, or other health professional that you have osteoporosis?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes	4.6	4.0-5.2
No	95.4	94.8-96.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 6: Indian health**

**Table 1: Do you live on a reservation or Indian Service Area?
 Denominator: Percentage identifying their race as American Indian or Alaskan Native.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Yes, Reservation	3.7	2.7-4.7
Yes, Indian Service Area	1.7	1.2-2.2
No, Neither	94.6	93.5-95.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 6: Indian Health**

Table 2: Are you currently an enrolled tribal member?

Denominator: Percentage identifying their race as American Indian or Alaskan Native.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	4.8	3.8-5.8
No	95.2	94.2-96.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 6: Indian Health**

Table 3: Which tribe?

**Denominator: Percentage among all respondents who are enrolled tribal members.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Mandan	0.8	0.0-1.9
Three Affiliated Tribes	11.1	3.0-9.3
Spirit Lake Sioux	11.0	3.4-18.5
Standing Rock Sioux	24.0	12.4-35.5
Other Sioux	3.6	0.0-8.4
Chippewa	30.5	22.1-38.9
Other	19.0	11.4-26.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 6: Indian Health**

**Table 4: How much of your health care do you obtain from an Indian Health Service clinic?
Denominator: Percentage among all respondents who are enrolled tribal members.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
All	37.1	25.7-48.4
Most	11.8	5.4-18.2
Some	9.6	4.7-14.5
Little	11.5	6.0-17.0
None	30.0	19.9-40.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 7: Mental Health and Stigma**

**Table 1: About how often during the past 30 days did you feel nervous – Would you say all the time, most of the time, some of the time, a little of the time, or none of the time?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
All	0.7	0.4-1.0
Most	2.7	1.9-3.5
Some	14.1	12.8-15.5
Little	36.1	34.1-38.0
None	46.4	44.5-48.4

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 7: Mental Health and Stigma**

**Table 2: During the past 30 days, about how often did you feel hopeless or worthless – all of the time, most of the time, some of the time, a little of the time, or none of the time?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
All	0.6	0.2-1.0
Most	1.1	0.6-1.5
Some	4.9	4.1-5.7
Little	11.1	9.8-12.4
None	82.3	80.8-83.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 7: Mental Health and Stigma**

**Table 3: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
All	0.1	0.0-0.2
Most	0.8	0.4-1.2
Some	3.8	2.9-4.6
Little	6.5	5.4-7.6
None	88.8	87.4-90.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 7: Mental Health and Stigma**

Table 4: Has a doctor or other healthcare provider ever told you that you have an anxiety disorder including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic attacks, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	10.6	9.4-11.8
No	89.4	88.2-90.6

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 7: Mental Health and Stigma**

Table 5: Has a doctor or other healthcare provider ever told you that you have a depressive disorder including depression, dysthymia, or minor depression?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	15.9	14.5-17.4
No	84.1	82.6-85.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 7: Mental Health and Stigma**

Table 6: Are you now taking medicine or receiving treatment from a doctor or other health professional for a mental health condition or emotional problem?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Yes	10.1	9.0-11.2
No	89.9	88.8-91.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 7: Mental Health and Stigma**

**Table 7: Treatment can help people with mental illness lead normal lives. Do you agree strongly, agree slightly, neither agree nor disagree, disagree slightly, or disagree strongly?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree strongly	64.5	62.5-66.4
Agree slightly	26.7	24.8-28.6
Neither agree nor disagree	4.1	3.3-5.0
Disagree slightly	3.3	2.6-4.0
Disagree strongly	1.4	0.8-2.1

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 7: Mental Health and Stigma**

**Table 8: People are generally caring and sympathetic to people with mental illness. Do you agree strongly, agree slightly, neither agree nor disagree, disagree slightly, or disagree strongly?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree strongly	19.5	18.0-21.1
Agree slightly	40.3	38.3-42.2
Neither agree nor disagree	11.0	9.5-12.4
Disagree slightly	22.4	20.8-24.1
Disagree strongly	6.8	6.0-7.7

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 8: Sexual Violence**

**Table 1: Media images that portray women as sexy contribute to sexual violence. Would you say that you agree or disagree?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	54.6	52.6-56.6
Disagree	40.3	38.3-42.4
Don't Know	5.1	4.3-5.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 8: Sexual Violence**

**Table 2: Women who dress and act in a sexy way provoke rape by their appearance and behavior. Would you say that you agree or disagree?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	36.3	34.4-38.2
Disagree	59.2	57.3-61.1
Don't Know	4.5	3.8-5.2

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 8: Sexual Violence**

**Table 3: Sexual harassment can include inappropriate or unwanted sexual advances or comments by another person, co-worker or supervisor. Would you say that you agree or disagree?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	92.5	91.5-93.4
Disagree	5.0	4.2-5.8
Don't Know	2.5	1.9-3.0

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 8: Sexual Violence**

**Table 4: It might be acceptable for a male to have sexual intercourse with a female against her will or without her consent if he spends a lot of money on her. Would you say that you agree or disagree?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	1.6	1.1-2.2
Disagree	97.4	96.7-98.1
Don't Know	1.0	0.6-1.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 8: Sexual Violence**

**Table 5: It might be acceptable for a male to have sexual intercourse with a female against her will or without her consent if she got him sexually excited. Would you say that you agree or disagree?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	3.9	3.1-4.8
Disagree	93.7	92.8-94.7
Don't Know	2.3	1.8-2.8

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 8: Sexual Violence**

**Table 6: It might be acceptable for a male to have sexual intercourse with a female against her will or without her consent if they had had sexual intercourse before. Would you say that you agree or disagree?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	5.1	4.2-6.1
Disagree	92.0	90.9-93.1
Don't Know	2.9	2.3-3.4

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 8: Sexual Violence**

**Table 7: It might be acceptable for a male to have sexual intercourse with a female against her will or without her consent if they were married. Would you say that you agree or disagree?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	10.6	9.3-11.8
Disagree	86.1	84.7-87.5
Don't Know	3.3	2.7-3.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 8: Sexual Violence**

**Table 8: It is never acceptable for a male to have sexual intercourse with a female against her will or without her consent. Would you say that you agree or disagree?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	94.2	93.4-95.1
Disagree	5.1	4.3-5.9
Don't Know	0.7	0.4-0.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 8: Sexual Violence**

**Table 9: If a women claims she was raped, the amount of resistance she put up should be a major factor in determining whether a rape has occurred. Would you say that you agree or disagree?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	29.8	27.9-31.7
Disagree	64.0	62.1-66.0
Don't Know	6.2	5.2-7.1

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 8: Sexual Violence**

Table 10: If a woman is raped when she is drunk, she is at least somewhat responsible for letting things get out of control. Would you say that you agree or disagree?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Agree	26.2	24.5-27.9
Disagree	69.2	67.4-71.0
Don't Know	4.6	3.8-5.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2007
 State Added 8: Sexual Violence**

**Table 11: I would have sex with someone against their will or without their consent if I knew that I would not get caught. Would you say that you agree or disagree?
 Denominator: Percentage among all respondents.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	1.3	0.3-2.2
Disagree	97.9	96.8-98.9
Don't Know	0.8	0.4-1.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 8: Sexual Violence**

**Table 12: Sexual violence occurs in your community. Would you say that you agree or disagree?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	71.2	69.4-73.1
Disagree	16.5	14.9-18.1
Don't Know	12.3	11.0-13.5

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 8: Sexual Violence**

**Table 13: It is possible to prevent sexual violence. Would you say that you agree or disagree?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

Response Categories	%	CI (95%)
Agree	62.8	60.9-64.7
Disagree	25.5	23.8-27.2
Don't Know	11.7	10.6-12.9

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2007
State Added 9: Sexual Orientation**

Table 1: Now I'll read a list of terms people sometimes use to describe themselves – heterosexual or straight; homosexual or gay/lesbian and bisexual. As I read the list again, please stop me when I get to the term that best describes how you think of yourself.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

Response Categories	%	CI (95%)
Heterosexual	98.0	97.5-98.6
Homosexual	0.3	0.1-0.5
Bisexual	0.6	0.2-1.0
Other	1.0	0.7-1.3

Note: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.