

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010**

MODULE 2: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	22
20 MALES ONLY	23
21 FEMALES ONLY	24
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	25
23 MALES ONLY	26
24 FEMALES ONLY	27
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	28
26 MALES ONLY	29
27 FEMALES ONLY	30
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	31
29 MALES ONLY	32
30 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	467	36,088	10	4.6	01.3-07.9	20	7.3	03.0-11.6	85	20.8	16.1-25.5	199	39.6	34.3-44.9	153	27.6	23.3-31.9
Male	222	21,162	6	6.0	00.9-11.1	9	5.6	00.3-10.9	42	21.9	15.2-28.6	98	41.6	34.2-49.0	67	24.9	19.2-30.6
Female	245	14,926	4	2.5	00.0-05.0	11	9.8	02.4-17.2	43	19.3	13.2-25.4	101	36.9	29.8-44.0	86	31.6	25.1-38.1
Non-Native	430	32,074	10	5.1	01.4-08.8	14	5.1	01.4-08.8	74	19.1	14.6-23.6	184	40.3	34.8-45.8	148	30.3	25.6-35.0
45-54	61	6,348	1	2.6	00.0-07.7	2	2.8	00.0-06.9									
55-64	140	9,642	1	0.9	00.0-02.7	3	1.8	00.0-04.0	20	15.1	08.4-21.8	107	76.6	69.0-84.2	9	5.6	01.7-09.5
65+	234	15,092	1	0.3	00.0-00.9	6	2.5	00.3-04.7	14	5.1	02.2-08.0	70	29.8	23.5-36.1	143	62.3	55.6-69.0
H.S. or G.E.D.	143	10,685	3	2.9	00.0-06.4				18	14.6	07.3-21.9	63	36.9	27.5-46.3	48	28.8	20.4-37.2
Some Post-H.S.	170	13,156	3	2.5	00.0-05.2	2	1.7	00.0-04.1	40	29.8	21.2-38.4	80	44.4	36.0-52.8	45	21.7	15.4-28.0
College Graduate	105	8,706	3	7.3	00.0-15.9	5	6.0	00.5-11.5	24	20.9	12.3-29.5				30	24.3	15.7-32.9
\$15,000- 24,999	80	5,548	2	7.5	00.0-19.8	3	6.4	00.0-14.4									
\$25,000- 34,999	65	4,244				3	4.9	00.0-10.6	8	13.6	04.0-23.2						
\$35,000- 49,999	69	5,262				3	5.9	00.0-12.8	8	8.9	02.2-15.6						
\$50,000- 74,999	63	6,155	1	2.3	00.0-06.8	1	2.0	00.0-05.9							8	8.9	02.2-15.6
\$75,000+	56	5,349	4	10.0	00.6-19.4	1	2.7	00.0-08.0							9	13.0	04.6-21.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	222	21,162	6	6.0	00.7-11.3	9	5.6	00.3-10.9	42	21.9	15.2-28.6	98	41.6	34.2-49.0	67	24.9	19.2-30.6
Non-Native	200	18,546	6	6.8	00.9-12.7	6	3.0	00.5-05.5	35	20.1	13.4-26.8	89	42.6	35.0-50.2	64	27.6	21.3-33.9
55-64	66	5,599	1	1.5	00.0-04.4	2	1.5	00.0-03.7	9	14.7	05.5-23.9				4	5.3	00.0-10.6
65+	102	8,196				2	1.8	00.0-04.5	5	5.0	00.7-09.3	32	32.6	23.0-42.2	63	60.6	50.6-70.6
H.S. or G.E.D.	59	5,420	1	3.1	00.0-09.0												
Some Post-H.S.	84	7,718	2	3.0	00.0-07.1	1	1.3	00.0-03.8							19	18.8	10.6-27.0
College Graduate	54	5,805				3	5.7	00.0-12.6									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	245	14,926	4	2.5	00.0-05.0	11	9.8	02.4-17.2	43	19.3	13.2-25.4	101	36.9	29.8-44.0	86	31.6	25.1-38.1
Non-Native	230	13,528	4	2.8	00.0-05.7	8	8.0	00.4-15.6	39	17.8	12.1-23.5	95	37.3	30.0-44.6	84	34.1	27.2-41.0
55-64	74	4,043				1	2.3	00.0-06.8	11	15.6	06.6-24.6				5	6.1	00.2-12.0
65+	132	6,896	1	0.6	00.0-01.8	4	3.5	00.0-07.0	9	5.2	01.7-08.7	38	26.4	18.6-34.2	80	64.3	55.7-72.9
H.S. or G.E.D.	84	5,265	2	2.7	00.0-06.6				8	8.2	02.1-14.3						
Some Post-H.S.	86	5,439	1	1.8	00.0-05.3	1	2.3	00.0-06.8							26	25.8	16.0-35.6
College Graduate	51	2,901	1	4.8	00.0-13.8	2	6.5	00.0-15.1									
\$15,000- 24,999	50	2,620	1	1.6	00.0-04.7												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	37,001	134	29.5	24.4-34.6	350	70.5	65.4-75.6
Male	226	21,566	61	26.9	20.2-33.6	165	73.1	66.4-79.8
Female	258	15,436	73	33.2	25.4-41.0	185	66.8	59.0-74.6
Non-Native	446	32,885	117	27.4	22.1-32.7	329	72.6	67.3-77.9
55-64	140	9,611	36	28.8	20.4-37.2	104	71.2	62.8-79.6
65+	251	16,037	66	25.7	19.8-31.6	185	74.3	68.4-80.2
Some Post-H.S.	174	13,346	50	30.8	22.8-38.8	124	69.2	61.2-77.2
College Graduate	106	8,809	32	28.3	18.7-37.9	74	71.7	62.1-81.3
\$35,000- 49,999	69	5,262	12	17.1	07.5-26.7	57	82.9	73.3-92.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	226	21,566	61	26.9	20.2-33.6	165	73.1	66.4-79.8	
Non-Native	203	18,847	50	24.7	17.8-31.6	153	75.3	68.4-82.2	
65+	106	8,600	24	23.9	15.3-32.5	82	76.1	67.5-84.7	
H.S. or G.E.D.	60	5,523	11	16.3	06.3-26.3	49	83.7	73.7-93.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	258	15,436	73	33.2	25.4-41.0	185	66.8	59.0-74.6
Non-Native	243	14,038	67	30.9	22.9-38.9	176	69.1	61.1-77.1
65+	145	7,437	42	27.8	20.0-35.6	103	72.2	64.4-80.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	479	36,166	49	9.6	06.7-12.5	126	28.9	24.0-33.8	297	59.4	54.1-64.7	7	2.1	00.0-04.3
Male	221	20,681	27	10.5	06.4-14.6	77	36.1	28.8-43.4	116	51.6	44.2-59.0	1	1.7	00.0-05.0
Female	258	15,486	22	8.5	04.8-12.2	49	19.1	13.4-24.8	181	69.8	63.3-76.3	6	2.6	00.4-04.8
Non-Native	443	32,644	46	9.9	06.8-13.0	115	28.5	23.4-33.6	275	59.3	53.8-64.8	7	2.3	00.0-04.7
45-54	61	6,348	10	13.3	04.7-21.9							1	0.7	00.0-02.1
55-64	140	9,619	13	9.7	04.2-15.2	45	33.6	25.0-42.2	81	56.1	46.9-65.3	1	0.6	00.0-01.8
65+	247	15,736	19	6.6	03.5-09.7	61	31.3	24.6-38.0	165	61.4	54.5-68.3	2	0.7	00.0-01.7
Less Than H.S.	52	3,786	5	8.0	00.7-15.3									
H.S. or G.E.D.	150	10,515	18	10.5	05.4-15.6	40	29.2	20.6-37.8	92	60.3	50.9-69.7			
Some Post-H.S.	172	13,158	19	10.9	05.8-16.0	44	26.3	18.9-33.7	104	60.1	51.9-68.3	5	2.7	00.2-05.2
College Graduate	105	8,706	7	7.5	01.6-13.4							2	4.6	00.0-12.4
Less than \$15,000	65	3,516	7	11.2	03.2-19.2							1	1.2	00.0-03.6
\$15,000- 24,999	84	5,706	6	6.8	00.7-12.9									
\$25,000- 34,999	66	4,275	9	12.8	03.4-22.2							2	3.7	00.0-08.8
\$35,000- 49,999	66	4,971	7	12.4	03.0-21.8									
\$50,000- 74,999	65	6,320	6	6.9	01.4-12.4							1	1.0	00.0-03.0
\$75,000+	58	5,547	6	11.2	02.4-20.0									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	221	20,681	27	10.5	06.4-14.6	77	36.1	28.8-43.4	116	51.6	44.2-59.0	1	1.7	00.0-05.0
Non-Native	200	18,556	25	10.8	06.3-15.3	70	36.5	28.9-44.1	104	50.8	42.8-58.8	1	1.9	00.0-05.6
55-64	65	5,514	7	12.2	03.4-21.0									
65+	103	8,342	10	7.6	02.9-12.3									
H.S. or G.E.D.	58	4,929	6	8.6	01.7-15.5									
Some Post-H.S.	83	7,573	13	13.8	06.0-21.6									
College Graduate	54	5,805	5	9.0	00.8-17.2							1	6.1	00.0-17.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	258	15,486	22	8.5	04.8-12.2	49	19.1	13.4-24.8	181	69.8	63.1-76.5	6	2.6	00.4-04.8
Non-Native	243	14,087	21	8.8	04.9-12.7	45	18.0	12.7-23.3	171	70.4	63.7-77.1	6	2.8	00.4-05.2
55-64	75	4,105	6	6.4	01.1-11.7							1	1.5	00.0-04.4
65+	144	7,394	9	5.5	01.8-09.2	23	18.1	10.8-25.4	110	74.9	67.1-82.7	2	1.4	00.0-03.4
H.S. or G.E.D.	92	5,586	12	12.1	04.7-19.5	17	18.4	08.6-28.2						
Some Post-H.S.	89	5,586	6	6.9	01.2-12.6	16	17.1	08.5-25.7				5	6.4	00.7-12.1
College Graduate	51	2,901	2	4.4	00.0-11.1							1	1.4	00.0-04.1
\$15,000- 24,999	54	2,779	2	2.6	00.0-06.3									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	36,308	269	57.0	51.5-62.5	108	21.4	17.1-25.7	30	6.6	03.7-09.5	12	4.2	00.9-07.5	55	10.7	07.8-13.6
Male	218	20,915	124	55.0	47.2-62.8	44	20.5	14.2-26.8	15	7.3	02.8-11.8	8	5.8	00.3-11.3	27	11.3	07.0-15.6
Female	256	15,393	145	59.7	52.6-66.8	64	22.7	17.0-28.4	15	5.6	02.7-08.5	4	2.1	00.0-04.3	28	9.9	06.2-13.6
Non-Native	438	32,337	248	57.4	51.9-62.9	97	20.8	16.3-25.3	30	7.4	04.3-10.5	11	3.1	01.1-05.1	52	11.3	08.2-14.4
45-54	61	6,348				11	16.0	06.2-25.8	5	8.3	00.7-15.9				3	3.3	00.0-07.4
55-64	139	9,600	82	62.0	53.2-70.8	25	16.8	10.3-23.3	11	6.2	02.3-10.1	1	0.9	00.0-02.7	20	14.1	07.8-20.4
65+	242	15,355	132	54.1	47.2-61.0	66	25.8	19.9-31.7	13	6.0	02.5-09.5	8	4.1	01.2-07.0	23	10.0	05.7-14.3
H.S. or G.E.D.	150	11,006				30	15.6	09.7-21.5	9	6.1	01.6-10.6	4	6.9	00.0-16.3	15	7.9	03.8-12.0
Some Post-H.S.	172	13,176	90	52.8	44.2-61.4	37	20.0	13.1-26.9	14	8.0	03.5-12.5	4	3.0	00.1-05.9	27	16.2	10.1-22.3
College Graduate	104	8,603				30	28.6	18.6-38.6	6	7.2	00.0-15.2	3	3.8	00.0-08.1	7	4.9	00.8-09.0
Less than \$15,000	66	4,049				11	13.7	04.9-22.5	2	2.2	00.0-05.3				4	4.6	00.0-09.3
\$15,000- 24,999	83	5,629							8	8.7	02.2-15.2				12	14.0	05.8-22.2
\$25,000- 34,999	63	4,117							5	7.9	00.0-16.3	3	5.8	00.0-12.7	9	15.6	05.6-25.6
\$35,000- 49,999	68	5,159										2	3.0	00.0-07.3	7	9.1	02.2-16.0
\$50,000- 74,999	65	6,320							5	7.6	00.9-14.3	2	3.6	00.0-08.7	7	7.0	01.3-12.7
\$75,000+	57	5,462							2	3.2	00.0-07.7	2	4.1	00.0-09.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	218	20,915	124	55.0	47.2-62.8	44	20.5	14.2-26.8	15	7.3	02.8-11.8	8	5.8	00.3-11.3	27	11.3	07.0-15.6
Non-Native	197	18,342	114	57.3	49.5-65.1	35	18.4	12.1-24.7	15	8.4	03.3-13.5	7	3.7	01.0-06.4	26	12.2	07.5-16.9
55-64	65	5,556				12	17.4	08.2-26.6	4	4.9	00.0-10.2	1	1.5	00.0-04.4	8	13.3	04.3-22.3
65+	99	7,992				21	20.6	12.4-28.8	8	7.8	01.9-13.7	5	5.6	00.7-10.5	12	12.4	05.3-19.5
H.S. or G.E.D.	59	5,481				11	13.8	05.4-22.2	4	8.9	00.5-17.3				4	5.0	00.1-09.9
Some Post-H.S.	83	7,590				13	15.2	06.6-23.8	6	6.2	00.5-11.9	3	4.4	00.0-09.3	16	19.8	10.6-29.0
College Graduate	53	5,702										2	3.3	00.0-07.8	4	5.0	00.0-10.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	15,393	145	59.7	52.8-66.6	64	22.7	17.0-28.4	15	5.6	02.7-08.5	4	2.1	00.0-04.3	28	9.9	06.2-13.6
Non-Native	241	13,995	134	57.5	50.2-64.8	62	24.0	17.9-30.1	15	6.2	02.9-09.5	4	2.3	00.0-04.8	26	10.0	06.1-13.9
55-64	74	4,043				13	16.0	07.4-24.6	7	8.0	01.9-14.1				12	15.3	07.1-23.5
65+	143	7,363	79	54.8	46.0-63.6	45	31.4	23.2-39.6	5	4.0	00.5-07.5	3	2.4	00.0-05.3	11	7.4	02.9-11.9
H.S. or G.E.D.	91	5,524				19	17.4	09.2-25.6	5	3.3	00.4-06.2	2	2.1	00.0-05.2	11	10.7	04.0-17.4
Some Post-H.S.	89	5,586							8	10.4	03.1-17.7	1	1.1	00.0-03.3	11	11.4	04.7-18.1
College Graduate	51	2,901							1	1.4	00.0-04.1	1	4.8	00.0-13.8	3	4.6	00.0-09.9
\$15,000- 24,999	54	2,779							4	7.2	00.0-14.6				5	8.4	01.0-15.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	471	35,747	99	20.6	16.5-24.7	123	27.8	22.9-32.7	66	14.2	10.7-17.7	88	17.8	13.7-21.9	45	9.1	06.4-11.8	50	10.6	06.9-14.3
Male	221	20,831	54	22.2	16.5-27.9	66	32.6	25.2-40.0	29	13.1	08.4-17.8	30	14.7	08.8-20.6	23	8.8	05.1-12.5	19	8.6	04.7-12.5
Female	250	14,915	45	18.3	12.8-23.8	57	21.1	15.6-26.6	37	15.7	10.2-21.2	58	22.0	16.1-27.9	22	9.5	05.2-13.8	31	13.3	06.2-20.4
Non-Native	437	32,516	93	21.2	16.9-25.5	116	27.7	22.6-32.8	60	13.7	10.2-17.2	80	17.6	13.3-21.9	39	8.5	05.6-11.4	49	11.2	07.1-15.3
45-54	60	6,292										9	13.1	04.3-21.9	10	13.2	04.4-22.0	5	7.3	00.4-14.2
55-64	140	9,661	27	19.1	12.2-26.0	40	29.3	20.9-37.7	26	20.2	12.9-27.5	20	14.9	07.8-22.0	13	9.1	04.0-14.2	14	7.4	03.3-11.5
65+	241	15,540	49	20.9	15.2-26.6	60	25.2	19.3-31.1	31	12.7	08.2-17.2	52	20.0	14.5-25.5	20	8.5	04.8-12.2	29	12.7	07.8-17.6
Less Than H.S.	51	3,747	6	10.3	02.1-18.5										3	6.9	00.0-14.9			
H.S. or G.E.D.	145	10,122	31	20.9	13.5-28.3	31	19.4	11.8-27.0	22	15.4	08.9-21.9	27	16.9	10.2-23.6	16	11.5	05.6-17.4			
Some Post-H.S.	170	13,159	40	22.8	15.9-29.7	45	29.5	21.3-37.7	18	12.5	06.2-18.8	31	16.0	09.9-22.1	18	9.9	05.0-14.8	18	9.2	04.5-13.9
College Graduate	105	8,718	22	21.3	12.3-30.3				15	14.2	07.1-21.3	21	17.8	09.4-26.2	8	5.9	01.2-10.6	7	5.6	01.1-10.1
Less than \$15,000	64	3,473							11	15.0	06.4-23.6							4	5.1	00.2-10.0
\$15,000- 24,999	80	5,344							11	14.2	05.6-22.8				5	6.8	00.9-12.7	8	8.5	02.0-15.0
\$25,000- 34,999	63	4,077							8	14.4	04.6-24.2	10	12.5	04.7-20.3	3	4.0	00.0-08.5			
\$35,000- 49,999	69	5,262							7	10.3	02.9-17.7				6	8.1	01.0-15.2	7	10.5	02.3-18.7
\$50,000- 74,999	64	6,277							8	11.4	03.6-19.2	9	14.0	04.4-23.6	6	8.8	01.4-16.2	4	4.5	00.0-09.4
\$75,000+	57	5,504													5	8.8	01.0-16.6	4	5.4	00.0-11.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	221	20,831	54	22.2	16.5-27.9	66	32.6	25.2-40.0	29	13.1	08.4-17.8	30	14.7	08.8-20.6	23	8.8	05.1-12.5	19	8.6	04.7-12.5
Non-Native	200	18,697	51	23.5	17.4-29.6	60	31.5	23.9-39.1	26	13.3	08.2-18.4	26	14.7	08.4-21.0	19	8.1	04.2-12.0	18	8.9	04.6-13.2
55-64	65	5,556	14	20.5	10.5-30.5										8	10.6	03.2-18.0	5	6.8	00.9-12.7
65+	104	8,506	28	25.8	17.2-34.4	29	27.3	18.5-36.1	13	12.7	06.0-19.4	15	14.6	07.3-21.9	7	6.0	01.5-10.5	12	13.6	06.0-21.2
H.S. or G.E.D.	58	4,939													7	11.7	02.7-20.7	5	9.5	00.9-18.1
Some Post-H.S.	83	7,662	21	23.2	13.8-32.6				9	12.9	04.7-21.1	10	10.5	03.2-17.8	9	8.7	03.0-14.4	8	9.5	02.6-16.4
College Graduate	55	5,908							7	10.1	02.7-17.5				4	5.5	00.0-11.4	3	5.0	00.0-10.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	14,915	45	18.3	12.8-23.8	57	21.1	15.6-26.6	37	15.7	10.2-21.2	58	22.0	16.1-27.9	22	9.5	05.2-13.8	31	13.3	06.2-20.4
Non-Native	237	13,819	42	18.1	12.6-23.6	56	22.5	16.6-28.4	34	14.3	09.4-19.2	54	21.6	15.7-27.5	20	9.1	04.8-13.4	31	14.4	07.0-21.8
55-64	75	4,105	13	17.3	08.1-26.5							13	16.5	07.7-25.3	5	7.1	00.6-13.6	9	8.3	02.8-13.8
65+	137	7,033	21	15.0	08.7-21.3	31	22.7	15.3-30.1	18	12.6	06.9-18.3	37	26.5	18.5-34.5	13	11.5	05.2-17.8	17	11.7	06.0-17.4
H.S. or G.E.D.	87	5,183	18	20.7	10.7-30.7	18	16.5	08.3-24.7	12	13.2	05.6-20.8	17	16.2	08.2-24.2	9	11.4	04.0-18.8			
Some Post-H.S.	87	5,497	19	22.2	12.4-32.0	19	21.6	12.0-31.2	9	12.0	02.4-21.6				9	11.7	03.5-19.9	10	8.8	03.1-14.5
College Graduate	50	2,810													4	6.7	00.0-13.8	4	6.7	00.0-14.1
\$15,000- 24,999	52	2,524																5	7.3	00.6-14.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	467	35,806	241	50.8	45.3-56.3	156	32.3	27.2-37.4	17	3.0	01.4-04.6	6	1.3	00.1-02.5	38	11.2	06.5-15.9	9	1.4	00.4-02.4
Male	217	20,744	117	54.0	46.2-61.8	61	27.6	20.5-34.7	10	3.5	01.1-05.9	3	1.1	00.0-02.3	21	12.4	06.1-18.7	5	1.5	00.1-02.9
Female	250	15,062	124	46.4	39.0-53.8	95	38.7	31.4-46.0	7	2.2	00.4-04.0	3	1.7	00.0-03.7	17	9.7	02.6-16.8	4	1.3	00.0-02.7
Non-Native	433	32,164	225	51.4	45.7-57.1	145	32.8	27.5-38.1	15	3.0	01.4-04.6	5	1.2	00.2-02.2	35	10.2	05.9-14.5	8	1.4	00.4-02.4
45-54	59	5,986							3	2.6	00.0-05.5	1	0.9	00.0-02.7	5	8.6	00.8-16.4			
55-64	136	9,335	77	52.8	43.6-62.0	44	34.9	25.7-44.1	5	4.3	00.6-08.0				9	7.5	02.4-12.6	1	0.5	00.0-01.5
65+	240	15,480	116	49.3	42.4-56.2	86	34.5	28.0-41.0	7	2.2	00.4-04.0	4	2.1	00.1-04.1	19	8.9	04.6-13.2	8	3.0	00.8-05.2
H.S. or G.E.D.	144	10,435				51	32.1	22.9-41.3	4	2.5	00.0-05.0							2	1.1	00.0-02.7
Some Post-H.S.	171	13,227	89	54.7	46.3-63.1	46	26.4	19.0-33.8	11	4.5	01.8-07.2	5	2.9	00.4-05.4	16	10.1	04.8-15.4	4	1.3	00.1-02.5
College Graduate	104	8,605							1	1.7	00.0-05.0	1	1.1	00.0-03.3	3	4.7	00.0-10.4			
Less than \$15,000	62	3,844							2	3.1	00.0-07.4							2	2.3	00.0-05.6
\$15,000- 24,999	80	5,312							3	3.5	00.0-07.6				4	6.8	00.1-13.5	3	3.1	00.0-06.6
\$25,000- 34,999	65	4,233							1	1.0	00.0-03.0	4	7.3	00.2-14.4						
\$35,000- 49,999	67	5,159							4	6.7	00.0-13.8				6	11.5	02.5-20.5	1	1.0	00.0-03.0
\$50,000- 74,999	65	6,320							2	1.2	00.0-02.8	1	1.3	00.0-03.8	5	6.6	00.5-12.7			
\$75,000+	58	5,547							3	3.8	00.0-08.3	1	1.5	00.0-04.4	1	3.9	00.0-11.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	217	20,744	117	54.0	46.2-61.8	61	27.6	20.5-34.7	10	3.5	01.1-05.9	3	1.1	00.0-02.3	21	12.4	06.1-18.7	5	1.5	00.1-02.9
Non-Native	197	18,454	108	55.2	47.2-63.2	56	28.9	21.5-36.3	8	3.4	00.9-05.9	3	1.2	00.0-02.6	18	9.8	05.1-14.5	4	1.4	00.0-03.0
55-64	64	5,430							4	6.2	00.3-12.1				7	11.2	03.2-19.2			
65+	101	8,309				32	30.7	21.3-40.1	3	1.6	00.0-03.6	2	2.0	00.0-04.7	9	9.7	03.2-16.2	5	3.8	00.3-07.3
H.S. or G.E.D.	56	5,085							3	4.3	00.0-09.2							1	1.0	00.0-03.0
Some Post-H.S.	84	7,718				19	20.5	11.5-29.5	5	4.0	00.3-07.7	3	2.9	00.0-06.2	10	13.5	05.5-21.5	2	1.1	00.0-02.7
College Graduate	54	5,797							1	2.5	00.0-07.4				3	7.0	00.0-15.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	15,062	124	46.4	39.0-53.8	95	38.7	31.4-46.0	7	2.2	00.4-04.0	3	1.7	00.0-03.7	17	9.7	02.6-16.8	4	1.3	00.0-02.7
Non-Native	236	13,710	117	46.3	38.7-53.9	89	38.0	30.7-45.3	7	2.4	00.4-04.4	2	1.2	00.0-02.8	17	10.6	03.0-18.2	4	1.4	00.0-02.8
55-64	72	3,904							1	1.6	00.0-04.7				2	2.4	00.0-05.9	1	1.2	00.0-03.6
65+	139	7,171	66	46.0	37.2-54.8	54	38.9	30.1-47.7	4	2.8	00.0-05.7	2	2.2	00.0-05.1	10	8.0	02.7-13.3	3	2.1	00.0-04.5
H.S. or G.E.D.	88	5,350							1	0.8	00.0-02.4							1	1.2	00.0-03.6
Some Post-H.S.	87	5,509							6	5.3	00.8-09.8				6	5.4	00.9-09.9	2	1.6	00.0-03.8
College Graduate	50	2,809										1	3.3	00.0-09.6						
\$15,000- 24,999	52	2,687							1	3.2	00.0-09.3				1	3.2	00.0-09.3	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	476	36,671	116	28.5	23.0-34.0	104	22.4	17.9-26.9	61	11.9	08.8-15.0	61	12.5	09.0-16.0	39	6.7	04.5-08.9	95	18.1	14.2-22.0
Male	223	21,429	66	32.7	25.1-40.3	47	22.6	15.9-29.3	29	11.0	06.9-15.1	20	9.3	04.6-14.0	22	7.0	04.1-09.9	39	17.4	11.9-22.9
Female	253	15,242	50	22.5	15.1-29.9	57	22.1	16.4-27.8	32	13.2	08.1-18.3	41	16.9	11.4-22.4	17	6.3	03.0-09.6	56	19.0	13.9-24.1
Non-Native	439	32,646	105	27.1	21.8-32.4	98	23.0	18.3-27.7	56	11.6	08.5-14.7	54	12.1	08.4-15.8	36	7.0	04.6-09.4	90	19.1	15.0-23.2
45-54	61	6,348							5	10.0	00.8-19.2	6	8.2	01.1-15.3	6	7.4	00.9-13.9	11	13.5	04.9-22.1
55-64	140	9,661	38	28.2	19.6-36.8	34	24.3	16.7-31.9	20	15.5	08.8-22.2	14	9.8	04.5-15.1	9	5.3	01.8-08.8	25	17.0	10.1-23.9
65+	243	15,656	45	19.7	14.2-25.2	51	21.3	15.6-27.0	34	13.0	08.7-17.3	37	15.2	10.3-20.1	22	8.9	05.2-12.6	54	22.0	16.3-27.7
H.S. or G.E.D.	151	11,067				32	18.9	11.8-26.0	18	11.0	05.7-16.3	19	12.2	06.1-18.3	14	8.4	03.9-12.9	29	14.9	08.8-21.0
Some Post-H.S.	172	13,261	36	23.1	15.5-30.7	34	20.3	13.4-27.2	22	12.5	06.8-18.2	22	12.3	07.0-17.6	18	8.4	04.1-12.7	40	23.5	16.2-30.8
College Graduate	105	8,718				15	12.0	05.7-18.3	14	10.1	04.4-15.8	14	10.1	04.4-15.8	5	3.3	00.2-06.4	16	15.5	07.7-23.3
Less than \$15,000	66	4,040				8	10.3	02.1-18.5	9	13.3	03.9-22.7	11	13.9	04.9-22.9	12	15.6	06.2-25.0			
\$15,000- 24,999	82	5,624				17	18.4	09.2-27.6	10	10.6	03.5-17.7	10	10.6	03.5-17.7	8	9.1	02.6-15.6	10	12.4	03.8-21.0
\$25,000- 34,999	62	4,068							11	16.7	06.9-26.5	5	7.6	00.7-14.5	1	1.4	00.0-04.1			
\$35,000- 49,999	69	5,262	17	20.8	11.0-30.6				10	13.9	05.3-22.5	8	13.2	03.8-22.6	5	5.3	00.4-10.2			
\$50,000- 74,999	65	6,320							5	5.9	00.6-11.2	7	10.6	02.8-18.4	7	9.4	02.0-16.8	11	16.3	06.5-26.1
\$75,000+	58	5,547							8	13.2	04.0-22.4	5	5.8	00.5-11.1	2	2.3	00.0-05.6	8	14.3	04.5-24.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	223	21,429	66	32.7	25.1-40.3	47	22.6	15.9-29.3	29	11.0	07.1-14.9	20	9.3	04.6-14.0	22	7.0	04.1-09.9	39	17.4	11.9-22.9
Non-Native	200	18,711	58	30.4	23.0-37.8	43	23.4	16.3-30.5	27	11.7	07.2-16.2	16	9.0	03.9-14.1	19	7.0	03.7-10.3	37	18.6	12.7-24.5
55-64	65	5,556				14	18.6	09.2-28.0	11	17.4	07.8-27.0	6	9.8	02.2-17.4	7	7.6	01.9-13.3			
65+	104	8,506	27	24.8	16.2-33.4	18	18.1	10.3-25.9	15	12.9	06.4-19.4	13	12.6	05.7-19.5	10	9.1	03.6-14.6	21	22.4	13.6-31.2
H.S. or G.E.D.	60	5,523							8	11.5	03.5-19.5	8	11.1	02.9-19.3	8	10.8	03.2-18.4	6	9.5	01.5-17.5
Some Post-H.S.	83	7,676				18	22.4	12.4-32.4	10	10.9	04.2-17.6	4	4.5	00.0-09.0	9	7.9	02.6-13.2			
College Graduate	55	5,908							8	10.1	02.8-17.4	4	7.2	00.1-14.3	3	2.9	00.0-06.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	253	15,242	50	22.5	15.1-29.9	57	22.1	16.4-27.8	32	13.2	08.1-18.3	41	16.9	11.4-22.4	17	6.3	03.0-09.6	56	19.0	13.9-24.1
Non-Native	239	13,935	47	22.8	15.0-30.6	55	22.6	16.7-28.5	29	11.5	07.0-16.0	38	16.3	11.0-21.6	17	6.9	03.2-10.6	53	19.8	14.3-25.3
55-64	75	4,105				9	12.8	04.6-21.0	8	9.8	03.1-16.5	2	2.3	00.0-05.6	15	16.9	08.5-25.3			
65+	139	7,150	18	13.5	07.2-19.8	33	25.0	17.2-32.8	19	13.0	07.1-18.9	24	18.2	11.1-25.3	12	8.7	03.6-13.8	33	21.5	14.4-28.6
H.S. or G.E.D.	91	5,543				19	17.1	08.9-25.3	10	10.6	03.7-17.5	11	13.3	04.3-22.3	6	6.0	00.9-11.1	23	20.3	11.3-29.3
Some Post-H.S.	89	5,586	15	17.2	08.8-25.6	16	17.3	08.7-25.9	12	14.7	04.7-24.7				9	9.2	02.1-16.3	19	18.5	09.9-27.1
College Graduate	50	2,810										10	16.4	06.4-26.4	2	4.1	00.0-10.4	6	11.6	02.2-21.0
\$15,000- 24,999	53	2,749													4	9.1	00.3-17.9	6	9.1	01.3-16.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	479	36,628	56	12.1	08.8-15.4	292	57.7	52.2-63.2	64	14.7	10.4-19.0	57	12.6	09.1-16.1	10	2.9	00.9-04.9
Male	223	21,354	28	13.1	08.2-18.0	125	54.9	47.3-62.5	30	13.8	08.3-19.3	34	15.1	10.0-20.2	6	3.1	00.4-05.8
Female	256	15,274	28	10.6	06.3-14.9	167	61.7	54.1-69.3	34	15.9	08.6-23.2	23	9.2	05.1-13.3	4	2.5	00.0-05.4
Non-Native	441	32,511	52	12.6	09.1-16.1	267	56.7	51.0-62.4	59	15.1	10.4-19.8	55	13.7	10.0-17.4	8	1.9	00.5-03.3
45-54	61	6,348	9	15.1	05.5-24.7							9	14.0	04.6-23.4	1	1.8	00.0-05.1
55-64	140	9,642	9	7.7	02.2-13.2	91	66.3	57.7-74.9	18	11.4	05.9-16.9	20	13.5	07.4-19.6	2	1.1	00.0-02.7
65+	247	15,675	32	13.4	08.7-18.1	163	63.8	57.1-70.5	29	12.5	08.0-17.0	19	8.6	04.7-12.5	4	1.7	00.0-03.5
Less Than H.S.	52	3,701	5	6.1	00.6-11.6							5	8.1	00.8-15.4	1	1.6	00.0-04.7
H.S. or G.E.D.	151	11,025	17	12.1	06.0-18.2				23	17.9	07.9-27.9	15	10.3	04.6-16.0	2	2.5	00.0-06.4
Some Post-H.S.	171	13,155	17	10.2	04.7-15.7	103	57.8	49.2-66.4	21	13.6	07.7-19.5	26	15.3	09.2-21.4	4	3.2	00.0-06.9
College Graduate	105	8,748	17	17.5	09.5-25.5				14	9.8	04.3-15.3	11	13.4	05.2-21.6	3	3.4	00.0-07.5
Less than \$15,000	66	3,973	4	4.3	00.0-08.6				7	11.2	02.6-19.8	8	12.1	03.5-20.7			
\$15,000- 24,999	83	5,622	10	11.4	04.0-18.8							7	5.6	01.1-10.1	5	9.1	00.5-17.7
\$25,000- 34,999	64	4,168	6	8.9	01.8-16.0				9	12.9	04.3-21.5				2	2.2	00.0-05.3
\$35,000- 49,999	69	5,262	6	9.6	02.0-17.2							8	10.2	02.9-17.5			
\$50,000- 74,999	64	6,235							6	9.7	01.9-17.5	9	16.0	06.0-26.0	1	3.5	00.0-10.2
\$75,000+	57	5,485	8	14.9	04.9-24.9				4	5.3	00.0-10.6				2	4.2	00.0-10.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	223	21,354	28	13.1	08.2-18.0	125	54.9	47.3-62.5	30	13.8	08.3-19.3	34	15.1	10.0-20.2	6	3.1	00.4-05.8
Non-Native	200	18,635	25	13.9	08.4-19.4	109	53.0	45.2-60.8	28	14.1	08.4-19.8	33	16.6	10.9-22.3	5	2.4	00.2-04.6
55-64	66	5,599	5	9.4	00.8-18.0				7	9.8	02.4-17.2	9	13.9	05.1-22.7	2	1.9	00.0-04.6
65+	104	8,431	14	14.6	07.5-21.7				14	14.2	07.1-21.3	14	12.8	06.1-19.5	1	1.0	00.0-03.0
H.S. or G.E.D.	59	5,439										7	12.3	03.1-21.5	1	1.2	00.0-03.6
Some Post-H.S.	83	7,633	8	11.9	03.3-20.5				13	15.0	06.8-23.2	15	17.1	08.5-25.7	2	4.0	00.0-09.9
College Graduate	55	5,908	10	16.0	06.2-25.8				7	8.0	01.7-14.3				3	5.0	00.0-11.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	15,274	28	10.6	06.3-14.9	167	61.7	54.1-69.3	34	15.9	08.6-23.2	23	9.2	05.1-13.3	4	2.5	00.0-05.4
Non-Native	241	13,876	27	10.8	06.5-15.1	158	61.7	53.7-69.7	31	16.5	08.7-24.3	22	9.8	05.5-14.1	3	1.3	00.0-02.9
55-64	74	4,043	4	5.3	00.0-10.6				11	13.7	05.9-21.5	11	13.0	05.2-20.8			
65+	143	7,244	18	12.1	06.6-17.6	102	71.2	63.2-79.2	15	10.5	05.0-16.0	5	3.7	00.4-07.0	3	2.4	00.0-05.3
H.S. or G.E.D.	92	5,586	8	7.8	01.9-13.7							8	8.4	01.9-14.9	1	3.8	00.0-11.1
Some Post-H.S.	88	5,522	9	7.7	02.4-13.0				8	11.6	03.4-19.8	11	12.8	05.0-20.6	2	2.1	00.0-05.2
College Graduate	50	2,839										3	6.0	00.0-13.3			
\$15,000- 24,999	54	2,779							6	8.1	01.6-14.6	4	5.0	00.0-10.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	482	36,452	64	11.7	08.6-14.8	418	88.3	85.2-91.4	
Male	225	21,488	36	13.3	08.8-17.8	189	86.7	82.2-91.2	
Female	257	14,964	28	9.5	05.8-13.2	229	90.5	86.8-94.2	
Non-Native	444	32,335	55	11.0	07.9-14.1	389	89.0	85.9-92.1	
45-54	61	6,348	10	14.7	05.3-24.1	51	85.3	75.9-94.7	
55-64	141	9,704	20	15.1	08.2-22.0	121	84.9	78.0-91.8	
65+	249	15,917	33	10.9	07.0-14.8	216	89.1	85.2-93.0	
H.S. or G.E.D.	151	10,588	19	11.6	05.9-17.3	132	88.4	82.7-94.1	
Some Post-H.S.	173	13,303	23	12.3	06.8-17.8	150	87.7	82.2-93.2	
College Graduate	106	8,809	12	8.2	03.1-13.3	94	91.8	86.7-96.9	
\$15,000- 24,999	83	5,629	15	14.8	07.0-22.6	68	85.2	77.4-93.0	
\$35,000- 49,999	69	5,262	5	7.5	00.8-14.2	64	92.5	85.8-99.2	
\$50,000- 74,999	65	6,320	5	6.8	00.0-13.7	60	93.2	86.3-0100	
\$75,000+	58	5,547	6	10.9	02.1-19.7	52	89.1	80.3-97.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	225	21,488	36	13.3	08.6-18.0	189	86.7	82.0-91.4	
Non-Native	202	18,769	29	12.4	07.5-17.3	173	87.6	82.7-92.5	
65+	105	8,523	10	7.9	02.8-13.0	95	92.1	87.0-97.2	
H.S. or G.E.D.	60	5,523	12	16.1	06.3-25.9	48	83.9	74.1-93.7	
Some Post-H.S.	85	7,760	13	15.8	07.2-24.4	72	84.2	75.6-92.8	
College Graduate	55	5,908	5	4.5	00.4-08.6	50	95.5	91.4-99.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	257	14,964	28	9.5	05.8-13.2	229	90.5	86.8-94.2	
Non-Native	242	13,566	26	9.1	05.4-12.8	216	90.9	87.2-94.6	
55-64	75	4,105	3	4.5	00.0-10.0	72	95.5	90.0-100.0	
65+	144	7,394	23	14.3	08.4-20.2	121	85.7	79.8-91.6	
H.S. or G.E.D.	91	5,064	7	6.7	01.6-11.8	84	93.3	88.2-98.4	
Some Post-H.S.	88	5,543	10	7.5	02.8-12.2	78	92.5	87.8-97.2	
\$15,000- 24,999	54	2,779	9	15.0	05.0-25.0	45	85.0	75.0-95.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
TOTAL	484	37,052	264	56.0	50.7-61.3	220	44.0	38.7-49.3		
Male	225	21,523	108	49.8	42.2-57.4	117	50.2	42.6-57.8		
Female	259	15,528	156	64.7	58.0-71.4	103	35.3	28.6-42.0		
Non-Native	446	32,935	250	58.6	53.3-63.9	196	41.4	36.1-46.7		
55-64	141	9,704	75	51.4	42.2-60.6	66	48.6	39.4-57.8		
65+	250	15,995	130	51.6	44.9-58.3	120	48.4	41.7-55.1		
Some Post-H.S.	173	13,304	91	52.8	44.2-61.4	82	47.2	38.6-55.8		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	225	21,523	108	49.8	42.2-57.4	117	50.2	42.6-57.8	
Non-Native	202	18,805	102	54.3	46.5-62.1	100	45.7	37.9-53.5	
65+	105	8,558	44	43.8	33.8-53.8	61	56.2	46.2-66.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	15,528	156	64.7	58.0-71.4	103	35.3	28.6-42.0
Non-Native	244	14,130	148	64.2	57.3-71.1	96	35.8	28.9-42.7
65+	145	7,437	86	60.5	51.9-69.1	59	39.5	30.9-48.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'