

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011

MODULE 33: CHILDHOOD ASTHMA PREVALENCE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)	
1	MALES AND FEMALES	86
2	MALES ONLY	87
3	FEMALES ONLY	88
	DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)	
4	MALES AND FEMALES	89
5	MALES ONLY	90
6	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011  
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	963	164,052	88	8.0	05.6-10.4	875	92.0	89.6-94.4
Male	392	76,644	29	7.6	03.7-11.5	363	92.4	88.5-96.3
Female	571	87,407	59	8.3	05.8-10.8	512	91.7	89.2-94.2
Non-Native	915	150,321	84	8.3	05.8-10.8	831	91.7	89.2-94.2
25-34	212	47,890	8	6.1	01.6-10.6	204	93.9	89.4-98.4
35-44	364	51,512	42	10.6	07.3-13.9	322	89.4	86.1-92.7
45-54	272	28,560	31	10.6	06.9-14.3	241	89.4	85.7-93.1
55-64	67	5,565	6	8.7	01.1-16.3	61	91.3	83.7-98.9
H.S. or G.E.D.	192	41,049	16	5.4	02.3-08.5	176	94.6	91.5-97.7
Some Post-H.S.	301	64,998	29	9.4	04.7-14.1	272	90.6	85.9-95.3
College Graduate	432	44,112	38	7.7	05.0-10.4	394	92.3	89.6-95.0
\$15,000- 24,999	53	12,765	4	12.6	00.0-25.5	49	87.4	74.5-0100
\$25,000- 34,999	72	12,626	5	4.6	00.0-09.3	67	95.4	90.7-0100
\$35,000- 49,999	115	21,054	11	8.6	03.1-14.1	104	91.4	85.9-96.9
\$50,000- 74,999	229	38,778	25	8.9	04.6-13.2	204	91.1	86.8-95.4
\$75,000+	400	52,034	38	9.6	04.9-14.3	362	90.4	85.7-95.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011  
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	392	76,644	29	7.6	03.5-11.7	363	92.4	88.3-96.5
Non-Native	376	70,057	28	8.1	03.8-12.4	348	91.9	87.6-96.2
25-34	73	20,774	2	6.1	00.0-14.1	71	93.9	85.9-0100
35-44	140	25,435	11	6.8	02.5-11.1	129	93.2	88.9-97.5
45-54	118	15,391	12	8.8	03.9-13.7	106	91.2	86.3-96.1
H.S. or G.E.D.	96	22,584	7	4.6	00.9-08.3	89	95.4	91.7-99.1
Some Post-H.S.	118	29,117	12	11.8	02.6-21.0	106	88.2	79.0-97.4
College Graduate	160	18,787	8	3.5	01.0-06.0	152	96.5	94.0-99.0
\$50,000- 74,999	108	23,336	10	7.9	02.0-13.8	98	92.1	86.2-98.0
\$75,000+	170	24,420	9	7.9	00.0-16.9	161	92.1	83.1-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011  
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT THE CHILD HAS ASTHMA? (CASTHDX2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents without children

Note: The tables for CASTHDX2 were produced using \_CHILDWT as the weighting variable

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	571	87,407	59	8.3	05.8-10.8	512	91.7	89.2-94.2
Non-Native	539	80,264	56	8.6	05.9-11.3	483	91.4	88.7-94.1
25-34	139	27,116	6	6.1	01.0-11.2	133	93.9	88.8-99.0
35-44	224	26,077	31	14.3	09.2-19.4	193	85.7	80.6-90.8
45-54	154	13,169	19	12.7	07.0-18.4	135	87.3	81.6-93.0
H.S. or G.E.D.	96	18,464	9	6.3	01.2-11.4	87	93.7	88.6-98.8
Some Post-H.S.	183	35,881	17	7.4	03.7-11.1	166	92.6	88.9-96.3
College Graduate	272	25,325	30	10.8	06.7-14.9	242	89.2	85.1-93.3
\$35,000- 49,999	70	11,026	6	10.1	01.3-18.9	64	89.9	81.1-98.7
\$50,000- 74,999	121	15,442	15	10.3	04.6-16.0	106	89.7	84.0-95.4
\$75,000+	230	27,614	29	11.1	06.6-15.6	201	88.9	84.4-93.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011  
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 4: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents with children, but they do not have asthma**

**Denominator excludes: Respondents without children**

**Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	85	12,588	58	68.7	52.8-84.6	27	31.3	15.4-47.2
Female	57	6,913	40	75.1	62.9-87.3	17	24.9	12.7-37.1
Non-Native	81	12,089	56	69.2	52.7-85.7	25	30.8	14.3-47.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011  
MODULE 33: CHILDHOOD ASTHMA PREVALENCE

TABLE 5: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents with children, but they do not have asthma

Denominator excludes: Respondents without children

Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011  
MODULE 33: CHILDHOOD ASTHMA PREVALENCE**

**TABLE 6: DOES THE CHILD STILL HAVE ASTHMA? (CASTHNO2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents with children, but they do not have asthma**

**Denominator excludes: Respondents without children**

**Note: The tables for CASTHNO2 were produced using \_CHILDWT as the weighting variable**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	57	6,913	40	75.1	62.8-87.4	17	24.9	12.6-37.2
Non-Native	54	6,560	39	77.1	64.8-89.4	15	22.9	10.6-35.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2011**

End of Module Data Report