


NORTH DAKOTA

2012 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	136
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	137
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	138

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2141	160,763	1611	73.6	71.1-76.1	530	26.4	23.9-28.9
Non-Native	2074	153,762	1568	74.2	71.7-76.7	506	25.8	23.3-28.3
40-44	141	16,766	81	57.5	47.5-67.5	60	42.5	32.5-52.5
45-54	444	44,383	333	71.8	66.3-77.3	111	28.2	22.7-33.7
55-64	553	41,518	437	80.2	76.3-84.1	116	19.8	15.9-23.7
65+	1003	58,095	760	74.8	71.3-78.3	243	25.2	21.7-28.7
Less Than H.S.	152	15,516	92	54.9	44.9-64.9	60	45.1	35.1-55.1
H.S. or G.E.D.	650	42,733	485	75.4	71.3-79.5	165	24.6	20.5-28.7
Some Post-H.S.	694	63,781	535	74.0	69.7-78.3	159	26.0	21.7-30.3
College Graduate	643	38,476	497	78.2	74.5-81.9	146	21.8	18.1-25.5
Less than \$15,000	189	12,006	112	58.4	49.0-67.8	77	41.6	32.2-51.0
\$15,000- 24,999	314	20,567	213	63.7	56.3-71.1	101	36.3	28.9-43.7
\$25,000- 34,999	236	17,238	188	77.2	69.8-84.6	48	22.8	15.4-30.2
\$35,000- 49,999	261	18,994	203	78.7	72.8-84.6	58	21.3	15.4-27.2
\$50,000- 74,999	305	24,534	231	72.8	66.7-78.9	74	27.2	21.1-33.3
\$75,000+	466	39,879	383	79.8	74.7-84.9	83	20.2	15.1-25.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1816	123,901	1402	76.9	74.5-79.3	414	23.1	20.7-25.5
Non-Native	1762	118,909	1366	77.5	75.1-79.9	396	22.5	20.1-24.9
50-54	260	24,288	205	76.4	69.9-82.9	55	23.6	17.1-30.1
55-64	553	41,518	437	80.2	76.3-84.1	116	19.8	15.9-23.7
65+	1003	58,095	760	74.8	71.3-78.3	243	25.2	21.7-28.7
Less Than H.S.	141	13,290	89	59.9	50.1-69.7	52	40.1	30.3-49.9
H.S. or G.E.D.	583	35,169	442	77.3	73.4-81.2	141	22.7	18.8-26.6
Some Post-H.S.	592	48,514	473	79.3	75.2-83.4	119	20.7	16.6-24.8
College Graduate	498	26,673	396	80.6	76.5-84.7	102	19.4	15.3-23.5
Less than \$15,000	169	9,893	106	65.3	56.1-74.5	63	34.7	25.5-43.9
\$15,000- 24,999	291	17,068	206	69.3	62.6-76.0	85	30.7	24.0-37.4
\$25,000- 34,999	209	13,348	173	84.9	79.4-90.4	36	15.1	09.6-20.6
\$35,000- 49,999	229	15,394	180	78.9	72.6-85.2	49	21.1	14.8-27.4
\$50,000- 74,999	249	18,813	196	77.7	71.6-83.8	53	22.3	16.2-28.4
\$75,000+	324	24,700	281	86.0	81.1-90.9	43	14.0	09.1-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1810	195,356	1397	76.3	73.6-79.0	413	23.7	21.0-26.4
Non-Native	1749	185,367	1354	76.4	73.5-79.3	395	23.6	20.7-26.5
18-24	120	35,303	67	53.3	43.3-63.3	53	46.7	36.7-56.7
25-34	233	40,858	212	90.5	85.8-95.2	21	9.5	04.8-14.2
35-44	246	31,568	213	85.0	79.3-90.7	33	15.0	09.3-20.7
45-54	324	31,292	276	81.9	76.2-87.6	48	18.1	12.4-23.8
55-64	350	25,993	294	85.7	81.8-89.6	56	14.3	10.4-18.2
65+	537	30,341	335	60.9	56.0-65.8	202	39.1	34.2-44.0
Less Than H.S.	77	10,657	38	58.1	42.8-73.4	39	41.9	26.6-57.2
H.S. or G.E.D.	459	43,391	327	68.7	62.8-74.6	132	31.3	25.4-37.2
Some Post-H.S.	600	84,014	464	74.2	69.3-79.1	136	25.8	20.9-30.7
College Graduate	672	56,719	567	89.2	86.7-91.7	105	10.8	08.3-13.3
Less than \$15,000	131	16,514	81	68.6	56.6-80.6	50	31.4	19.4-43.4
\$15,000- 24,999	218	22,647	147	70.0	61.6-78.4	71	30.0	21.6-38.4
\$25,000- 34,999	196	20,494	144	67.3	57.9-76.7	52	32.7	23.3-42.1
\$35,000- 49,999	235	26,037	183	79.7	72.3-87.1	52	20.3	12.9-27.7
\$50,000- 74,999	296	30,779	245	81.7	75.8-87.6	51	18.3	12.4-24.2
\$75,000+	465	51,328	416	87.5	83.0-92.0	49	12.5	08.0-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.