


# NORTH DAKOTA

## 2012 Core Variables Report

### Behavioral Risk Factor Surveillance System

July 5, 2013



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

**SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	50
17 MALES ONLY	51
18 FEMALES ONLY	52
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	53
20 MALES ONLY	54
21 FEMALES ONLY	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

**SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22	MALES AND FEMALES	56
23	MALES ONLY	57
24	FEMALES ONLY	58
	(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25	MALES AND FEMALES	59
26	MALES ONLY	60
27	FEMALES ONLY	61
	(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28	MALES AND FEMALES	62
29	MALES ONLY	63
30	FEMALES ONLY	64
	(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31	MALES AND FEMALES	65
32	MALES ONLY	66
33	FEMALES ONLY	67
	DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)	
34	MALES AND FEMALES	68
35	MALES ONLY	69
36	FEMALES ONLY	70
	(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37	MALES AND FEMALES	71
38	MALES ONLY	72
39	FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4857	537,267	294	4.6	04.0-05.2	4563	95.4	94.8-96.0
Male	2137	270,110	173	5.9	04.9-06.9	1964	94.1	93.1-95.1
Female	2720	267,157	121	3.2	02.4-04.0	2599	96.8	96.0-97.6
Native	125	24,506	6	3.9	00.0-08.0	119	96.1	92.0-0100
Non-Native	4667	504,932	281	4.6	04.0-05.2	4386	95.4	94.8-96.0
18-24	251	79,632	1	0.1	00.0-00.3	250	99.9	99.7-0100
25-34	520	93,489				520	100.0	0100-0100
35-44	551	77,332	5	1.4	00.0-02.8	546	98.6	97.2-0100
45-54	862	91,437	20	3.3	01.5-05.1	842	96.7	94.9-98.5
55-64	1057	87,161	65	7.0	05.0-09.0	992	93.0	91.0-95.0
65+	1574	104,586	203	13.6	11.4-15.8	1371	86.4	84.2-88.6
Less Than H.S.	331	51,338	44	10.1	06.4-13.8	287	89.9	86.2-93.6
H.S. or G.E.D.	1407	146,434	100	4.9	03.7-06.1	1307	95.1	93.9-96.3
Some Post-H.S.	1555	209,399	100	4.6	03.4-05.8	1455	95.4	94.2-96.6
College Graduate	1558	128,747	50	1.9	01.3-02.5	1508	98.1	97.5-98.7
Less than \$15,000	349	40,510	55	10.9	07.2-14.6	294	89.1	85.4-92.8
\$15,000- 24,999	602	65,571	58	8.0	05.3-10.7	544	92.0	89.3-94.7
\$25,000- 34,999	504	55,988	38	4.4	02.8-06.0	466	95.6	94.0-97.2
\$35,000- 49,999	712	79,916	43	4.4	02.8-06.0	669	95.6	94.0-97.2
\$50,000- 74,999	751	81,556	32	3.6	02.2-05.0	719	96.4	95.0-97.8
\$75,000+	1318	144,419	30	1.8	01.0-02.6	1288	98.2	97.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2137	270,110	173	5.9	04.9-06.9	1964	94.1	93.1-95.1
Native	54	12,987	5	6.8	00.0-14.4	49	93.2	85.6-0100
Non-Native	2046	252,821	163	5.8	04.8-06.8	1883	94.2	93.2-95.2
18-24	123	41,662	1	0.3	00.0-00.9	122	99.7	99.1-0100
25-34	273	49,656				273	100.0	0100-0100
35-44	263	40,477	4	2.5	00.0-05.0	259	97.5	95.0-0100
45-54	409	46,273	10	2.9	00.7-05.1	399	97.1	94.9-99.3
55-64	495	44,639	48	10.8	07.3-14.3	447	89.2	85.7-92.7
65+	563	46,382	110	18.6	14.9-22.3	453	81.4	77.7-85.1
Less Than H.S.	166	31,642	26	11.4	06.1-16.7	140	88.6	83.3-93.9
H.S. or G.E.D.	654	83,003	56	5.5	03.7-07.3	598	94.5	92.7-96.3
Some Post-H.S.	655	96,891	59	6.2	04.4-08.0	596	93.8	92.0-95.6
College Graduate	660	58,090	32	3.1	01.9-04.3	628	96.9	95.7-98.1
Less than \$15,000	121	17,596	22	12.7	06.4-19.0	99	87.3	81.0-93.6
\$15,000- 24,999	234	32,631	27	10.0	05.3-14.7	207	90.0	85.3-94.7
\$25,000- 34,999	212	28,381	26	6.2	03.5-08.9	186	93.8	91.1-96.5
\$35,000- 49,999	374	46,460	38	7.1	04.6-09.6	336	92.9	90.4-95.4
\$50,000- 74,999	342	41,316	25	5.5	03.0-08.0	317	94.5	92.0-97.0
\$75,000+	694	79,382	22	2.4	01.2-03.6	672	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	267,157	121	3.2	02.4-04.0	2599	96.8	96.0-97.6
Native	71	11,519	1	0.6	00.0-01.8	70	99.4	98.2-0100
Non-Native	2621	252,112	118	3.3	02.5-04.1	2503	96.7	95.9-97.5
18-24	128	37,970				128	100.0	0100-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	1	0.1	00.0-00.3	287	99.9	99.7-0100
45-54	453	45,164	10	3.7	01.0-06.4	443	96.3	93.6-99.0
55-64	562	42,522	17	2.9	01.3-04.5	545	97.1	95.5-98.7
65+	1011	58,203	93	9.6	07.2-12.0	918	90.4	88.0-92.8
Less Than H.S.	165	19,696	18	8.0	03.5-12.5	147	92.0	87.5-96.5
H.S. or G.E.D.	753	63,431	44	4.1	02.7-05.5	709	95.9	94.5-97.3
Some Post-H.S.	900	112,509	41	3.3	01.9-04.7	859	96.7	95.3-98.1
College Graduate	898	70,657	18	1.0	00.4-01.6	880	99.0	98.4-99.6
Less than \$15,000	228	22,914	33	9.5	05.2-13.8	195	90.5	86.2-94.8
\$15,000- 24,999	368	32,940	31	6.1	03.2-09.0	337	93.9	91.0-96.8
\$25,000- 34,999	292	27,607	12	2.5	00.9-04.1	280	97.5	95.9-99.1
\$35,000- 49,999	338	33,456	5	0.7	00.0-01.5	333	99.3	98.5-0100
\$50,000- 74,999	409	40,240	7	1.7	00.1-03.3	402	98.3	96.7-99.9
\$75,000+	624	65,037	8	1.2	00.0-02.4	616	98.8	97.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4837	536,553	286	4.1	03.5-04.7	4551	95.9	95.3-96.5
Male	2121	269,470	160	5.2	04.2-06.2	1961	94.8	93.8-95.8
Female	2716	267,084	126	3.0	02.4-03.6	2590	97.0	96.4-97.6
Native	124	24,357	6	2.2	00.2-04.2	118	97.8	95.8-99.8
Non-Native	4649	504,422	278	4.3	03.7-04.9	4371	95.7	95.1-96.3
18-24	253	80,808	1	0.4	00.0-01.2	252	99.6	98.8-0100
25-34	520	93,489				520	100.0	0100-0100
35-44	551	77,332	4	0.7	00.0-01.7	547	99.3	98.3-0100
45-54	860	90,966	22	3.2	01.6-04.8	838	96.8	95.2-98.4
55-64	1053	86,487	60	5.8	04.0-07.6	993	94.2	92.4-96.0
65+	1557	103,792	199	12.9	10.9-14.9	1358	87.1	85.1-89.1
Less Than H.S.	330	51,787	33	6.5	04.1-08.9	297	93.5	91.1-95.9
H.S. or G.E.D.	1399	146,466	99	5.2	04.0-06.4	1300	94.8	93.6-96.0
Some Post-H.S.	1548	208,414	96	3.9	02.9-04.9	1452	96.1	95.1-97.1
College Graduate	1554	128,538	58	2.4	01.6-03.2	1496	97.6	96.8-98.4
Less than \$15,000	341	39,612	35	6.6	03.9-09.3	306	93.4	90.7-96.1
\$15,000- 24,999	606	65,734	52	6.0	03.8-08.2	554	94.0	91.8-96.2
\$25,000- 34,999	496	55,463	42	5.4	03.2-07.6	454	94.6	92.4-96.8
\$35,000- 49,999	710	79,931	45	4.4	03.0-05.8	665	95.6	94.2-97.0
\$50,000- 74,999	748	81,156	35	3.9	02.5-05.3	713	96.1	94.7-97.5
\$75,000+	1317	144,891	46	2.4	01.6-03.2	1271	97.6	96.8-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2121	269,470	160	5.2	04.2-06.2	1961	94.8	93.8-95.8
Native	53	12,819	2	1.2	00.0-03.0	51	98.8	97.0-0100
Non-Native	2032	252,403	156	5.5	04.5-06.5	1876	94.5	93.5-95.5
18-24	125	42,838				125	100.0	0100-0100
25-34	273	49,656				273	100.0	0100-0100
35-44	263	40,477	2	1.0	00.0-02.6	261	99.0	97.4-0100
45-54	407	45,795	13	3.5	01.3-05.7	394	96.5	94.3-98.7
55-64	490	43,948	43	9.1	06.2-12.0	447	90.9	88.0-93.8
65+	552	45,735	102	17.6	14.1-21.1	450	82.4	78.9-85.9
Less Than H.S.	165	32,132	17	6.5	03.2-09.8	148	93.5	90.2-96.8
H.S. or G.E.D.	649	83,094	57	6.2	04.2-08.2	592	93.8	91.8-95.8
Some Post-H.S.	647	95,761	49	5.0	03.4-06.6	598	95.0	93.4-96.6
College Graduate	658	57,999	37	3.6	02.2-05.0	621	96.4	95.0-97.8
Less than \$15,000	116	16,936	10	6.5	02.0-11.0	106	93.5	89.0-98.0
\$15,000- 24,999	233	32,602	17	5.6	02.5-08.7	216	94.4	91.3-97.5
\$25,000- 34,999	208	28,097	23	6.6	03.5-09.7	185	93.4	90.3-96.5
\$35,000- 49,999	372	46,417	35	6.1	03.9-08.3	337	93.9	91.7-96.1
\$50,000- 74,999	338	40,757	25	5.3	02.9-07.7	313	94.7	92.3-97.1
\$75,000+	693	79,854	36	3.8	02.4-05.2	657	96.2	94.8-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	267,084	126	3.0	02.4-03.6	2590	97.0	96.4-97.6
Native	71	11,538	4	3.3	00.0-06.8	67	96.7	93.2-0100
Non-Native	2617	252,019	122	3.1	02.3-03.9	2495	96.9	96.1-97.7
18-24	128	37,970	1	0.9	00.0-02.7	127	99.1	97.3-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	2	0.4	00.0-01.0	286	99.6	99.0-0100
45-54	453	45,171	9	2.8	00.6-05.0	444	97.2	95.0-99.4
55-64	563	42,539	17	2.5	01.1-03.9	546	97.5	96.1-98.9
65+	1005	58,058	97	9.2	07.2-11.2	908	90.8	88.8-92.8
Less Than H.S.	165	19,656	16	6.6	03.1-10.1	149	93.4	89.9-96.9
H.S. or G.E.D.	750	63,372	42	3.9	02.3-05.5	708	96.1	94.5-97.7
Some Post-H.S.	901	112,652	47	3.0	02.0-04.0	854	97.0	96.0-98.0
College Graduate	896	70,539	21	1.4	00.6-02.2	875	98.6	97.8-99.4
Less than \$15,000	225	22,676	25	6.7	03.4-10.0	200	93.3	90.0-96.6
\$15,000- 24,999	373	33,133	35	6.3	03.6-09.0	338	93.7	91.0-96.4
\$25,000- 34,999	288	27,365	19	4.3	01.6-07.0	269	95.7	93.0-98.4
\$35,000- 49,999	338	33,514	10	2.2	00.6-03.8	328	97.8	96.2-99.4
\$50,000- 74,999	410	40,398	10	2.4	00.6-04.2	400	97.6	95.8-99.4
\$75,000+	624	65,037	10	0.7	00.3-01.1	614	99.3	98.9-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4869	539,475	160	2.5	01.9-03.1	4709	97.5	96.9-98.1
Male	2140	271,438	71	2.7	01.9-03.5	2069	97.3	96.5-98.1
Female	2729	268,037	89	2.2	01.6-02.8	2640	97.8	97.2-98.4
Native	126	24,600	4	3.5	00.0-08.2	122	96.5	91.8-0100
Non-Native	4677	506,985	156	2.4	01.8-03.0	4521	97.6	97.0-98.2
18-24	253	80,808	1	0.4	00.0-01.2	252	99.6	98.8-0100
25-34	520	93,489	1	0.1	00.0-00.3	519	99.9	99.7-0100
35-44	551	77,332	4	1.3	00.0-02.9	547	98.7	97.1-0100
45-54	863	91,596	13	2.1	00.9-03.3	850	97.9	96.7-99.1
55-64	1062	87,528	24	2.5	01.3-03.7	1038	97.5	96.3-98.7
65+	1578	105,086	117	7.4	05.6-09.2	1461	92.6	90.8-94.4
Less Than H.S.	338	52,983	16	5.4	02.1-08.7	322	94.6	91.3-97.9
H.S. or G.E.D.	1408	146,943	66	3.1	02.1-04.1	1342	96.9	95.9-97.9
Some Post-H.S.	1557	209,309	49	2.1	01.3-02.9	1508	97.9	97.1-98.7
College Graduate	1560	128,891	29	1.2	00.6-01.8	1531	98.8	98.2-99.4
Less than \$15,000	349	40,526	34	6.0	03.5-08.5	315	94.0	91.5-96.5
\$15,000- 24,999	607	65,721	32	3.3	01.7-04.9	575	96.7	95.1-98.3
\$25,000- 34,999	504	55,988	12	1.8	00.4-03.2	492	98.2	96.8-99.6
\$35,000- 49,999	714	80,184	22	2.3	01.1-03.5	692	97.7	96.5-98.9
\$50,000- 74,999	752	81,714	8	0.8	00.0-01.6	744	99.2	98.4-0100
\$75,000+	1320	145,269	21	1.5	00.7-02.3	1299	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	271,438	71	2.7	01.9-03.5	2069	97.3	96.5-98.1
Native	54	12,987	4	6.6	00.0-15.4	50	93.4	84.6-0100
Non-Native	2048	254,087	67	2.6	01.8-03.4	1981	97.4	96.6-98.2
18-24	125	42,838				125	100.0	0100-0100
25-34	273	49,656	1	0.3	00.0-00.9	272	99.7	99.1-0100
35-44	263	40,477	2	2.1	00.0-05.2	261	97.9	94.8-0100
45-54	409	46,273	6	2.0	00.2-03.8	403	98.0	96.2-99.8
55-64	497	44,780	12	3.3	01.1-05.5	485	96.7	94.5-98.9
65+	563	46,435	50	8.6	05.9-11.3	513	91.4	88.7-94.1
Less Than H.S.	170	32,648	7	4.6	00.3-08.9	163	95.4	91.1-99.7
H.S. or G.E.D.	654	83,426	30	3.0	01.8-04.2	624	97.0	95.8-98.2
Some Post-H.S.	654	96,790	22	2.8	01.4-04.2	632	97.2	95.8-98.6
College Graduate	660	58,090	12	1.1	00.5-01.7	648	98.9	98.3-99.5
Less than \$15,000	122	17,676	14	6.0	02.3-09.7	108	94.0	90.3-97.7
\$15,000- 24,999	234	32,591	14	4.1	01.6-06.6	220	95.9	93.4-98.4
\$25,000- 34,999	212	28,381	5	1.6	00.0-03.2	207	98.4	96.8-0100
\$35,000- 49,999	375	46,610	11	2.1	00.5-03.7	364	97.9	96.3-99.5
\$50,000- 74,999	342	41,316	4	1.1	00.0-02.5	338	98.9	97.5-0100
\$75,000+	695	80,098	15	2.4	01.0-03.8	680	97.6	96.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	268,037	89	2.2	01.6-02.8	2640	97.8	97.2-98.4
Native	72	11,612				72	100.0	0100-0100
Non-Native	2629	252,898	89	2.3	01.7-02.9	2540	97.7	97.1-98.3
18-24	128	37,970	1	0.9	00.0-02.7	127	99.1	97.3-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	2	0.4	00.0-01.0	286	99.6	99.0-0100
45-54	454	45,323	7	2.1	00.3-03.9	447	97.9	96.1-99.7
55-64	565	42,747	12	1.7	00.7-02.7	553	98.3	97.3-99.3
65+	1015	58,651	67	6.4	04.4-08.4	948	93.6	91.6-95.6
Less Than H.S.	168	20,335	9	6.7	01.4-12.0	159	93.3	88.0-98.6
H.S. or G.E.D.	754	63,518	36	3.1	01.7-04.5	718	96.9	95.5-98.3
Some Post-H.S.	903	112,519	27	1.5	00.9-02.1	876	98.5	97.9-99.1
College Graduate	900	70,801	17	1.2	00.4-02.0	883	98.8	98.0-99.6
Less than \$15,000	227	22,850	20	5.9	02.2-09.6	207	94.1	90.4-97.8
\$15,000- 24,999	373	33,130	18	2.5	01.1-03.9	355	97.5	96.1-98.9
\$25,000- 34,999	292	27,607	7	2.1	00.0-04.5	285	97.9	95.5-0100
\$35,000- 49,999	339	33,573	11	2.4	00.8-04.0	328	97.6	96.0-99.2
\$50,000- 74,999	410	40,398	4	0.6	00.0-01.2	406	99.4	98.8-0100
\$75,000+	625	65,172	6	0.4	00.0-00.8	619	99.6	99.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	539,539	463	10.5	09.3-11.7	4405	89.5	88.3-90.7
Male	2140	271,382	168	9.5	07.7-11.3	1972	90.5	88.7-92.3
Female	2728	268,157	295	11.6	09.8-13.4	2433	88.4	86.6-90.2
Native	126	24,600	15	17.2	07.6-26.8	111	82.8	73.2-92.4
Non-Native	4677	507,127	438	10.2	09.0-11.4	4239	89.8	88.6-91.0
18-24	253	80,808	40	17.2	11.9-22.5	213	82.8	77.5-88.1
25-34	520	93,489	56	11.1	07.8-14.4	464	88.9	85.6-92.2
35-44	550	77,254	51	9.8	06.7-12.9	499	90.2	87.1-93.3
45-54	861	91,421	65	6.7	04.9-08.5	796	93.3	91.5-95.1
55-64	1060	87,369	95	9.4	07.0-11.8	965	90.6	88.2-93.0
65+	1581	105,518	154	10.2	08.2-12.2	1427	89.8	87.8-91.8
Less Than H.S.	338	52,981	42	12.6	07.7-17.5	296	87.4	82.5-92.3
H.S. or G.E.D.	1409	147,069	125	9.7	07.3-12.1	1284	90.3	87.9-92.7
Some Post-H.S.	1559	209,567	162	11.5	09.3-13.7	1397	88.5	86.3-90.7
College Graduate	1556	128,573	134	9.2	07.2-11.2	1422	90.8	88.8-92.8
Less than \$15,000	350	40,590	60	19.7	13.0-26.4	290	80.3	73.6-87.0
\$15,000- 24,999	608	65,803	82	16.7	12.0-21.4	526	83.3	78.6-88.0
\$25,000- 34,999	504	55,988	42	8.5	04.8-12.2	462	91.5	87.8-95.2
\$35,000- 49,999	713	80,139	53	7.1	04.9-09.3	660	92.9	90.7-95.1
\$50,000- 74,999	751	81,580	67	10.2	07.3-13.1	684	89.8	86.9-92.7
\$75,000+	1318	145,092	110	8.8	06.6-11.0	1208	91.2	89.0-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	271,382	168	9.5	07.7-11.3	1972	90.5	88.7-92.3
Native	54	12,987	8	20.5	05.2-35.8	46	79.5	64.2-94.8
Non-Native	2049	254,109	155	8.9	07.1-10.7	1894	91.1	89.3-92.9
18-24	125	42,838	17	16.0	08.4-23.6	108	84.0	76.4-91.6
25-34	273	49,656	28	11.3	06.6-16.0	245	88.7	84.0-93.4
35-44	262	40,399	15	7.3	03.0-11.6	247	92.7	88.4-97.0
45-54	408	46,178	25	5.6	03.1-08.1	383	94.4	91.9-96.9
55-64	497	44,780	35	8.7	05.2-12.2	462	91.3	87.8-94.8
65+	564	46,509	47	8.0	05.3-10.7	517	92.0	89.3-94.7
Less Than H.S.	169	32,582	22	12.4	05.5-19.3	147	87.6	80.7-94.5
H.S. or G.E.D.	657	83,567	51	9.9	06.4-13.4	606	90.1	86.6-93.6
Some Post-H.S.	655	96,891	47	8.9	05.8-12.0	608	91.1	88.0-94.2
College Graduate	657	57,858	48	8.2	05.3-11.1	609	91.8	88.9-94.7
Less than \$15,000	122	17,676	17	17.6	07.6-27.6	105	82.4	72.4-92.4
\$15,000- 24,999	236	32,712	27	15.4	08.1-22.7	209	84.6	77.3-91.9
\$25,000- 34,999	212	28,381	17	8.4	02.3-14.5	195	91.6	85.5-97.7
\$35,000- 49,999	374	46,550	22	5.8	02.9-08.7	352	94.2	91.3-97.1
\$50,000- 74,999	342	41,316	28	10.6	05.9-15.3	314	89.4	84.7-94.1
\$75,000+	694	80,001	47	8.2	05.1-11.3	647	91.8	88.7-94.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	268,157	295	11.6	09.8-13.4	2433	88.4	86.6-90.2
Native	72	11,612	7	13.4	02.8-24.0	65	86.6	76.0-97.2
Non-Native	2628	253,018	283	11.5	09.7-13.3	2345	88.5	86.7-90.3
18-24	128	37,970	23	18.5	11.1-25.9	105	81.5	74.1-88.9
25-34	247	43,833	28	10.9	06.0-15.8	219	89.1	84.2-94.0
35-44	288	36,855	36	12.4	07.9-16.9	252	87.6	83.1-92.1
45-54	453	45,243	40	7.8	05.1-10.5	413	92.2	89.5-94.9
55-64	563	42,589	60	10.1	07.2-13.0	503	89.9	87.0-92.8
65+	1017	59,010	107	11.8	09.3-14.3	910	88.2	85.7-90.7
Less Than H.S.	169	20,399	20	12.9	06.0-19.8	149	87.1	80.2-94.0
H.S. or G.E.D.	752	63,502	74	9.5	06.6-12.4	678	90.5	87.6-93.4
Some Post-H.S.	904	112,677	115	13.8	10.7-16.9	789	86.2	83.1-89.3
College Graduate	899	70,715	86	9.9	07.4-12.4	813	90.1	87.6-92.6
Less than \$15,000	228	22,914	43	21.4	12.8-30.0	185	78.6	70.0-87.2
\$15,000- 24,999	372	33,090	55	17.9	11.6-24.2	317	82.1	75.8-88.4
\$25,000- 34,999	292	27,607	25	8.6	04.3-12.9	267	91.4	87.1-95.7
\$35,000- 49,999	339	33,589	31	8.9	05.6-12.2	308	91.1	87.8-94.4
\$50,000- 74,999	409	40,264	39	9.8	06.1-13.5	370	90.2	86.5-93.9
\$75,000+	624	65,092	63	9.6	06.7-12.5	561	90.4	87.5-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	445	54,770	351	74.5	68.2-80.8	94	25.5	19.2-31.8
Male	158	24,311	124	71.9	61.1-82.7	34	28.1	17.3-38.9
Female	287	30,459	227	76.5	69.2-83.8	60	23.5	16.2-30.8
Non-Native	421	49,795	334	75.4	68.9-81.9	87	24.6	18.1-31.1
25-34	52	9,780	38	70.4	54.3-86.5	14	29.6	13.5-45.7
45-54	62	5,747	54	87.2	78.0-96.4	8	12.8	03.6-22.0
55-64	93	7,817	72	78.8	69.2-88.4	21	21.2	11.6-30.8
65+	149	10,346	120	81.3	73.7-88.9	29	18.7	11.1-26.3
H.S. or G.E.D.	121	14,053	98	75.9	63.4-88.4	23	24.1	11.6-36.6
Some Post-H.S.	155	22,910	126	76.1	65.9-86.3	29	23.9	13.7-34.1
College Graduate	130	11,540	97	75.7	66.1-85.3	33	24.3	14.7-33.9
Less than \$15,000	58	7,805	49	73.1	54.1-92.1	9	26.9	07.9-45.9
\$15,000- 24,999	81	10,597	66	75.3	59.8-90.8	15	24.7	09.2-40.2
\$35,000- 49,999	53	5,680	46	85.8	74.6-97.0	7	14.2	03.0-25.4
\$50,000- 74,999	62	7,562	45	70.4	54.9-85.9	17	29.6	14.1-45.1
\$75,000+	104	12,279	78	72.5	59.2-85.8	26	27.5	14.2-40.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	158	24,311	124	71.9	60.9-82.9	34	28.1	17.1-39.1
Non-Native	146	21,367	116	72.9	61.7-84.1	30	27.1	15.9-38.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	287	30,459	227	76.5	69.2-83.8	60	23.5	16.2-30.8
Non-Native	275	28,428	218	77.3	69.9-84.7	57	22.7	15.3-30.1
55-64	60	4,288	45	72.5	58.6-86.4	15	27.5	13.6-41.4
65+	104	6,743	84	82.5	74.1-90.9	20	17.5	09.1-25.9
H.S. or G.E.D.	73	6,031	58	81.6	69.6-93.6	15	18.4	06.4-30.4
Some Post-H.S.	112	15,240	92	79.7	68.9-90.5	20	20.3	09.5-31.1
College Graduate	84	6,872	63	71.6	58.3-84.9	21	28.4	15.1-41.7
\$15,000- 24,999	55	5,923	45	77.1	59.7-94.5	10	22.9	05.5-40.3
\$75,000+	61	6,108	48	80.9	67.6-94.2	13	19.1	05.8-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4872	539,455	298	4.3	03.7-04.9	4574	95.7	95.1-96.3
Male	2142	271,207	151	5.1	04.1-06.1	1991	94.9	93.9-95.9
Female	2730	268,248	147	3.4	02.6-04.2	2583	96.6	95.8-97.4
Native	126	24,600	4	1.3	00.0-02.7	122	98.7	97.3-0100
Non-Native	4681	507,032	290	4.4	03.8-05.0	4391	95.6	95.0-96.2
18-24	253	80,808				253	100.0	0100-0100
25-34	520	93,489	4	0.5	00.0-01.1	516	99.5	98.9-0100
35-44	551	77,332	7	0.7	00.1-01.3	544	99.3	98.7-99.9
45-54	864	91,658	24	2.9	01.5-04.3	840	97.1	95.7-98.5
55-64	1060	86,951	60	5.8	04.2-07.4	1000	94.2	92.6-95.8
65+	1581	105,539	201	13.4	11.2-15.6	1380	86.6	84.4-88.8
Less Than H.S.	336	52,475	41	8.5	05.6-11.4	295	91.5	88.6-94.4
H.S. or G.E.D.	1411	147,190	90	4.1	03.1-05.1	1321	95.9	94.9-96.9
Some Post-H.S.	1559	209,567	94	4.0	03.0-05.0	1465	96.0	95.0-97.0
College Graduate	1560	128,875	73	3.2	02.2-04.2	1487	96.8	95.8-97.8
Less than \$15,000	349	40,556	21	3.2	01.6-04.8	328	96.8	95.2-98.4
\$15,000- 24,999	609	65,443	51	5.8	03.8-07.8	558	94.2	92.2-96.2
\$25,000- 34,999	504	55,988	40	6.0	03.6-08.4	464	94.0	91.6-96.4
\$35,000- 49,999	715	80,216	50	5.2	03.4-07.0	665	94.8	93.0-96.6
\$50,000- 74,999	750	81,532	38	3.4	02.2-04.6	712	96.6	95.4-97.8
\$75,000+	1322	145,410	58	3.2	02.2-04.2	1264	96.8	95.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2142	271,207	151	5.1	04.1-06.1	1991	94.9	93.9-95.9
Native	54	12,987	3	2.0	00.0-04.4	51	98.0	95.6-0100
Non-Native	2051	253,922	145	5.2	04.2-06.2	1906	94.8	93.8-95.8
18-24	125	42,838				125	100.0	0100-0100
25-34	273	49,656	2	0.6	00.0-01.6	271	99.4	98.4-0100
35-44	263	40,477	2	0.5	00.0-01.1	261	99.5	98.9-0100
45-54	410	46,335	14	2.9	00.9-04.9	396	97.1	95.1-99.1
55-64	496	44,338	32	6.9	04.4-09.4	464	93.1	90.6-95.6
65+	564	46,542	101	18.9	15.0-22.8	463	81.1	77.2-85.0
Less Than H.S.	168	32,140	25	9.9	05.8-14.0	143	90.1	86.0-94.2
H.S. or G.E.D.	657	83,602	47	4.4	02.8-06.0	610	95.6	94.0-97.2
Some Post-H.S.	655	96,891	46	4.9	03.3-06.5	609	95.1	93.5-96.7
College Graduate	660	58,090	33	3.7	02.1-05.3	627	96.3	94.7-97.9
Less than \$15,000	122	17,676	8	3.0	00.8-05.2	114	97.0	94.8-99.2
\$15,000- 24,999	235	32,270	25	7.7	04.4-11.0	210	92.3	89.0-95.6
\$25,000- 34,999	212	28,381	18	6.7	03.0-10.4	194	93.3	89.6-97.0
\$35,000- 49,999	375	46,610	31	6.2	03.7-08.7	344	93.8	91.3-96.3
\$50,000- 74,999	342	41,316	18	3.7	01.7-05.7	324	96.3	94.3-98.3
\$75,000+	697	80,238	42	4.2	02.6-05.8	655	95.8	94.2-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	268,248	147	3.4	02.6-04.2	2583	96.6	95.8-97.4
Native	72	11,612	1	0.6	00.0-01.8	71	99.4	98.2-0100
Non-Native	2630	253,109	145	3.6	02.8-04.4	2485	96.4	95.6-97.2
18-24	128	37,970				128	100.0	0100-0100
25-34	247	43,833	2	0.3	00.0-00.7	245	99.7	99.3-0100
35-44	288	36,855	5	0.9	00.1-01.7	283	99.1	98.3-99.9
45-54	454	45,323	10	3.0	00.8-05.2	444	97.0	94.8-99.2
55-64	564	42,613	28	4.7	02.9-06.5	536	95.3	93.5-97.1
65+	1017	58,997	100	9.1	06.9-11.3	917	90.9	88.7-93.1
Less Than H.S.	168	20,335	16	6.3	03.0-09.6	152	93.7	90.4-97.0
H.S. or G.E.D.	754	63,587	43	3.7	02.3-05.1	711	96.3	94.9-97.7
Some Post-H.S.	904	112,677	48	3.2	02.0-04.4	856	96.8	95.6-98.0
College Graduate	900	70,784	40	2.9	01.9-03.9	860	97.1	96.1-98.1
Less than \$15,000	227	22,880	13	3.3	01.1-05.5	214	96.7	94.5-98.9
\$15,000- 24,999	374	33,173	26	3.9	02.3-05.5	348	96.1	94.5-97.7
\$25,000- 34,999	292	27,607	22	5.4	02.5-08.3	270	94.6	91.7-97.5
\$35,000- 49,999	340	33,605	19	3.8	01.8-05.8	321	96.2	94.2-98.2
\$50,000- 74,999	408	40,215	20	3.1	01.5-04.7	388	96.9	95.3-98.5
\$75,000+	625	65,172	16	1.9	00.7-03.1	609	98.1	96.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4869	539,030	454	6.5	05.7-07.3	4415	93.5	92.7-94.3
Male	2141	271,308	181	6.1	04.9-07.3	1960	93.9	92.7-95.1
Female	2728	267,722	273	6.8	05.8-07.8	2455	93.2	92.2-94.2
Native	126	24,600	6	4.1	00.0-08.6	120	95.9	91.4-0100
Non-Native	4678	506,606	440	6.6	05.8-07.4	4238	93.4	92.6-94.2
18-24	253	80,808	1	0.4	00.0-01.2	252	99.6	98.8-0100
25-34	519	93,272	10	1.6	00.2-03.0	509	98.4	97.0-99.8
35-44	551	77,332	22	4.9	02.4-07.4	529	95.1	92.6-97.6
45-54	863	91,578	40	3.7	02.3-05.1	823	96.3	94.9-97.7
55-64	1060	87,296	98	7.7	05.9-09.5	962	92.3	90.5-94.1
65+	1581	105,171	279	17.8	15.4-20.2	1302	82.2	79.8-84.6
Less Than H.S.	337	52,836	42	9.5	06.0-13.0	295	90.5	87.0-94.0
H.S. or G.E.D.	1407	146,365	146	6.0	04.8-07.2	1261	94.0	92.8-95.2
Some Post-H.S.	1560	209,702	126	5.7	04.3-07.1	1434	94.3	92.9-95.7
College Graduate	1560	128,885	140	7.1	05.5-08.7	1420	92.9	91.3-94.5
Less than \$15,000	349	40,434	42	6.1	03.7-08.5	307	93.9	91.5-96.3
\$15,000- 24,999	608	65,582	67	8.7	05.8-11.6	541	91.3	88.4-94.2
\$25,000- 34,999	504	55,988	64	7.6	05.1-10.1	440	92.4	89.9-94.9
\$35,000- 49,999	712	79,789	72	7.5	05.3-09.7	640	92.5	90.3-94.7
\$50,000- 74,999	751	81,634	55	5.7	03.9-07.5	696	94.3	92.5-96.1
\$75,000+	1322	145,410	86	4.8	03.6-06.0	1236	95.2	94.0-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2141	271,308	181	6.1	04.9-07.3	1960	93.9	92.7-95.1
Native	54	12,987	2	1.6	00.0-04.0	52	98.4	96.0-0100
Non-Native	2050	254,023	173	6.3	05.1-07.5	1877	93.7	92.5-94.9
18-24	125	42,838	1	0.8	00.0-02.4	124	99.2	97.6-0100
25-34	273	49,656	2	1.4	00.0-03.4	271	98.6	96.6-0100
35-44	263	40,477	8	3.4	00.7-06.1	255	96.6	93.9-99.3
45-54	410	46,335	18	3.6	01.6-05.6	392	96.4	94.4-98.4
55-64	496	44,694	46	8.1	05.4-10.8	450	91.9	89.2-94.6
65+	563	46,288	106	19.3	15.4-23.2	457	80.7	76.8-84.6
Less Than H.S.	169	32,582	25	10.9	05.8-16.0	144	89.1	84.0-94.2
H.S. or G.E.D.	656	83,299	57	5.2	03.6-06.8	599	94.8	93.2-96.4
Some Post-H.S.	655	96,891	44	4.5	02.9-06.1	611	95.5	93.9-97.1
College Graduate	659	58,052	55	7.4	05.0-09.8	604	92.6	90.2-95.0
Less than \$15,000	122	17,676	13	5.1	02.0-08.2	109	94.9	91.8-98.0
\$15,000- 24,999	235	32,626	31	9.3	05.4-13.2	204	90.7	86.8-94.6
\$25,000- 34,999	212	28,381	21	6.6	02.7-10.5	191	93.4	89.5-97.3
\$35,000- 49,999	373	46,329	40	9.1	05.8-12.4	333	90.9	87.6-94.2
\$50,000- 74,999	342	41,316	26	6.1	03.4-08.8	316	93.9	91.2-96.6
\$75,000+	697	80,238	41	4.2	02.6-05.8	656	95.8	94.2-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	267,722	273	6.8	05.8-07.8	2455	93.2	92.2-94.2
Native	72	11,612	4	6.9	00.0-15.7	68	93.1	84.3-0100
Non-Native	2628	252,583	267	6.9	05.9-07.9	2361	93.1	92.1-94.1
18-24	128	37,970				128	100.0	0100-0100
25-34	246	43,616	8	2.0	00.2-03.8	238	98.0	96.2-99.8
35-44	288	36,855	14	6.6	02.3-10.9	274	93.4	89.1-97.7
45-54	453	45,243	22	3.9	01.9-05.9	431	96.1	94.1-98.1
55-64	564	42,602	52	7.2	05.0-09.4	512	92.8	90.6-95.0
65+	1018	58,884	173	16.7	14.0-19.4	845	83.3	80.6-86.0
Less Than H.S.	168	20,254	17	7.1	03.4-10.8	151	92.9	89.2-96.6
H.S. or G.E.D.	751	63,065	89	7.0	05.2-08.8	662	93.0	91.2-94.8
Some Post-H.S.	905	112,811	82	6.6	04.6-08.6	823	93.4	91.4-95.4
College Graduate	901	70,833	85	6.9	05.1-08.7	816	93.1	91.3-94.9
Less than \$15,000	227	22,758	29	6.9	03.6-10.2	198	93.1	89.8-96.4
\$15,000- 24,999	373	32,957	36	8.2	04.1-12.3	337	91.8	87.7-95.9
\$25,000- 34,999	292	27,607	43	8.6	05.3-11.9	249	91.4	88.1-94.7
\$35,000- 49,999	339	33,460	32	5.4	03.2-07.6	307	94.6	92.4-96.8
\$50,000- 74,999	409	40,318	29	5.3	02.8-07.8	380	94.7	92.2-97.2
\$75,000+	625	65,172	45	5.4	03.4-07.4	580	94.6	92.6-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	536,963	267	4.2	03.6-04.8	4582	95.8	95.2-96.4
Male	2128	269,642	104	4.1	03.1-05.1	2024	95.9	94.9-96.9
Female	2721	267,321	163	4.3	03.5-05.1	2558	95.7	94.9-96.5
Native	126	24,600	10	5.9	01.0-10.8	116	94.1	89.2-99.0
Non-Native	4659	504,601	254	4.1	03.5-04.7	4405	95.9	95.3-96.5
18-24	251	80,298				251	100.0	0100-0100
25-34	519	93,392	8	2.1	00.3-03.9	511	97.9	96.1-99.7
35-44	549	76,852	12	2.4	00.8-04.0	537	97.6	96.0-99.2
45-54	860	91,115	17	2.0	00.8-03.2	843	98.0	96.8-99.2
55-64	1060	87,304	66	7.2	05.0-09.4	994	92.8	90.6-95.0
65+	1568	104,366	164	10.0	08.2-11.8	1404	90.0	88.2-91.8
Less Than H.S.	333	52,322	38	8.1	04.8-11.4	295	91.9	88.6-95.2
H.S. or G.E.D.	1404	146,286	95	5.0	03.6-06.4	1309	95.0	93.6-96.4
Some Post-H.S.	1551	208,649	82	3.5	02.5-04.5	1469	96.5	95.5-97.5
College Graduate	1555	128,357	52	2.7	01.7-03.7	1503	97.3	96.3-98.3
Less than \$15,000	347	40,318	49	9.2	05.9-12.5	298	90.8	87.5-94.1
\$15,000- 24,999	605	65,085	63	7.9	05.4-10.4	542	92.1	89.6-94.6
\$25,000- 34,999	502	55,793	40	5.7	03.5-07.9	462	94.3	92.1-96.5
\$35,000- 49,999	712	79,938	28	3.2	01.6-04.8	684	96.8	95.2-98.4
\$50,000- 74,999	748	81,369	25	2.8	01.4-04.2	723	97.2	95.8-98.6
\$75,000+	1320	145,263	24	1.5	00.7-02.3	1296	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2128	269,642	104	4.1	03.1-05.1	2024	95.9	94.9-96.9
Native	54	12,987	3	3.9	00.0-09.8	51	96.1	90.2-0100
Non-Native	2038	252,419	99	4.1	03.1-05.1	1939	95.9	94.9-96.9
18-24	124	42,652				124	100.0	0100-0100
25-34	272	49,559	4	2.2	00.0-04.7	268	97.8	95.3-0100
35-44	262	40,113	7	3.1	00.4-05.8	255	96.9	94.2-99.6
45-54	409	46,074	7	1.6	00.2-03.0	402	98.4	97.0-99.8
55-64	496	44,637	27	7.4	04.1-10.7	469	92.6	89.3-95.9
65+	555	45,627	59	9.9	07.2-12.6	496	90.1	87.4-92.8
Less Than H.S.	165	32,003	16	7.6	02.9-12.3	149	92.4	87.7-97.1
H.S. or G.E.D.	652	82,930	30	3.7	01.9-05.5	622	96.3	94.5-98.1
Some Post-H.S.	652	96,445	33	3.5	02.1-04.9	619	96.5	95.1-97.9
College Graduate	657	57,781	25	3.5	01.9-05.1	632	96.5	94.9-98.1
Less than \$15,000	121	17,635	14	9.2	03.3-15.1	107	90.8	84.9-96.7
\$15,000- 24,999	231	31,912	25	7.6	03.9-11.3	206	92.4	88.7-96.1
\$25,000- 34,999	210	28,186	16	5.7	02.6-08.8	194	94.3	91.2-97.4
\$35,000- 49,999	373	46,414	12	3.0	00.6-05.4	361	97.0	94.6-99.4
\$50,000- 74,999	340	41,132	13	3.1	01.1-05.1	327	96.9	94.9-98.9
\$75,000+	696	80,141	14	1.7	00.5-02.9	682	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2721	267,321	163	4.3	03.5-05.1	2558	95.7	94.9-96.5
Native	72	11,612	7	8.3	00.3-16.3	65	91.7	83.7-99.7
Non-Native	2621	252,183	155	4.0	03.2-04.8	2466	96.0	95.2-96.8
18-24	127	37,646				127	100.0	0100-0100
25-34	247	43,833	4	2.0	00.0-04.4	243	98.0	95.6-0100
35-44	287	36,738	5	1.6	00.0-03.2	282	98.4	96.8-0100
45-54	451	45,041	10	2.4	00.6-04.2	441	97.6	95.8-99.4
55-64	564	42,667	39	6.9	04.4-09.4	525	93.1	90.6-95.6
65+	1013	58,739	105	10.0	07.8-12.2	908	90.0	87.8-92.2
Less Than H.S.	168	20,320	22	9.0	04.7-13.3	146	91.0	86.7-95.3
H.S. or G.E.D.	752	63,356	65	6.7	04.5-08.9	687	93.3	91.1-95.5
Some Post-H.S.	899	112,205	49	3.4	02.2-04.6	850	96.6	95.4-97.8
College Graduate	898	70,576	27	2.0	01.0-03.0	871	98.0	97.0-99.0
Less than \$15,000	226	22,683	35	9.2	05.3-13.1	191	90.8	86.9-94.7
\$15,000- 24,999	374	33,173	38	8.1	04.4-11.8	336	91.9	88.2-95.6
\$25,000- 34,999	292	27,607	24	5.6	02.9-08.3	268	94.4	91.7-97.1
\$35,000- 49,999	339	33,525	16	3.6	01.4-05.8	323	96.4	94.2-98.6
\$50,000- 74,999	408	40,237	12	2.6	01.0-04.2	396	97.4	95.8-99.0
\$75,000+	624	65,122	10	1.2	00.2-02.2	614	98.8	97.8-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4854	538,242	1599	24.5	23.1-25.9	3255	75.5	74.1-76.9
Male	2129	270,487	564	20.4	18.4-22.4	1565	79.6	77.6-81.6
Female	2725	267,754	1035	28.7	26.5-30.9	1690	71.3	69.1-73.5
Native	126	24,600	33	22.1	12.7-31.5	93	77.9	68.5-87.3
Non-Native	4664	505,881	1546	24.6	23.2-26.0	3118	75.4	74.0-76.8
18-24	253	80,808	2	1.5	00.0-03.7	251	98.5	96.3-100.0
25-34	519	93,402	30	5.8	03.3-08.3	489	94.2	91.7-96.7
35-44	547	76,955	67	14.8	10.7-18.9	480	85.2	81.1-89.3
45-54	860	91,322	210	24.1	20.6-27.6	650	75.9	72.4-79.4
55-64	1056	86,978	400	38.9	35.4-42.4	656	61.1	57.6-64.6
65+	1577	105,139	879	54.6	51.7-57.5	698	45.4	42.5-48.3
Less Than H.S.	336	52,608	160	37.0	30.3-43.7	176	63.0	56.3-69.7
H.S. or G.E.D.	1406	146,578	543	27.6	24.9-30.3	863	72.4	69.7-75.1
Some Post-H.S.	1552	209,093	495	22.9	20.5-25.3	1057	77.1	74.7-79.5
College Graduate	1554	128,614	399	18.6	16.4-20.8	1155	81.4	79.2-83.6
Less than \$15,000	349	40,558	161	27.3	21.8-32.8	188	72.7	67.2-78.2
\$15,000- 24,999	607	65,598	272	31.7	27.0-36.4	335	68.3	63.6-73.0
\$25,000- 34,999	504	55,988	200	27.9	23.2-32.6	304	72.1	67.4-76.8
\$35,000- 49,999	711	80,002	223	24.1	20.4-27.8	488	75.9	72.2-79.6
\$50,000- 74,999	749	81,393	219	23.5	20.0-27.0	530	76.5	73.0-80.0
\$75,000+	1315	144,776	280	17.1	14.7-19.5	1035	82.9	80.5-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2129	270,487	564	20.4	18.4-22.4	1565	79.6	77.6-81.6
Native	54	12,987	14	17.3	05.3-29.3	40	82.7	70.7-94.7
Non-Native	2039	253,265	538	20.4	18.4-22.4	1501	79.6	77.6-81.6
18-24	125	42,838	1	1.7	00.0-04.8	124	98.3	95.2-0100
25-34	272	49,569	10	3.8	01.1-06.5	262	96.2	93.5-98.9
35-44	260	40,314	31	15.6	09.5-21.7	229	84.4	78.3-90.5
45-54	407	46,079	93	21.0	16.3-25.7	314	79.0	74.3-83.7
55-64	493	44,384	170	35.8	30.5-41.1	323	64.2	58.9-69.5
65+	562	46,324	256	44.4	39.5-49.3	306	55.6	50.7-60.5
Less Than H.S.	169	32,582	57	28.6	20.2-37.0	112	71.4	63.0-79.8
H.S. or G.E.D.	652	83,036	194	21.8	18.3-25.3	458	78.2	74.7-81.7
Some Post-H.S.	650	96,502	162	18.7	15.4-22.0	488	81.3	78.0-84.6
College Graduate	656	57,882	151	16.8	13.7-19.9	505	83.2	80.1-86.3
Less than \$15,000	121	17,644	43	22.7	14.9-30.5	78	77.3	69.5-85.1
\$15,000- 24,999	235	32,602	81	24.8	18.3-31.3	154	75.2	68.7-81.7
\$25,000- 34,999	212	28,381	73	22.5	16.2-28.8	139	77.5	71.2-83.8
\$35,000- 49,999	373	46,454	105	21.8	16.9-26.7	268	78.2	73.3-83.1
\$50,000- 74,999	340	41,129	85	19.4	14.5-24.3	255	80.6	75.7-85.5
\$75,000+	691	79,684	136	15.9	12.8-19.0	555	84.1	81.0-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	267,754	1035	28.7	26.5-30.9	1690	71.3	69.1-73.5
Native	72	11,612	19	27.4	13.1-41.7	53	72.6	58.3-86.9
Non-Native	2625	252,615	1008	28.9	26.7-31.1	1617	71.1	68.9-73.3
18-24	128	37,970	1	1.3	00.0-03.8	127	98.7	96.2-0100
25-34	247	43,833	20	8.1	04.0-12.2	227	91.9	87.8-96.0
35-44	287	36,640	36	13.9	08.4-19.4	251	86.1	80.6-91.6
45-54	453	45,243	117	27.2	21.9-32.5	336	72.8	67.5-78.1
55-64	563	42,595	230	42.1	37.2-47.0	333	57.9	53.0-62.8
65+	1015	58,815	623	62.7	59.2-66.2	392	37.3	33.8-40.8
Less Than H.S.	167	20,025	103	50.6	40.0-61.2	64	49.4	38.8-60.0
H.S. or G.E.D.	754	63,542	349	35.1	30.8-39.4	405	64.9	60.6-69.2
Some Post-H.S.	902	112,591	333	26.6	23.1-30.1	569	73.4	69.9-76.9
College Graduate	898	70,732	248	20.0	17.1-22.9	650	80.0	77.1-82.9
Less than \$15,000	228	22,914	118	30.8	23.2-38.4	110	69.2	61.6-76.8
\$15,000- 24,999	372	32,996	191	38.6	31.7-45.5	181	61.4	54.5-68.3
\$25,000- 34,999	292	27,607	127	33.3	26.6-40.0	165	66.7	60.0-73.4
\$35,000- 49,999	338	33,548	118	27.4	21.7-33.1	220	72.6	66.9-78.3
\$50,000- 74,999	409	40,264	134	27.6	22.3-32.9	275	72.4	67.1-77.7
\$75,000+	624	65,092	144	18.5	14.8-22.2	480	81.5	77.8-85.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4850	536,439	709	15.0	13.6-16.4	4141	85.0	83.6-86.4
Male	2131	269,861	226	10.9	09.1-12.7	1905	89.1	87.3-90.9
Female	2719	266,579	483	19.2	17.0-21.4	2236	80.8	78.6-83.0
Native	125	24,464	20	23.2	12.0-34.4	105	76.8	65.6-88.0
Non-Native	4660	504,139	678	14.7	13.3-16.1	3982	85.3	83.9-86.7
18-24	251	79,987	40	17.1	11.8-22.4	211	82.9	77.6-88.2
25-34	517	92,856	70	15.6	11.7-19.5	447	84.4	80.5-88.3
35-44	550	77,255	81	15.6	11.7-19.5	469	84.4	80.5-88.3
45-54	861	91,307	141	15.2	12.3-18.1	720	84.8	81.9-87.7
55-64	1058	87,017	177	16.1	13.4-18.8	881	83.9	81.2-86.6
65+	1572	104,507	197	11.7	09.9-13.5	1375	88.3	86.5-90.1
Less Than H.S.	335	52,526	50	15.6	09.7-21.5	285	84.4	78.5-90.3
H.S. or G.E.D.	1404	145,938	205	14.5	12.0-17.0	1199	85.5	83.0-88.0
Some Post-H.S.	1552	208,384	254	17.3	14.8-19.8	1298	82.7	80.2-85.2
College Graduate	1554	128,348	198	11.6	09.6-13.6	1356	88.4	86.4-90.4
Less than \$15,000	348	40,345	97	28.8	21.4-36.2	251	71.2	63.8-78.6
\$15,000- 24,999	602	64,912	122	21.1	16.4-25.8	480	78.9	74.2-83.6
\$25,000- 34,999	500	55,444	72	12.9	09.2-16.6	428	87.1	83.4-90.8
\$35,000- 49,999	712	79,954	99	14.1	10.8-17.4	613	85.9	82.6-89.2
\$50,000- 74,999	752	81,714	99	13.1	10.0-16.2	653	86.9	83.8-90.0
\$75,000+	1320	145,251	138	11.4	09.0-13.8	1182	88.6	86.2-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2131	269,861	226	10.9	09.1-12.7	1905	89.1	87.3-90.9
Native	53	12,852	9	21.7	06.8-36.6	44	78.3	63.4-93.2
Non-Native	2040	252,646	210	10.3	08.5-12.1	1830	89.7	87.9-91.5
18-24	124	42,362	10	7.4	02.3-12.5	114	92.6	87.5-97.7
25-34	271	49,102	27	12.2	07.1-17.3	244	87.8	82.7-92.9
35-44	262	40,400	25	12.9	07.2-18.6	237	87.1	81.4-92.8
45-54	407	45,984	45	10.3	06.8-13.8	362	89.7	86.2-93.2
55-64	496	44,671	62	13.3	09.6-17.0	434	86.7	83.0-90.4
65+	561	46,382	57	9.2	06.7-11.7	504	90.8	88.3-93.3
Less Than H.S.	167	32,321	21	13.3	06.2-20.4	146	86.7	79.6-93.8
H.S. or G.E.D.	654	82,990	67	10.7	07.8-13.6	587	89.3	86.4-92.2
Some Post-H.S.	651	96,273	79	11.9	08.8-15.0	572	88.1	85.0-91.2
College Graduate	657	57,793	58	7.9	05.4-10.4	599	92.1	89.6-94.6
Less than \$15,000	120	17,431	27	21.1	11.3-30.9	93	78.9	69.1-88.7
\$15,000- 24,999	232	32,175	38	14.7	09.0-20.4	194	85.3	79.6-91.0
\$25,000- 34,999	210	28,223	26	8.9	04.8-13.0	184	91.1	87.0-95.2
\$35,000- 49,999	373	46,392	41	12.3	08.0-16.6	332	87.7	83.4-92.0
\$50,000- 74,999	342	41,316	26	8.5	04.6-12.4	316	91.5	87.6-95.4
\$75,000+	697	80,238	49	8.0	05.1-10.9	648	92.0	89.1-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	266,579	483	19.2	17.0-21.4	2236	80.8	78.6-83.0
Native	72	11,612	11	24.8	07.9-41.7	61	75.2	58.3-92.1
Non-Native	2620	251,493	468	19.1	16.9-21.3	2152	80.9	78.7-83.1
18-24	127	37,625	30	28.1	18.9-37.3	97	71.9	62.7-81.1
25-34	246	43,754	43	19.3	13.2-25.4	203	80.7	74.6-86.8
35-44	288	36,855	56	18.6	13.1-24.1	232	81.4	75.9-86.9
45-54	454	45,323	96	20.1	15.6-24.6	358	79.9	75.4-84.4
55-64	562	42,346	115	19.1	15.2-23.0	447	80.9	77.0-84.8
65+	1011	58,124	140	13.6	11.1-16.1	871	86.4	83.9-88.9
Less Than H.S.	168	20,205	29	19.3	09.5-29.1	139	80.7	70.9-90.5
H.S. or G.E.D.	750	62,948	138	19.4	15.5-23.3	612	80.6	76.7-84.5
Some Post-H.S.	901	112,111	175	22.0	18.3-25.7	726	78.0	74.3-81.7
College Graduate	897	70,556	140	14.6	11.7-17.5	757	85.4	82.5-88.3
Less than \$15,000	228	22,914	70	34.6	24.2-45.0	158	65.4	55.0-75.8
\$15,000- 24,999	370	32,738	84	27.5	20.2-34.8	286	72.5	65.2-79.8
\$25,000- 34,999	290	27,222	46	17.1	11.2-23.0	244	82.9	77.0-88.8
\$35,000- 49,999	339	33,562	58	16.7	11.4-22.0	281	83.3	78.0-88.6
\$50,000- 74,999	410	40,398	73	17.9	13.0-22.8	337	82.1	77.2-87.0
\$75,000+	623	65,012	89	15.6	11.7-19.5	534	84.4	80.5-88.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	539,341	134	2.1	01.7-02.5	4734	97.9	97.5-98.3
Male	2139	271,150	52	1.7	01.1-02.3	2087	98.3	97.7-98.9
Female	2729	268,192	82	2.4	01.8-03.0	2647	97.6	97.0-98.2
Native	125	24,509	6	4.1	00.0-09.0	119	95.9	91.0-0100
Non-Native	4678	507,008	126	2.0	01.6-02.4	4552	98.0	97.6-98.4
18-24	253	80,808	4	1.2	00.0-02.6	249	98.8	97.4-0100
25-34	520	93,489	4	0.7	00.0-01.5	516	99.3	98.5-0100
35-44	551	77,332	6	1.7	00.0-03.5	545	98.3	96.5-0100
45-54	864	91,658	16	1.6	00.6-02.6	848	98.4	97.4-99.4
55-64	1060	87,357	20	1.5	00.7-02.3	1040	98.5	97.7-99.3
65+	1577	105,019	83	5.2	04.0-06.4	1494	94.8	93.6-96.0
Less Than H.S.	334	52,682	16	3.5	01.0-06.0	318	96.5	94.0-99.0
H.S. or G.E.D.	1408	146,728	42	2.1	01.3-02.9	1366	97.9	97.1-98.7
Some Post-H.S.	1560	209,702	47	2.2	01.4-03.0	1513	97.8	97.0-98.6
College Graduate	1560	128,880	29	1.4	00.8-02.0	1531	98.6	98.0-99.2
Less than \$15,000	348	40,431	15	2.7	01.1-04.3	333	97.3	95.7-98.9
\$15,000- 24,999	609	65,851	20	2.2	01.0-03.4	589	97.8	96.6-99.0
\$25,000- 34,999	504	55,988	20	2.8	01.2-04.4	484	97.2	95.6-98.8
\$35,000- 49,999	712	79,839	25	2.6	01.4-03.8	687	97.4	96.2-98.6
\$50,000- 74,999	751	81,636	12	1.5	00.3-02.7	739	98.5	97.3-99.7
\$75,000+	1322	145,410	21	1.1	00.5-01.7	1301	98.9	98.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2139	271,150	52	1.7	01.1-02.3	2087	98.3	97.7-98.9
Native	53	12,897	2	5.5	00.0-14.3	51	94.5	85.7-0100
Non-Native	2049	253,955	49	1.5	00.9-02.1	2000	98.5	97.9-99.1
18-24	125	42,838	1	0.1	00.0-00.3	124	99.9	99.7-0100
25-34	273	49,656	4	1.3	00.0-02.7	269	98.7	97.3-0100
35-44	263	40,477	1	1.4	00.0-04.1	262	98.6	95.9-0100
45-54	410	46,335	5	0.6	00.0-01.2	405	99.4	98.8-0100
55-64	495	44,610	7	1.2	00.2-02.2	488	98.8	97.8-99.8
65+	562	46,213	34	5.7	03.5-07.9	528	94.3	92.1-96.5
Less Than H.S.	167	32,411	5	3.2	00.0-06.9	162	96.8	93.1-0100
H.S. or G.E.D.	655	83,273	16	1.6	00.6-02.6	639	98.4	97.4-99.4
Some Post-H.S.	655	96,891	18	1.6	00.8-02.4	637	98.4	97.6-99.2
College Graduate	660	58,090	13	1.5	00.5-02.5	647	98.5	97.5-99.5
Less than \$15,000	121	17,596	3	1.6	00.0-03.6	118	98.4	96.4-0100
\$15,000- 24,999	235	32,679	4	0.7	00.0-01.5	231	99.3	98.5-0100
\$25,000- 34,999	212	28,381	9	2.2	00.4-04.0	203	97.8	96.0-99.6
\$35,000- 49,999	373	46,277	14	3.0	01.2-04.8	359	97.0	95.2-98.8
\$50,000- 74,999	341	41,238	4	0.7	00.0-01.5	337	99.3	98.5-0100
\$75,000+	697	80,238	13	1.3	00.5-02.1	684	98.7	97.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	268,192	82	2.4	01.8-03.0	2647	97.6	97.0-98.2
Native	72	11,612	4	2.6	00.0-05.5	68	97.4	94.5-0100
Non-Native	2629	253,053	77	2.4	01.6-03.2	2552	97.6	96.8-98.4
18-24	128	37,970	3	2.4	00.0-05.1	125	97.6	94.9-0100
25-34	247	43,833				247	100.0	0100-0100
35-44	288	36,855	5	1.9	00.1-03.7	283	98.1	96.3-99.9
45-54	454	45,323	11	2.6	00.8-04.4	443	97.4	95.6-99.2
55-64	565	42,747	13	1.7	00.7-02.7	552	98.3	97.3-99.3
65+	1015	58,806	49	4.9	03.3-06.5	966	95.1	93.5-96.7
Less Than H.S.	167	20,271	11	3.9	01.5-06.3	156	96.1	93.7-98.5
H.S. or G.E.D.	753	63,455	26	2.7	01.3-04.1	727	97.3	95.9-98.7
Some Post-H.S.	905	112,811	29	2.7	01.5-03.9	876	97.3	96.1-98.5
College Graduate	900	70,790	16	1.3	00.5-02.1	884	98.7	97.9-99.5
Less than \$15,000	227	22,835	12	3.6	01.2-06.0	215	96.4	94.0-98.8
\$15,000- 24,999	374	33,173	16	3.7	01.5-05.9	358	96.3	94.1-98.5
\$25,000- 34,999	292	27,607	11	3.4	00.7-06.1	281	96.6	93.9-99.3
\$35,000- 49,999	339	33,562	11	2.0	00.6-03.4	328	98.0	96.6-99.4
\$50,000- 74,999	410	40,398	8	2.2	00.0-04.4	402	97.8	95.6-0100
\$75,000+	625	65,172	8	0.8	00.0-01.6	617	99.2	98.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 34: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	537,462	616	11.3	10.1-12.5	4225	88.6	87.4-89.8	8	0.1	0.1-0.1
Male	2133	270,452	227	10.4	8.6-12.2	1903	89.5	87.7-91.3	3	0.1	0.0-0.3
Female	2716	267,010	389	12.2	10.6-13.8	2322	87.7	86.1-89.3	5	0.1	0.0-0.3
Native	126	24,600	22	14.7	06.7-22.7	104	85.3	77.3-93.3			
Non-Native	4658	505,221	583	11.1	09.9-12.3	4067	88.8	87.6-90.0	8	0.1	0.1-0.1
18-24	252	80,316	17	7.2	03.7-10.7	235	92.8	89.3-96.3			
25-34	517	92,979	27	5.1	02.7-07.5	488	94.8	92.4-97.2	2	0.2	0.0-0.4
35-44	551	77,332	29	7.4	04.1-10.7	522	92.6	89.3-95.9			
45-54	860	91,172	118	15.0	11.9-18.1	741	84.9	81.8-88.0	1	0.1	0.0-0.3
55-64	1061	87,474	134	12.7	10.2-15.2	924	86.9	84.4-89.4	3	0.3	0.0-0.7
65+	1566	104,534	289	18.7	16.3-21.1	1275	81.2	78.8-83.6	2	0.1	0.0-0.3
Less Than H.S.	337	52,788	76	21.0	15.3-26.7	259	78.7	73.0-84.4	2	0.3	0.0-0.7
H.S. or G.E.D.	1400	146,417	191	11.9	09.7-14.1	1207	88.1	85.9-90.3	2	0.1	0.1-0.1
Some Post-H.S.	1551	208,398	193	10.2	08.4-12.0	1355	89.6	87.6-91.6	3	0.1	0.0-0.3
College Graduate	1555	128,511	156	8.4	06.8-10.0	1398	91.5	89.9-93.1	1	0.0	0.0-0.0
Less than \$15,000	348	40,493	87	16.4	11.9-20.9	260	83.3	78.8-87.8	1	0.3	0.0-0.9
\$15,000- 24,999	605	65,672	112	17.1	13.0-21.2	492	82.8	78.7-86.9	1	0.1	0.0-0.3
\$25,000- 34,999	499	55,616	64	12.3	08.2-16.4	435	87.7	83.6-91.8			
\$35,000- 49,999	712	79,733	82	9.8	07.3-12.3	629	90.1	87.6-92.6	1	0.1	0.0-0.3
\$50,000- 74,999	751	81,537	80	10.1	07.2-13.0	669	89.7	86.8-92.6	2	0.2	0.0-0.4
\$75,000+	1320	145,249	91	6.6	04.8-08.4	1227	93.3	91.5-95.1	2	0.1	0.0-0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 35: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2133	270,452	227	10.4	08.6-12.2	1903	89.5	87.7-91.3	3	0.1	00.0-00.3
Native	54	12,987	8	14.6	02.4-26.8	46	85.4	73.2-97.6			
Non-Native	2041	253,102	212	10.1	08.5-11.7	1826	89.8	88.2-91.4	3	0.1	00.0-00.3
18-24	125	42,838	5	4.4	00.5-08.3	120	95.6	91.7-99.5			
25-34	270	49,146	17	7.2	03.1-11.3	253	92.8	88.7-96.9			
35-44	263	40,477	11	6.9	02.4-11.4	252	93.1	88.6-97.6			
45-54	408	46,167	52	14.0	09.7-18.3	355	85.8	81.5-90.1	1	0.1	00.0-00.3
55-64	497	44,780	48	11.3	07.6-15.0	447	88.2	84.5-91.9	2	0.5	00.0-01.1
65+	559	46,023	94	18.0	14.1-21.9	465	82.0	78.1-85.9			
Less Than H.S.	169	32,449	35	22.1	14.1-30.1	133	77.6	69.6-85.6	1	0.3	00.0-00.9
H.S. or G.E.D.	653	83,318	72	9.6	06.9-12.3	581	90.4	87.7-93.1			
Some Post-H.S.	652	96,419	69	8.9	06.4-11.4	581	90.9	88.4-93.4	2	0.2	00.0-00.4
College Graduate	657	57,783	51	7.4	04.9-09.9	606	92.6	90.1-95.1			
Less than \$15,000	122	17,676	23	12.8	06.3-19.3	98	86.6	79.9-93.3	1	0.6	00.0-01.8
\$15,000- 24,999	234	32,643	43	15.4	09.9-20.9	190	84.4	78.9-89.9	1	0.2	00.0-00.6
\$25,000- 34,999	211	28,348	31	15.7	08.6-22.8	180	84.3	77.2-91.4			
\$35,000- 49,999	372	46,128	44	11.0	07.1-14.9	327	88.8	84.9-92.7	1	0.2	00.0-00.6
\$50,000- 74,999	341	41,139	32	9.3	05.4-13.2	309	90.7	86.8-94.6			
\$75,000+	695	80,078	32	5.1	02.9-07.3	663	94.9	92.7-97.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 36: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2716	267,010	389	12.2	10.6-13.8	2322	87.7	86.1-89.3	5	0.1	00.0-00.3
Native	72	11,612	14	14.8	04.6-25.0	58	85.2	75.0-95.4			
Non-Native	2617	252,119	371	12.1	10.5-13.7	2241	87.8	86.2-89.4	5	0.1	00.0-00.3
18-24	127	37,478	12	10.3	04.4-16.2	115	89.7	83.8-95.6			
25-34	247	43,833	10	2.6	00.6-04.6	235	97.0	95.0-99.0	2	0.4	00.0-01.0
35-44	288	36,855	18	8.0	03.3-12.7	270	92.0	87.3-96.7			
45-54	452	45,005	66	16.0	11.5-20.5	386	84.0	79.5-88.5			
55-64	564	42,693	86	14.3	11.0-17.6	477	85.6	82.3-88.9	1	0.2	00.0-00.6
65+	1007	58,511	195	19.3	16.6-22.0	810	80.6	77.9-83.3	2	0.1	00.0-00.3
Less Than H.S.	168	20,339	41	19.3	11.7-26.9	126	80.4	72.8-88.0	1	0.3	00.0-00.9
H.S. or G.E.D.	747	63,100	119	14.9	11.6-18.2	626	84.9	81.6-88.2	2	0.1	00.0-00.3
Some Post-H.S.	899	111,979	124	11.4	08.9-13.9	774	88.5	86.0-91.0	1	0.1	00.0-00.3
College Graduate	898	70,728	105	9.2	07.0-11.4	792	90.7	88.5-92.9	1	0.1	00.0-00.3
Less than \$15,000	226	22,816	64	19.3	13.0-25.6	162	80.7	74.4-87.0			
\$15,000- 24,999	371	33,028	69	18.8	12.7-24.9	302	81.2	75.1-87.3			
\$25,000- 34,999	288	27,268	33	8.8	05.1-12.5	255	91.2	87.5-94.9			
\$35,000- 49,999	340	33,605	38	8.1	05.2-11.0	302	91.9	89.0-94.8			
\$50,000- 74,999	410	40,398	48	11.0	06.9-15.1	360	88.7	84.4-93.0	2	0.3	00.0-00.7
\$75,000+	625	65,172	59	8.4	05.5-11.3	564	91.4	88.5-94.3	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	539,951	548	8.6	07.6-09.6	26	0.6	00.2-01.0	4251	90.0	89.0-91.0	48	0.8	00.4-01.2
Male	2144	271,701	257	9.0	07.6-10.4				1869	90.3	88.9-91.7	18	0.6	00.2-01.0
Female	2729	268,250	291	8.2	07.0-09.4	26	1.2	00.6-01.8	2382	89.6	88.2-91.0	30	1.0	00.6-01.4
Native	126	24,600	23	14.4	06.8-22.0	1	0.6	00.0-01.8	101	84.5	76.7-92.3	1	0.5	00.0-01.5
Non-Native	4681	507,462	520	8.4	07.6-09.2	24	0.6	00.2-01.0	4091	90.2	89.2-91.2	46	0.8	00.4-01.2
18-24	253	80,808	2	0.4	00.0-01.0				251	99.6	99.0-100.0			
25-34	520	93,489	4	1.2	00.0-02.4	6	1.6	00.0-03.2	510	97.2	95.2-99.2			
35-44	550	77,215	20	4.6	02.1-07.1	6	0.9	00.1-01.7	521	93.9	91.2-96.6	3	0.6	00.0-01.4
45-54	864	91,658	58	5.9	03.9-07.9	5	0.4	00.0-00.8	792	92.5	90.3-94.7	9	1.2	00.2-02.2
55-64	1061	87,487	147	15.1	12.4-17.8	4	0.4	00.0-01.0	899	83.1	80.2-86.0	11	1.4	00.2-02.6
65+	1582	105,615	313	21.4	18.9-23.9	5	0.3	00.0-00.7	1239	76.7	74.2-79.2	25	1.5	00.7-02.3
Less Than H.S.	338	52,983	75	17.7	13.0-22.4	1	0.1	00.0-00.5	256	80.3	75.2-85.4	6	1.8	00.0-03.8
H.S. or G.E.D.	1410	147,069	174	9.4	07.6-11.2	8	0.7	00.1-01.3	1216	89.1	87.1-91.1	12	0.9	00.3-01.5
Some Post-H.S.	1558	209,628	165	7.5	06.1-08.9	9	0.8	00.2-01.4	1369	91.1	89.5-92.7	15	0.7	00.3-01.1
College Graduate	1561	128,923	134	6.0	04.8-07.2	8	0.5	00.1-00.9	1404	92.9	91.5-94.3	15	0.6	00.2-01.0
Less than \$15,000	349	40,526	70	12.3	08.8-15.8	4	0.9	00.0-01.9	274	86.4	82.7-90.1	1	0.4	00.0-01.2
\$15,000- 24,999	608	65,826	94	12.6	09.3-15.9	5	0.8	00.0-01.8	499	84.7	81.0-88.4	10	1.8	00.2-03.4
\$25,000- 34,999	502	55,907	82	12.9	09.4-16.4	3	0.6	00.0-01.6	410	85.5	81.8-89.2	7	1.0	00.0-02.0
\$35,000- 49,999	715	80,216	76	7.3	05.3-09.3	1	0.2	00.0-00.6	628	91.5	89.5-93.5	10	0.9	00.3-01.5
\$50,000- 74,999	752	81,714	58	5.2	03.6-06.8	2	0.2	00.0-00.4	685	94.0	92.4-95.6	7	0.6	00.2-01.0
\$75,000+	1322	145,410	80	4.7	03.5-05.9	9	0.9	00.1-01.7	1224	93.6	92.0-95.2	9	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2144	271,701	257	9.0	07.6-10.4	1869	90.3	88.9-91.7	18	0.6	00.2-01.0
Native	54	12,987	11	17.3	05.1-29.5	43	82.7	70.5-94.9			
Non-Native	2052	254,350	244	8.7	07.3-10.1	1790	90.6	89.2-92.0	18	0.7	00.3-01.1
18-24	125	42,838	1	0.3	00.0-00.9	124	99.7	99.1-0100			
25-34	273	49,656	2	1.1	00.0-02.7	271	98.9	97.3-0100			
35-44	263	40,477	10	5.0	01.3-08.7	252	94.7	91.0-98.4	1	0.3	00.0-00.9
45-54	410	46,335	36	7.3	04.4-10.2	371	91.9	89.0-94.8	3	0.8	00.0-01.8
55-64	496	44,740	74	16.1	11.8-20.4	418	82.6	78.1-87.1	4	1.3	00.0-03.3
65+	566	46,634	133	23.9	19.8-28.0	423	74.6	70.3-78.9	10	1.5	00.3-02.7
Less Than H.S.	170	32,648	33	15.7	09.4-22.0	134	82.1	75.4-88.8	3	2.2	00.0-05.1
H.S. or G.E.D.	658	83,629	85	9.5	07.1-11.9	567	89.8	87.3-92.3	6	0.7	00.1-01.3
Some Post-H.S.	654	96,850	71	7.9	05.7-10.1	582	91.9	89.7-94.1	1	0.1	00.0-00.3
College Graduate	660	58,090	68	6.5	04.7-08.3	584	92.9	91.1-94.7	8	0.6	00.2-01.0
Less than \$15,000	122	17,676	19	10.1	04.8-15.4	103	89.9	84.6-95.2			
\$15,000- 24,999	236	32,712	37	13.1	07.8-18.4	195	84.2	78.3-90.1	4	2.7	00.0-05.6
\$25,000- 34,999	211	28,340	48	16.7	11.0-22.4	161	83.0	77.3-88.7	2	0.2	00.0-00.6
\$35,000- 49,999	375	46,610	43	7.7	05.2-10.2	327	91.9	89.2-94.6	5	0.4	00.0-00.8
\$50,000- 74,999	342	41,316	27	5.1	02.7-07.5	315	94.9	92.5-97.3			
\$75,000+	697	80,238	59	6.1	04.3-07.9	632	93.1	91.1-95.1	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012  
SECTION 5: CHRONIC HEALTH CONDITIONS  
TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	268,250	291	8.2	07.0-09.4	26	1.2	00.6-01.8	2382	89.6	88.2-91.0	30	1.0	00.6-01.4
Native	72	11,612	12	11.1	02.3-19.9	1	1.4	00.0-04.1	58	86.4	77.2-95.6	1	1.1	00.0-03.3
Non-Native	2629	253,111	276	8.1	06.9-09.3	24	1.2	00.6-01.8	2301	89.8	88.4-91.2	28	1.0	00.6-01.4
18-24	128	37,970	1	0.5	00.0-01.5				127	99.5	98.5-100.0			
25-34	247	43,833	2	1.3	00.0-03.1	6	3.4	00.3-06.5	239	95.3	91.8-98.8			
35-44	287	36,738	10	4.2	01.1-07.3	6	1.8	00.0-03.6	269	92.9	89.0-96.8	2	1.0	00.0-02.6
45-54	454	45,323	22	4.5	02.1-06.9	5	0.8	00.0-01.6	421	93.1	90.2-96.0	6	1.6	00.0-03.2
55-64	565	42,747	73	13.9	10.2-17.6	4	0.9	00.0-02.3	481	83.7	79.8-87.6	7	1.5	00.3-02.7
65+	1016	58,981	180	19.5	16.4-22.6	5	0.6	00.0-01.2	816	78.4	75.3-81.5	15	1.5	00.7-02.3
Less Than H.S.	168	20,335	42	20.9	13.8-28.0	1	0.4	00.0-01.2	122	77.4	70.1-84.7	3	1.3	00.0-02.9
H.S. or G.E.D.	752	63,439	89	9.1	06.7-11.5	8	1.5	00.1-02.9	649	88.3	85.6-91.0	6	1.1	00.1-02.1
Some Post-H.S.	904	112,778	94	7.0	05.2-08.8	9	1.4	00.2-02.6	787	90.4	88.0-92.8	14	1.1	00.3-01.9
College Graduate	901	70,833	66	5.6	03.8-07.4	8	0.8	00.0-01.6	820	92.9	90.9-94.9	7	0.6	00.0-01.2
Less than \$15,000	227	22,850	51	14.0	09.3-18.7	4	1.6	00.0-03.4	171	83.7	78.4-89.0	1	0.7	00.0-02.1
\$15,000- 24,999	372	33,114	57	12.1	08.2-16.0	5	1.7	00.0-03.7	304	85.2	80.9-89.5	6	1.0	00.2-01.8
\$25,000- 34,999	291	27,567	34	9.0	04.9-13.1	3	1.2	00.0-03.2	249	88.1	83.2-93.0	5	1.7	00.0-03.7
\$35,000- 49,999	340	33,605	33	6.8	04.1-09.5	1	0.5	00.0-01.5	301	91.0	87.9-94.1	5	1.6	00.2-03.0
\$50,000- 74,999	410	40,398	31	5.4	03.2-07.6	2	0.3	00.0-00.9	370	93.1	90.7-95.5	7	1.2	00.2-02.2
\$75,000+	625	65,172	21	3.1	01.5-04.7	9	2.1	00.1-04.1	592	94.2	91.7-96.7	3	0.6	00.0-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.