


NORTH DAKOTA

2012 Core Variables Report

Behavioral Risk Factor Surveillance System

July 5, 2013



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	247
8	MALES ONLY	248
9	FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4597	504,492	870	25.4	23.6-27.2	3727	74.6	72.8-76.4
Male	2007	252,062	402	25.3	22.8-27.8	1605	74.7	72.2-77.2
Female	2590	252,430	468	25.5	23.0-28.0	2122	74.5	72.0-77.0
Native	112	21,293	38	41.9	29.7-54.1	74	58.1	45.9-70.3
Non-Native	4427	476,580	822	24.8	23.0-26.6	3605	75.2	73.4-77.0
18-24	237	75,584	54	22.6	16.7-28.5	183	77.4	71.5-83.3
25-34	491	87,309	205	48.1	42.8-53.4	286	51.9	46.6-57.2
35-44	513	71,087	212	45.2	39.7-50.7	301	54.8	49.3-60.3
45-54	815	85,569	183	23.2	19.5-26.9	632	76.8	73.1-80.5
55-64	1012	83,338	129	12.7	10.2-15.2	883	87.3	84.8-89.8
65+	1490	98,142	83	6.3	04.5-08.1	1407	93.7	91.9-95.5
Less Than H.S.	314	48,320	36	18.1	11.6-24.6	278	81.9	75.4-88.4
H.S. or G.E.D.	1341	139,373	196	22.4	19.1-25.7	1145	77.6	74.3-80.9
Some Post-H.S.	1456	194,050	298	28.0	24.9-31.1	1158	72.0	68.9-75.1
College Graduate	1481	121,804	338	27.6	24.7-30.5	1143	72.4	69.5-75.3
Less than \$15,000	336	38,622	82	29.9	22.5-37.3	254	70.1	62.7-77.5
\$15,000- 24,999	569	61,136	106	27.8	22.1-33.5	463	72.2	66.5-77.9
\$25,000- 34,999	480	52,535	82	26.9	20.8-33.0	398	73.1	67.0-79.2
\$35,000- 49,999	684	76,167	113	23.5	19.0-28.0	571	76.5	72.0-81.0
\$50,000- 74,999	715	76,842	152	26.6	22.3-30.9	563	73.4	69.1-77.7
\$75,000+	1258	138,486	278	27.7	24.2-31.2	980	72.3	68.8-75.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2007	252,062	402	25.3	22.8-27.8	1605	74.7	72.2-77.2
Non-Native	1926	236,922	379	24.5	22.0-27.0	1547	75.5	73.0-78.0
18-24	118	40,429	18	16.2	08.8-23.6	100	83.8	76.4-91.2
25-34	262	47,112	93	43.1	35.8-50.4	169	56.9	49.6-64.2
35-44	242	36,473	85	44.6	36.6-52.6	157	55.4	47.4-63.4
45-54	384	42,385	82	22.4	17.3-27.5	302	77.6	72.5-82.7
55-64	466	42,053	70	15.1	10.8-19.4	396	84.9	80.6-89.2
65+	525	42,674	52	10.5	06.8-14.2	473	89.5	85.8-93.2
Less Than H.S.	154	29,520	22	20.3	11.3-29.3	132	79.7	70.7-88.7
H.S. or G.E.D.	623	79,194	118	25.1	20.4-29.8	505	74.9	70.2-79.6
Some Post-H.S.	603	88,466	132	29.0	24.1-33.9	471	71.0	66.1-75.9
College Graduate	626	54,801	130	22.1	18.0-26.2	496	77.9	73.8-82.0
Less than \$15,000	116	16,850	34	32.4	20.4-44.4	82	67.6	55.6-79.6
\$15,000- 24,999	217	30,203	42	21.9	14.5-29.3	175	78.1	70.7-85.5
\$25,000- 34,999	200	26,377	41	30.4	21.0-39.8	159	69.6	60.2-79.0
\$35,000- 49,999	354	43,291	60	21.6	15.7-27.5	294	78.4	72.5-84.3
\$50,000- 74,999	319	37,799	70	30.6	23.7-37.5	249	69.4	62.5-76.3
\$75,000+	662	76,493	134	25.0	20.5-29.5	528	75.0	70.5-79.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2590	252,430	468	25.5	23.1-27.9	2122	74.5	72.1-76.9
Native	63	9,660	20	37.3	21.4-53.2	43	62.7	46.8-78.6
Non-Native	2501	239,658	443	25.1	22.6-27.6	2058	74.9	72.4-77.4
18-24	119	35,155	36	30.0	21.0-39.0	83	70.0	61.0-79.0
25-34	229	40,197	112	53.8	46.2-61.4	117	46.2	38.6-53.8
35-44	271	34,614	127	45.8	38.4-53.2	144	54.2	46.8-61.6
45-54	431	43,183	101	24.0	18.7-29.3	330	76.0	70.7-81.3
55-64	546	41,284	59	10.2	07.1-13.3	487	89.8	86.7-92.9
65+	965	55,469	31	3.1	01.7-04.5	934	96.9	95.5-98.3
Less Than H.S.	160	18,799	14	14.6	06.0-23.2	146	85.4	76.8-94.0
H.S. or G.E.D.	718	60,179	78	18.8	14.3-23.3	640	81.2	76.7-85.7
Some Post-H.S.	853	105,584	166	27.1	22.8-31.4	687	72.9	68.6-77.2
College Graduate	855	67,003	208	32.1	28.0-36.2	647	67.9	63.8-72.0
Less than \$15,000	220	21,772	48	28.0	18.6-37.4	172	72.0	62.6-81.4
\$15,000- 24,999	352	30,933	64	33.5	25.7-41.3	288	66.5	58.7-74.3
\$25,000- 34,999	280	26,158	41	23.3	15.5-31.1	239	76.7	68.9-84.5
\$35,000- 49,999	330	32,876	53	26.2	18.9-33.5	277	73.8	66.5-81.1
\$50,000- 74,999	396	39,043	82	22.8	17.5-28.1	314	77.2	71.9-82.5
\$75,000+	596	61,993	144	31.0	25.9-36.1	452	69.0	63.9-74.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	692	107,025	32	2.4	01.4-03.4	44	4.7	02.9-06.5	93	9.0	06.8-11.2	133	17.4	13.9-20.9	316	54.6	49.9-59.3	74	11.9	08.8-15.0
Male	319	52,230	13	2.1	00.9-03.3	15	3.0	01.2-04.8	44	9.3	06.0-12.6	65	20.6	14.9-26.3	148	54.5	47.6-61.4	34	10.5	06.4-14.6
Female	373	54,795	19	2.8	01.4-04.2	29	6.4	03.5-09.3	49	8.7	05.6-11.8	68	14.4	10.3-18.5	168	54.6	48.3-60.9	40	13.2	08.7-17.7
Non-Native	651	97,989	26	2.2	01.2-03.2	41	4.8	03.0-06.6	90	9.3	06.9-11.7	124	15.9	12.6-19.2	301	55.5	50.8-60.2	69	12.4	09.1-15.7
18-24	50	16,077													41	81.9	70.5-93.3	9	18.1	06.7-29.5
25-34	184	38,684							5	2.6	00.1-05.1	35	19.5	12.8-26.2	120	66.8	59.0-74.6	24	11.2	06.3-16.1
35-44	177	26,817	5	2.0	00.2-03.8	16	9.4	04.1-14.7	29	13.2	07.5-18.9	43	24.3	16.5-32.1	67	39.8	30.6-49.0	17	11.4	05.5-17.3
45-54	139	14,974	10	5.6	01.9-09.3	14	10.0	04.1-15.9	34	22.8	14.2-31.4	28	19.7	11.7-27.7	44	35.5	25.3-45.7	9	6.4	01.7-11.1
55-64	90	6,732	13	15.3	06.5-24.1	9	8.9	02.6-15.2	15	16.0	06.8-25.2	17	14.4	06.8-22.0	29	35.7	21.6-49.8	7	9.8	01.8-17.8
65+	51	3,635	4	5.6	00.0-11.9	5	12.3	00.1-24.5	10	16.8	05.8-27.8	10	19.1	06.6-31.6	14	24.8	10.5-39.1	8	21.5	06.0-37.0
H.S. or G.E.D.	148	26,136	3	0.9	00.0-02.1	6	2.1	00.3-03.9	12	5.7	02.0-09.4	30	19.4	11.8-27.0	76	55.2	45.6-64.8	21	16.7	09.3-24.1
Some Post-H.S.	242	46,815	12	2.2	00.8-03.6	18	6.1	02.8-09.4	33	9.1	05.4-12.8	48	18.3	12.4-24.2	105	54.5	46.9-62.1	26	9.8	05.3-14.3
College Graduate	276	28,035	14	3.5	01.5-05.5	19	5.5	02.8-08.2	45	12.6	08.3-16.9	53	17.1	12.0-22.2	121	50.2	42.9-57.5	24	11.0	06.3-15.7
Less than \$15,000	64	9,592	5	4.5	00.0-09.0	7	5.0	00.7-09.3	5	5.7	00.0-13.5	11	19.4	05.1-33.7	28	50.9	34.0-67.8	8	14.5	02.5-26.5
\$15,000- 24,999	84	15,030	5	3.0	00.1-05.9	4	4.4	00.0-09.5	6	2.9	00.0-05.8	14	13.7	05.3-22.1	43	59.2	46.3-72.1	12	16.9	07.1-26.7
\$25,000- 34,999	69	11,761	4	2.8	00.0-05.7	2	1.6	00.0-04.0	10	11.6	02.6-20.6	11	7.3	01.4-13.2	33	63.7	49.8-77.6	9	12.9	02.5-23.3
\$35,000- 49,999	86	14,057	4	1.7	00.0-03.7	2	1.2	00.0-03.2	9	7.9	01.4-14.4	15	15.7	06.1-25.3	46	63.7	51.4-76.0	10	9.7	03.0-16.4
\$50,000- 74,999	128	17,235	6	2.5	00.1-04.9	12	7.8	02.9-12.7	21	11.0	05.7-16.3	22	19.4	10.8-28.0	54	49.6	39.0-60.2	13	9.6	03.7-15.5
\$75,000+	223	32,863	6	1.6	00.2-03.0	15	6.3	02.4-10.2	38	12.2	07.7-16.7	49	19.3	13.2-25.4	101	53.1	44.9-61.3	14	7.6	03.1-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	319	52,230	13	2.1	00.9-03.3	15	3.0	01.2-04.8	44	9.3	06.0-12.6	65	20.6	14.9-26.3	148	54.5	47.6-61.4	34	10.5	06.4-14.6
Non-Native	298	46,673	11	2.0	00.8-03.2	15	3.3	01.3-05.3	43	10.2	06.5-13.9	58	17.9	12.6-23.2	140	55.7	48.8-62.6	31	11.0	06.5-15.5
25-34	84	18,973							3	3.5	00.0-07.8	24	30.8	19.4-42.2	50	58.7	46.7-70.7	7	7.1	01.4-12.8
35-44	69	13,142	2	1.5	00.0-03.7	5	3.4	00.3-06.5	13	13.0	05.0-21.0	13	20.6	09.0-32.2	29	48.0	33.5-62.5	7	13.6	03.6-23.6
45-54	63	7,200	3	4.7	00.0-10.0	5	10.2	00.8-19.6	13	19.8	08.0-31.6	12	17.6	06.2-29.0	25	40.8	25.9-55.7	5	6.9	00.6-13.2
55-64	52	4,190	5	9.3	00.7-17.9	3	4.9	00.0-10.8	9	15.9	04.1-27.7	7	10.4	02.4-18.4	21	43.9	24.9-62.9	7	15.7	03.2-28.2
H.S. or G.E.D.	89	16,168	3	1.4	00.0-03.2	1	0.6	00.0-01.8	6	5.2	00.3-10.1	22	26.2	15.2-37.2	49	56.5	44.2-68.8	8	9.9	01.9-17.9
Some Post-H.S.	111	22,128	4	1.8	00.0-03.6	5	3.2	00.1-06.3	16	9.4	03.9-14.9	24	22.7	13.1-32.3	46	50.8	39.4-62.2	16	12.1	05.2-19.0
College Graduate	105	9,916	5	3.8	00.1-07.5	8	6.6	01.5-11.7	21	18.6	09.8-27.4	18	13.9	06.5-21.3	45	48.1	36.3-59.9	8	9.0	02.3-15.7
\$50,000- 74,999	55	8,951				5	7.6	00.3-14.9	9	8.5	02.0-15.0	9	19.1	06.2-32.0	24	50.8	34.7-66.9	8	14.0	03.4-24.6
\$75,000+	110	16,635	3	1.8	00.0-04.0	6	3.3	00.4-06.2	19	13.2	06.5-19.9	29	25.1	15.3-34.9	45	47.8	35.8-59.8	8	8.8	01.9-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	373	54,795	19	2.8	01.4-04.2	29	6.4	03.5-09.3	49	8.7	05.6-11.8	68	14.4	10.3-18.5	168	54.6	48.3-60.9	40	13.2	08.7-17.7
Non-Native	353	51,316	15	2.4	01.0-03.8	26	6.2	03.3-09.1	47	8.4	05.5-11.3	66	14.1	10.2-18.0	161	55.4	48.9-61.9	38	13.6	08.9-18.3
25-34	100	19,712							2	1.7	00.0-04.2	11	8.6	02.9-14.3	70	74.6	65.0-84.2	17	15.1	07.3-22.9
35-44	108	13,675	3	2.6	00.0-05.5	11	15.1	05.5-24.7	16	13.4	05.6-21.2	30	27.8	17.0-38.6	38	31.9	20.7-43.1	10	9.3	02.8-15.8
45-54	76	7,774	7	6.4	01.3-11.5	9	9.7	02.6-16.8	21	25.6	13.3-37.9	16	21.6	10.0-33.2	19	30.6	16.3-44.9	4	6.0	00.0-13.1
H.S. or G.E.D.	59	9,968				5	4.4	00.3-08.5	6	6.4	00.1-12.7	8	8.4	01.1-15.7	27	53.1	37.6-68.6	13	27.6	13.3-41.9
Some Post-H.S.	131	24,687	8	2.6	00.6-04.6	13	8.8	03.1-14.5	17	8.8	03.5-14.1	24	14.4	07.5-21.3	59	57.8	47.4-68.2	10	7.7	01.8-13.6
College Graduate	171	18,119	9	3.4	01.0-05.8	11	4.9	01.6-08.2	24	9.3	05.0-13.6	35	18.8	11.9-25.7	76	51.4	42.4-60.4	16	12.1	05.6-18.6
\$15,000- 24,999	52	9,611	4	3.3	00.0-07.2	3	5.9	00.0-13.5	4	3.3	00.0-07.4	9	13.7	02.9-24.5	24	52.3	35.4-69.2	8	21.5	07.6-35.4
\$50,000- 74,999	73	8,284	6	5.3	00.4-10.2	7	8.0	01.7-14.3	12	13.8	05.4-22.2	13	19.8	08.6-31.0	30	48.3	34.6-62.0	5	4.9	00.2-09.6
\$75,000+	113	16,229	3	1.3	00.0-02.9	9	9.3	02.0-16.6	19	11.2	05.1-17.3	20	13.3	06.8-19.8	56	58.5	47.3-69.7	6	6.4	00.3-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4723	518,888	64	2.2	01.6-02.8	4659	97.8	97.2-98.4
Male	2066	260,153	33	2.5	01.5-03.5	2033	97.5	96.5-98.5
Female	2657	258,736	31	1.9	01.1-02.7	2626	98.1	97.3-98.9
Native	114	22,176	4	6.1	00.0-12.6	110	93.9	87.4-0100
Non-Native	4548	489,539	58	2.0	01.4-02.6	4490	98.0	97.4-98.6
18-24	239	76,108	13	4.4	01.9-06.9	226	95.6	93.1-98.1
25-34	503	89,974	18	3.9	01.7-06.1	485	96.1	93.9-98.3
35-44	531	74,195	14	4.3	01.8-06.8	517	95.7	93.2-98.2
45-54	835	88,191	9	1.1	00.1-02.1	826	98.9	97.9-99.9
55-64	1031	84,778	8	0.6	00.2-01.0	1023	99.4	99.0-99.8
65+	1545	102,179	2	0.1	00.0-00.3	1543	99.9	99.7-0100
Less Than H.S.	325	50,311	4	2.2	00.0-04.7	321	97.8	95.3-0100
H.S. or G.E.D.	1364	141,255	22	2.5	01.3-03.7	1342	97.5	96.3-98.7
Some Post-H.S.	1507	200,962	22	2.2	01.0-03.4	1485	97.8	96.6-99.0
College Graduate	1521	125,012	16	2.1	00.9-03.3	1505	97.9	96.7-99.1
Less than \$15,000	342	39,260	10	5.8	01.3-10.3	332	94.2	89.7-98.7
\$15,000- 24,999	585	63,105	6	1.3	00.1-02.5	579	98.7	97.5-99.9
\$25,000- 34,999	489	53,365	11	3.5	01.0-06.0	478	96.5	94.0-99.0
\$35,000- 49,999	702	78,099	11	2.9	00.9-04.9	691	97.1	95.1-99.1
\$50,000- 74,999	739	79,259	9	2.0	00.4-03.6	730	98.0	96.4-99.6
\$75,000+	1287	142,221	12	1.2	00.4-02.0	1275	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2066	260,153	33	2.5	01.5-03.5	2033	97.5	96.5-98.5
Non-Native	1983	243,992	29	2.2	01.2-03.2	1954	97.8	96.8-98.8
18-24	120	41,000	7	3.5	00.6-06.4	113	96.5	93.6-99.4
25-34	266	48,063	9	4.3	00.8-07.8	257	95.7	92.2-99.2
35-44	252	38,670	11	7.0	02.7-11.3	241	93.0	88.7-97.3
45-54	393	44,065	2	0.2	00.0-00.6	391	99.8	99.4-0100
55-64	479	43,214	4	0.8	00.0-01.6	475	99.2	98.4-0100
65+	546	44,205				546	100.0	0100-0100
Less Than H.S.	161	30,680	3	2.2	00.0-05.1	158	97.8	94.9-0100
H.S. or G.E.D.	628	80,081	12	3.0	01.0-05.0	616	97.0	95.0-99.0
Some Post-H.S.	630	92,358	11	2.5	00.7-04.3	619	97.5	95.7-99.3
College Graduate	645	56,550	7	2.3	00.5-04.1	638	97.7	95.9-99.5
Less than \$15,000	118	17,158	5	8.3	00.1-16.5	113	91.7	83.5-99.9
\$15,000- 24,999	224	31,269	3	0.9	00.0-01.9	221	99.1	98.1-0100
\$25,000- 34,999	201	26,187	8	4.8	01.1-08.5	193	95.2	91.5-98.9
\$35,000- 49,999	364	44,703	4	1.9	00.0-04.1	360	98.1	95.9-0100
\$50,000- 74,999	334	39,588	5	3.2	00.5-05.9	329	96.8	94.1-99.5
\$75,000+	678	78,481	6	0.9	00.0-01.9	672	99.1	98.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2657	258,736	31	1.9	01.1-02.7	2626	98.1	97.3-98.9
Native	65	9,987	1	1.5	00.0-04.4	64	98.5	95.6-0100
Non-Native	2565	245,547	29	1.9	00.9-02.9	2536	98.1	97.1-99.1
18-24	119	35,108	6	5.4	00.9-09.9	113	94.6	90.1-99.1
25-34	237	41,911	9	3.4	00.7-06.1	228	96.6	93.9-99.3
35-44	279	35,524	3	1.4	00.0-03.6	276	98.6	96.4-0100
45-54	442	44,126	7	2.0	00.2-03.8	435	98.0	96.2-99.8
55-64	552	41,564	4	0.4	00.0-00.8	548	99.6	99.2-0100
65+	999	57,974	2	0.1	00.0-00.3	997	99.9	99.7-0100
Less Than H.S.	164	19,631	1	2.2	00.0-06.3	163	97.8	93.7-0100
H.S. or G.E.D.	736	61,174	10	1.8	00.4-03.2	726	98.2	96.8-99.6
Some Post-H.S.	877	108,604	11	1.9	00.3-03.5	866	98.1	96.5-99.7
College Graduate	876	68,462	9	1.9	00.5-03.3	867	98.1	96.7-99.5
Less than \$15,000	224	22,102	5	3.8	00.0-08.3	219	96.2	91.7-0100
\$15,000- 24,999	361	31,836	3	1.7	00.0-03.9	358	98.3	96.1-0100
\$25,000- 34,999	288	27,178	3	2.2	00.0-05.3	285	97.8	94.7-0100
\$35,000- 49,999	338	33,396	7	4.2	00.5-07.9	331	95.8	92.1-99.5
\$50,000- 74,999	405	39,671	4	0.9	00.0-01.9	401	99.1	98.1-0100
\$75,000+	609	63,740	6	1.5	00.0-03.1	603	98.5	96.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.