


# NORTH DAKOTA

## 2012 ADULT Land Line Only Module Variables Report

### Behavioral Risk Factor Surveillance System

June 2, 2013



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	467	44,287	8	4.2	00.0-09.1	16	4.7	02.0-07.4	90	24.0	18.9-29.1	186	38.6	33.3-43.9	167	28.6	24.1-33.1
Male	217	23,806	5	2.7	00.0-05.4	8	5.1	00.8-09.4	44	26.0	18.6-33.4	89	38.6	31.2-46.0	71	27.7	21.4-34.0
Female	250	20,481	3	5.9	00.0-15.9	8	4.3	00.8-07.8	46	21.6	14.9-28.3	97	38.5	30.7-46.3	96	29.6	22.9-36.3
Non-Native	448	41,557	8	4.5	00.0-09.8	13	4.4	01.5-07.3	84	22.5	17.4-27.6	179	38.8	33.3-44.3	164	29.8	25.1-34.5
45-54	51	7,107	2	6.1	00.0-14.7	1	2.2	00.0-06.5	29	57.3	42.2-72.4	19	34.4	19.9-48.9			
55-64	121	11,890	3	1.6	00.0-03.6	4	2.7	00.0-05.8	31	27.0	17.2-36.8	75	60.3	50.1-70.5	8	8.4	02.5-14.3
65+	280	21,211	2	0.6	00.0-01.4	7	2.5	00.5-04.5	21	7.0	03.9-10.1	91	34.9	28.6-41.2	159	54.9	48.4-61.4
Less Than H.S.	65	8,160	2	1.6	00.0-03.8	4	11.7	00.3-23.1	4	10.0	00.0-20.8	20	31.8	19.1-44.5	35	44.9	31.4-58.4
H.S. or G.E.D.	146	12,073	1	0.8	00.0-02.4	6	3.2	00.5-05.9	31	28.0	18.4-37.6	57	41.0	31.8-50.2	51	27.0	19.4-34.6
Some Post-H.S.	145	16,494	3	9.3	00.0-21.6	3	2.7	00.0-05.8	26	22.5	13.7-31.3	63	40.4	30.4-50.4	50	25.1	17.5-32.7
College Graduate	111	7,560	2	1.3	00.0-03.1	3	4.1	00.0-09.8	29	35.7	24.5-46.9	46	37.9	27.9-47.9	31	21.0	13.6-28.4
Less than \$15,000	64	6,570	2	5.2	00.0-13.4	6	13.2	02.2-24.2	11	21.6	08.3-34.9	26	39.5	24.8-54.2	19	20.5	10.9-30.1
\$15,000- 24,999	81	8,259	1	13.3	00.0-36.0	2	5.6	00.0-14.8	12	16.4	04.8-28.0	28	31.3	17.6-45.0	38	33.4	19.9-46.9
\$25,000- 34,999	70	6,450	1	1.1	00.0-03.3	4	3.2	00.0-06.7	14	31.4	15.5-47.3	19	26.5	14.2-38.8	32	37.8	24.3-51.3
\$35,000- 49,999	67	6,270	1	1.5	00.0-04.4				10	18.0	07.0-29.0	33	50.9	38.0-63.8	23	29.5	18.1-40.9
\$50,000- 74,999	54	4,926				1	1.2	00.0-03.6	16	33.0	18.3-47.7	26	46.8	32.1-61.5	11	19.0	07.8-30.2
\$75,000+	64	6,365	3	4.0	00.0-09.3	1	3.4	00.0-09.9	18	34.0	20.5-47.5	34	46.0	32.5-59.5	8	12.6	03.4-21.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	217	23,806	5	2.7	00.0-05.4	8	5.1	00.8-09.4	44	26.0	18.6-33.4	89	38.6	31.2-46.0	71	27.7	21.4-34.0
Non-Native	207	21,989	5	2.9	00.0-05.8	6	4.6	00.3-08.9	41	24.2	16.8-31.6	86	39.1	31.7-46.5	69	29.1	22.4-35.8
55-64	60	6,698	2	2.0	00.0-04.9	2	3.1	00.0-08.2	15	28.1	13.6-42.6	36	57.3	42.2-72.4	5	9.5	01.3-17.7
65+	118	10,611	1	0.7	00.0-02.1	3	2.3	00.0-05.0	7	5.8	01.1-10.5	41	35.2	25.8-44.6	66	56.1	46.5-65.7
H.S. or G.E.D.	69	7,144	1	1.4	00.0-04.1	3	3.4	00.0-07.3	12	24.4	10.3-38.5	34	49.3	35.6-63.0	19	21.5	11.7-31.3
Some Post-H.S.	63	8,165	2	5.3	00.0-12.7	1	1.9	00.0-05.6	15	28.0	15.3-40.7	25	38.7	25.6-51.8	20	26.0	15.0-37.0
College Graduate	57	4,234	1	0.9	00.0-02.7	2	5.9	00.0-15.7	14	32.9	17.8-48.0	24	37.7	23.8-51.6	16	22.6	11.6-33.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**  
**Denominator excludes: Respondents that reported not being diagnosed with diabetes**  
**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	250	20,481	3	5.9	00.0-15.9	8	4.3	00.8-07.8	46	21.6	14.9-28.3	97	38.5	30.7-46.3	96	29.6	22.9-36.3
Non-Native	241	19,568	3	6.2	00.0-16.6	7	4.2	00.5-07.9	43	20.5	14.0-27.0	93	38.5	30.5-46.5	95	30.6	23.7-37.5
55-64	61	5,191	1	1.1	00.0-03.3	2	2.2	00.0-05.3	16	25.6	13.8-37.4	39	64.1	51.0-77.2	3	6.9	00.0-14.7
65+	162	10,600	1	0.6	00.0-01.8	4	2.8	00.0-05.7	14	8.2	03.9-12.5	50	34.7	26.5-42.9	93	53.8	45.4-62.2
H.S. or G.E.D.	77	4,930				3	2.8	00.0-05.9	19	33.2	21.0-45.4	23	29.0	18.2-39.8	32	35.1	23.7-46.5
Some Post-H.S.	82	8,329	1	13.2	00.0-35.7	2	3.5	00.0-08.8	11	17.1	05.7-28.5	38	42.1	26.8-57.4	30	24.1	13.5-34.7
College Graduate	54	3,326	1	1.8	00.0-05.3	1	1.8	00.0-05.3	15	39.4	22.9-55.9	22	38.2	23.5-52.9	15	18.9	09.1-28.7
\$15,000- 24,999	50	4,690	1	23.4	00.0-59.1				6	13.2	01.2-25.2	20	33.7	13.7-53.7	23	29.7	11.9-47.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	485	45,438	157	33.8	28.1-39.5	328	66.2	60.5-71.9
Male	223	24,384	71	31.7	24.6-38.8	152	68.3	61.2-75.4
Female	262	21,053	86	36.2	27.2-45.2	176	63.8	54.8-72.8
Non-Native	464	42,543	144	32.6	26.7-38.5	320	67.4	61.5-73.3
45-54	50	6,816	17	35.2	20.5-49.9	33	64.8	50.1-79.5
55-64	123	12,030	49	34.6	25.2-44.0	74	65.4	56.0-74.8
65+	294	22,153	86	31.9	25.8-38.0	208	68.1	62.0-74.2
Less Than H.S.	70	8,701	22	30.6	18.8-42.4	48	69.4	57.6-81.2
H.S. or G.E.D.	150	12,306	51	34.4	25.6-43.2	99	65.6	56.8-74.4
Some Post-H.S.	148	16,486	43	34.2	22.6-45.8	105	65.8	54.2-77.4
College Graduate	117	7,944	41	35.3	25.1-45.5	76	64.7	54.5-74.9
Less than \$15,000	65	6,383	25	39.8	25.3-54.3	40	60.2	45.7-74.7
\$15,000- 24,999	83	8,358	23	33.7	14.1-53.3	60	66.3	46.7-85.9
\$25,000- 34,999	73	6,672	26	37.6	24.1-51.1	47	62.4	48.9-75.9
\$35,000- 49,999	69	6,453	19	28.9	17.3-40.5	50	71.1	59.5-82.7
\$50,000- 74,999	54	4,926	17	29.4	16.3-42.5	37	70.6	57.5-83.7
\$75,000+	66	6,459	22	32.6	19.7-45.5	44	67.4	54.5-80.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	223	24,384	71	31.7	24.6-38.8	152	68.3	61.2-75.4
Non-Native	213	22,568	65	30.8	23.7-37.9	148	69.2	62.1-76.3
55-64	60	6,698	22	31.5	18.2-44.8	38	68.5	55.2-81.8
65+	123	10,955	36	33.0	23.6-42.4	87	67.0	57.6-76.4
H.S. or G.E.D.	69	7,144	21	29.5	17.2-41.8	48	70.5	58.2-82.8
Some Post-H.S.	64	8,266	18	30.4	18.1-42.7	46	69.6	57.3-81.9
College Graduate	61	4,477	21	33.6	20.3-46.9	40	66.4	53.1-79.7
\$75,000+	50	4,990	17	31.2	17.1-45.3	33	68.8	54.7-82.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,053	86	36.2	27.2-45.2	176	63.8	54.8-72.8
Non-Native	251	19,975	79	34.6	25.4-43.8	172	65.4	56.2-74.6
55-64	63	5,332	27	38.4	25.7-51.1	36	61.6	48.9-74.3
65+	171	11,199	50	30.8	23.2-38.4	121	69.2	61.6-76.8
H.S. or G.E.D.	81	5,163	30	41.3	29.5-53.1	51	58.7	46.9-70.5
Some Post-H.S.	84	8,221	25	38.0	19.2-56.8	59	62.0	43.2-80.8
College Graduate	56	3,467	20	37.6	22.1-53.1	36	62.4	46.9-77.9
\$15,000- 24,999	52	4,789	15	42.8	14.8-70.8	37	57.2	29.2-85.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	45,520	49	10.2	07.1-13.3	132	28.4	22.7-34.1	293	59.0	53.1-64.9	10	2.4	00.6-04.2
Male	222	24,239	21	10.3	05.8-14.8	65	30.6	23.2-38.0	130	56.1	48.3-63.9	6	3.0	00.1-05.9
Female	262	21,281	28	10.1	06.0-14.2	67	25.9	16.9-34.9	163	62.4	53.6-71.2	4	1.7	00.0-03.5
Non-Native	463	42,625	48	10.8	07.5-14.1	128	28.4	22.5-34.3	277	58.3	52.4-64.2	10	2.5	00.7-04.3
45-54	51	7,107	6	10.7	02.1-19.3	14	25.1	11.8-38.4	30	60.3	45.4-75.2	1	3.9	00.0-11.3
55-64	122	11,885	15	12.7	06.0-19.4	29	22.4	14.4-30.4	73	61.6	51.8-71.4	5	3.3	00.0-06.6
65+	293	22,090	26	9.2	05.5-12.9	82	25.4	20.1-30.7	182	64.0	57.9-70.1	3	1.3	00.0-03.1
Less Than H.S.	70	8,701	9	13.0	04.2-21.8	20	26.3	14.3-38.3	41	60.6	47.5-73.7			
H.S. or G.E.D.	149	12,161	12	7.6	03.1-12.1	37	25.5	16.5-34.5	98	65.6	56.2-75.0	2	1.3	00.0-03.1
Some Post-H.S.	148	16,714	20	12.7	06.8-18.6	35	28.7	16.7-40.7	89	54.5	43.3-65.7	4	4.1	00.0-08.4
College Graduate	117	7,944	8	5.9	01.2-10.6	40	34.4	24.4-44.4	65	56.7	46.3-67.1	4	3.1	00.0-06.4
Less than \$15,000	66	6,674	9	12.6	03.6-21.6	11	15.9	04.7-27.1	44	66.6	52.3-80.9	2	4.9	00.0-12.9
\$15,000- 24,999	81	8,149	8	9.0	01.7-16.3	24	35.5	15.3-55.7	49	55.5	36.9-74.1			
\$25,000- 34,999	73	6,672	6	9.0	01.0-17.0	19	32.1	16.6-47.6	47	57.8	42.7-72.9	1	1.1	00.0-03.3
\$35,000- 49,999	69	6,453	5	6.8	00.7-12.9	19	28.7	16.9-40.5	43	61.1	48.6-73.6	2	3.5	00.0-08.8
\$50,000- 74,999	54	4,926	5	8.6	01.0-16.2	17	29.0	16.3-41.7	32	62.5	48.6-76.4			
\$75,000+	66	6,459	8	13.1	04.1-22.1	19	27.7	15.7-39.7	36	55.8	42.5-69.1	3	3.4	00.0-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	222	24,239	21	10.3	05.8-14.8	65	30.6	23.2-38.0	130	56.1	48.3-63.9	6	3.0	00.1-05.9
Non-Native	212	22,422	21	11.1	06.2-16.0	62	29.7	22.4-37.0	123	55.9	48.1-63.7	6	3.2	00.1-06.3
55-64	59	6,553	8	13.9	03.9-23.9	17	25.4	13.4-37.4	33	60.2	46.1-74.3	1	0.5	00.0-01.7
65+	123	10,955	7	7.4	01.7-13.1	35	25.6	17.6-33.6	78	64.3	55.1-73.5	3	2.7	00.0-06.2
H.S. or G.E.D.	68	6,998	4	6.4	00.1-12.7	16	28.3	14.4-42.2	47	64.2	50.1-78.3	1	1.1	00.0-03.3
Some Post-H.S.	64	8,266	9	12.7	04.5-20.9	14	26.3	13.0-39.6	39	55.4	41.5-69.3	2	5.5	00.0-13.1
College Graduate	61	4,477	4	7.0	00.0-14.4	27	45.4	31.5-59.3	27	43.3	29.4-57.2	3	4.4	00.0-09.9
\$75,000+	50	4,990	5	12.9	02.1-23.7	18	34.2	19.9-48.5	25	50.0	34.5-65.5	2	2.9	00.0-07.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,281	28	10.1	06.0-14.2	67	25.9	16.9-34.9	163	62.4	53.6-71.2	4	1.7	00.0-03.5
Non-Native	251	20,202	27	10.4	06.1-14.7	66	26.8	17.4-36.2	154	61.0	52.0-70.0	4	1.8	00.0-03.8
55-64	63	5,332	7	11.3	02.7-19.9	12	18.7	08.1-29.3	40	63.3	50.2-76.4	4	6.7	00.0-13.6
65+	170	11,135	19	11.0	05.9-16.1	47	25.3	18.2-32.4	104	63.7	55.9-71.5			
H.S. or G.E.D.	81	5,163	8	9.2	02.9-15.5	21	21.7	12.5-30.9	51	67.6	56.8-78.4	1	1.6	00.0-04.5
Some Post-H.S.	84	8,448	11	12.6	04.4-20.8	21	31.1	11.7-50.5	50	53.5	36.3-70.7	2	2.7	00.0-06.6
College Graduate	56	3,467	4	4.4	00.0-09.1	13	20.1	09.1-31.1	38	74.1	62.1-86.1	1	1.4	00.0-04.1
\$15,000- 24,999	51	4,726	7	12.1	00.9-23.3	16	40.4	11.4-69.4	28	47.5	22.6-72.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	478	45,166	267	57.7	52.2-63.2	114	23.0	18.5-27.5	35	6.9	04.4-09.4	10	1.7	00.5-02.9	52	10.7	07.4-14.0
Male	219	24,046	121	57.3	49.9-64.7	50	21.9	15.4-28.4	14	6.2	02.7-09.7	7	2.7	00.5-04.9	27	11.9	06.8-17.0
Female	259	21,119	146	58.2	50.4-66.0	64	24.3	17.8-30.8	21	7.6	03.7-11.5	3	0.6	00.0-01.4	25	9.3	05.2-13.4
Non-Native	459	42,423	255	58.3	52.8-63.8	109	21.8	17.5-26.1	35	7.3	04.6-10.0	9	1.6	00.4-02.8	51	10.9	07.6-14.2
45-54	50	6,963	29	57.7	42.4-73.0	12	22.6	09.9-35.3	5	11.5	00.9-22.1				4	8.2	00.4-16.0
55-64	123	12,030	76	60.4	50.4-70.4	23	20.2	11.8-28.6	10	7.0	02.3-11.7	3	2.4	00.0-05.1	11	10.0	04.1-15.9
65+	287	21,735	150	54.5	48.2-60.8	76	25.8	20.3-31.3	20	6.7	03.6-09.8	7	2.3	00.3-04.3	34	10.6	06.9-14.3
Less Than H.S.	69	8,598	37	53.9	40.4-67.4	18	23.6	12.6-34.6	5	7.6	00.9-14.3	1	1.6	00.0-04.7	8	13.3	02.9-23.7
H.S. or G.E.D.	145	11,955	76	54.5	45.1-63.9	38	27.1	18.5-35.7	9	4.8	01.5-08.1	4	2.2	00.0-04.6	18	11.4	05.9-16.9
Some Post-H.S.	147	16,669	88	61.5	51.7-71.3	33	20.5	12.9-28.1	11	7.8	02.5-13.1	1	0.6	00.0-01.8	14	9.5	04.2-14.8
College Graduate	117	7,944	66	58.8	48.6-69.0	25	21.4	12.4-30.4	10	7.3	02.8-11.8	4	3.4	00.0-07.1	12	9.1	03.6-14.6
Less than \$15,000	65	6,610	35	54.8	40.1-69.5	15	23.6	10.9-36.3	4	7.9	00.0-17.1	1	1.2	00.0-03.6	10	12.4	04.2-20.6
\$15,000- 24,999	80	8,218	46	62.5	47.0-78.0	18	18.2	08.0-28.4	5	5.1	00.0-10.2				11	14.1	02.9-25.3
\$25,000- 34,999	72	6,527	41	60.8	46.7-74.9	17	24.7	11.6-37.8	6	5.0	00.7-09.3	3	4.4	00.0-09.7	5	5.1	00.2-10.0
\$35,000- 49,999	69	6,453	43	63.1	50.9-75.3	13	20.8	10.0-31.6	6	6.9	01.4-12.4	2	3.3	00.0-07.8	5	5.8	00.7-10.9
\$50,000- 74,999	53	4,883	28	56.1	41.4-70.8	17	25.5	13.7-37.3	3	6.6	00.0-14.6				5	11.7	01.7-21.7
\$75,000+	66	6,459	37	55.8	42.5-69.1	12	19.7	08.3-31.1	5	7.4	00.5-14.3	2	1.6	00.0-04.0	10	15.4	06.0-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	24,046	121	57.3	49.9-64.7	50	21.9	15.4-28.4	14	6.2	02.7-09.7	7	2.7	00.5-04.9	27	11.9	07.0-16.8
Non-Native	210	22,333	116	58.3	50.9-65.7	48	20.4	14.5-26.3	14	6.7	03.0-10.4	6	2.5	00.3-04.7	26	12.0	06.9-17.1
55-64	60	6,698	34	58.9	44.6-73.2	15	24.2	11.5-36.9	4	6.3	00.0-13.0	3	4.3	00.0-09.2	4	6.3	00.0-12.6
65+	120	10,761	64	55.3	45.7-64.9	26	21.4	13.6-29.2	8	6.9	02.0-11.8	4	3.3	00.0-06.8	18	13.1	07.0-19.2
H.S. or G.E.D.	66	6,909	36	55.7	41.8-69.6	15	24.8	12.3-37.3	3	3.4	00.0-07.3	2	2.6	00.0-06.1	10	13.5	05.1-21.9
Some Post-H.S.	64	8,266	39	62.3	49.4-75.2	16	23.3	11.7-34.9	4	6.5	00.0-13.0	1	1.2	00.0-03.6	4	6.7	00.2-13.2
College Graduate	61	4,477	31	56.3	42.6-70.0	15	20.5	10.3-30.7	3	4.4	00.0-09.3	3	5.0	00.0-11.1	9	13.8	04.4-23.2
\$75,000+	50	4,990	26	55.7	40.8-70.6	8	14.6	04.4-24.8	5	9.5	00.9-18.1	2	2.1	00.0-05.2	9	17.9	06.5-29.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	21,119	146	58.2	50.4-66.0	64	24.3	17.8-30.8	21	7.6	03.7-11.5	3	0.6	00.0-01.4	25	9.3	05.2-13.4
Non-Native	249	20,090	139	58.2	50.2-66.2	61	23.4	17.1-29.7	21	8.0	03.9-12.1	3	0.7	00.0-01.5	25	9.8	05.5-14.1
55-64	63	5,332	42	62.3	49.0-75.6	8	15.2	04.8-25.6	6	7.9	01.6-14.2				7	14.5	04.1-24.9
65+	167	10,974	86	53.8	45.6-62.0	50	30.2	22.6-37.8	12	6.6	02.5-10.7	3	1.2	00.0-02.6	16	8.2	03.9-12.5
H.S. or G.E.D.	79	5,046	40	52.9	40.9-64.9	23	30.2	19.0-41.4	6	6.8	01.1-12.5	2	1.7	00.0-04.1	8	8.5	02.4-14.6
Some Post-H.S.	83	8,403	49	60.7	45.8-75.6	17	17.8	08.4-27.2	7	9.0	00.8-17.2				10	12.4	04.0-20.8
College Graduate	56	3,467	35	62.0	46.3-77.7	10	22.6	06.9-38.3	7	10.9	02.7-19.1	1	1.4	00.0-04.1	3	3.0	00.0-06.5
\$15,000- 24,999	51	4,740	27	62.1	40.7-83.5	13	21.1	06.4-35.8	4	5.9	00.0-12.6				7	10.8	00.4-21.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	475	44,941	86	16.8	13.1-20.5	124	26.1	21.2-31.0	64	13.4	09.9-16.9	80	17.5	12.2-22.8	49	10.5	07.2-13.8	72	15.8	11.9-19.7
Male	219	23,932	34	15.1	10.0-20.2	60	29.1	21.7-36.5	25	11.0	06.5-15.5	36	14.7	09.8-19.6	27	12.7	07.6-17.8	37	17.5	11.4-23.6
Female	256	21,009	52	18.7	13.0-24.4	64	22.6	16.5-28.7	39	16.2	10.5-21.9	44	20.6	11.2-30.0	22	8.1	04.2-12.0	35	13.8	08.9-18.7
Non-Native	455	42,116	85	17.5	13.6-21.4	118	25.6	20.7-30.5	60	13.5	09.8-17.2	78	18.0	12.5-23.5	42	8.6	05.7-11.5	72	16.8	12.7-20.9
45-54	51	7,107	7	13.7	03.3-24.1	15	30.3	16.0-44.6	10	20.8	08.6-33.0	8	12.3	03.7-20.9	5	12.4	01.2-23.6	6	10.6	02.2-19.0
55-64	122	11,960	21	17.0	09.6-24.4	34	26.4	17.2-35.6	17	14.5	07.6-21.4	25	19.8	12.2-27.4	10	7.9	02.0-13.8	15	14.5	07.1-21.9
65+	285	21,671	56	19.5	14.4-24.6	68	22.7	17.4-28.0	36	11.8	07.9-15.7	43	15.1	10.4-19.8	34	13.5	09.0-18.0	48	17.4	12.5-22.3
Less Than H.S.	69	8,466	12	15.0	06.4-23.6	14	20.9	09.1-32.7	8	12.5	03.1-21.9	7	10.4	03.0-17.8	11	14.3	05.5-23.1	17	27.0	14.7-39.3
H.S. or G.E.D.	143	11,988	26	17.2	10.3-24.1	39	28.1	18.9-37.3	25	17.9	10.6-25.2	23	16.4	09.5-23.3	14	10.5	04.2-16.8	16	9.8	04.7-14.9
Some Post-H.S.	146	16,543	28	17.6	10.7-24.5	39	27.5	18.3-36.7	20	12.1	06.4-17.8	26	21.0	09.0-33.0	9	6.5	01.8-11.2	24	15.2	08.7-21.7
College Graduate	117	7,944	20	16.2	08.4-24.0	32	25.5	16.9-34.1	11	10.2	03.9-16.5	24	19.1	11.5-26.7	15	15.0	06.6-23.4	15	14.0	06.0-22.0
Less than \$15,000	65	6,640	9	8.7	02.6-14.8	18	29.1	15.2-43.0	10	16.2	04.8-27.6	9	13.4	04.4-22.4	8	18.6	05.7-31.5	11	14.1	05.1-23.1
\$15,000- 24,999	78	8,108	17	19.1	08.3-29.9	19	21.6	09.3-33.9	9	10.2	02.6-17.8	10	21.2	00.0-43.2	6	5.4	00.5-10.3	17	22.4	09.5-35.3
\$25,000- 34,999	72	6,608	11	13.5	04.9-22.1	27	42.1	27.0-57.2	11	14.7	04.9-24.5	11	12.1	04.1-20.1	7	10.5	02.1-18.9	5	7.1	00.6-13.6
\$35,000- 49,999	67	6,283	11	13.2	05.2-21.2	14	21.6	10.8-32.4	11	16.8	07.4-26.2	14	20.5	10.3-30.7	6	8.2	01.7-14.7	11	19.7	08.3-31.1
\$50,000- 74,999	54	4,926	11	23.7	10.0-37.4	7	10.3	02.7-17.9	6	13.1	02.7-23.5	14	23.3	11.1-35.5	5	6.3	00.6-12.0	11	23.3	10.6-36.0
\$75,000+	66	6,459	13	18.5	07.9-29.1	21	30.9	18.6-43.2	8	12.1	03.7-20.5	10	15.7	06.1-25.3	7	12.0	02.4-21.6	7	10.8	02.0-19.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	23,932	34	15.1	10.0-20.2	60	29.1	21.7-36.5	25	11.0	06.5-15.5	36	14.7	09.8-19.6	27	12.7	07.6-17.8	37	17.5	11.4-23.6
Non-Native	209	22,115	34	16.3	10.8-21.8	57	28.1	20.8-35.4	23	11.2	06.5-15.9	35	15.1	10.0-20.2	23	10.4	05.9-14.9	37	18.9	12.4-25.4
55-64	60	6,698	11	18.1	07.1-29.1	19	30.7	16.8-44.6	8	14.4	04.6-24.2	11	16.9	06.7-27.1	4	8.2	00.0-17.6	7	11.7	02.3-21.1
65+	120	10,737	19	16.7	09.4-24.0	30	24.2	16.0-32.4	12	8.2	03.5-12.9	18	14.7	07.6-21.8	19	17.4	09.8-25.0	22	18.8	11.2-26.4
H.S. or G.E.D.	67	7,026	11	15.3	05.9-24.7	18	29.7	16.0-43.4	13	19.0	08.6-29.4	12	17.1	07.3-26.9	7	11.0	01.6-20.4	6	8.0	01.5-14.5
Some Post-H.S.	63	8,165	10	15.4	06.4-24.4	16	29.4	15.7-43.1	7	11.4	03.0-19.8	11	15.8	06.4-25.2	7	11.1	02.3-19.9	12	16.9	07.5-26.3
College Graduate	61	4,477	10	18.3	06.3-30.3	18	27.1	15.1-39.1	3	5.0	00.0-10.9	10	14.2	05.2-23.2	8	14.0	04.4-23.6	12	21.5	08.6-34.4
\$75,000+	50	4,990	7	16.0	03.7-28.3	17	32.6	18.3-46.9	5	9.3	00.7-17.9	10	20.4	08.1-32.7	5	9.1	01.1-17.1	6	12.7	01.5-23.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	256	21,009	52	18.7	13.0-24.4	64	22.6	16.5-28.7	39	16.2	10.5-21.9	44	20.6	11.2-30.0	22	8.1	04.2-12.0	35	13.8	08.9-18.7
Non-Native	246	20,001	51	18.8	12.9-24.7	61	22.8	16.5-29.1	37	16.1	10.2-22.0	43	21.2	11.4-31.0	19	6.6	03.5-09.7	35	14.5	09.4-19.6
55-64	62	5,262	10	15.6	05.8-25.4	15	20.8	10.6-31.0	9	14.6	05.0-24.2	14	23.4	11.6-35.2	6	7.5	01.6-13.4	8	18.1	06.5-29.7
65+	165	10,934	37	22.3	15.2-29.4	38	21.3	14.6-28.0	24	15.3	09.0-21.6	25	15.4	09.3-21.5	15	9.7	04.8-14.6	26	16.1	10.0-22.2
H.S. or G.E.D.	76	4,961	15	19.9	10.1-29.7	21	25.8	15.2-36.4	12	16.4	07.2-25.6	11	15.6	06.6-24.6	7	9.8	02.7-16.9	10	12.5	04.9-20.1
Some Post-H.S.	83	8,378	18	19.7	08.9-30.5	23	25.7	13.5-37.9	13	12.9	04.9-20.9	15	26.1	05.7-46.5	2	2.1	00.0-05.0	12	13.5	04.9-22.1
College Graduate	56	3,467	10	13.6	04.8-22.4	14	23.3	11.3-35.3	8	16.9	05.1-28.7	14	25.5	12.6-38.4	7	16.4	01.9-30.9	3	4.3	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	460	43,657	246	53.0	47.1-58.9	137	30.3	24.6-36.0	7	2.0	00.0-04.0	3	0.6	00.0-01.4	51	9.7	06.8-12.6	16	4.5	01.8-07.2
Male	209	23,054	110	51.3	43.3-59.3	63	29.3	22.4-36.2	1	1.3	00.0-03.8	2	0.7	00.0-01.9	26	11.8	07.1-16.5	7	5.7	01.0-10.4
Female	251	20,603	136	54.9	46.3-63.5	74	31.5	22.3-40.7	6	2.7	00.0-05.4	1	0.4	00.0-01.2	25	7.5	04.2-10.8	9	3.1	00.7-05.5
Non-Native	443	41,162	237	53.0	47.1-58.9	134	31.6	25.7-37.5	5	0.7	00.1-01.3	3	0.6	00.0-01.4	49	9.5	06.6-12.4	15	4.5	01.6-07.4
45-54	50	6,949	25	52.1	36.8-67.4	18	35.3	20.8-49.8	1	3.8	00.0-11.1				6	8.9	01.5-16.3			
55-64	119	11,559	63	53.1	42.7-63.5	44	34.8	25.2-44.4	2	3.2	00.0-08.3				7	5.3	01.2-09.4	3	3.7	00.0-08.0
65+	274	20,783	149	54.4	47.9-60.9	69	24.6	19.1-30.1	4	1.1	00.0-02.3	3	1.2	00.0-02.6	37	13.5	09.0-18.0	12	5.2	01.9-08.5
Less Than H.S.	62	7,847	32	55.7	41.8-69.6	10	15.0	05.6-24.4	1	1.1	00.0-03.3	1	1.1	00.0-03.3	12	15.6	06.6-24.6	6	11.3	02.3-20.3
H.S. or G.E.D.	139	11,635	71	48.6	39.0-58.2	43	33.4	24.4-42.4	2	3.2	00.0-08.3				17	8.8	04.3-13.3	6	6.1	00.0-13.5
Some Post-H.S.	144	16,349	82	55.0	43.8-66.2	42	33.1	21.3-44.9	1	0.3	00.0-00.9	2	1.0	00.0-02.6	15	9.0	04.1-13.9	2	1.5	00.0-03.9
College Graduate	115	7,825	61	52.4	41.8-63.0	42	35.1	25.3-44.9	3	4.4	00.0-10.9				7	6.8	00.5-13.1	2	1.3	00.0-03.1
Less than \$15,000	64	6,451	28	50.6	35.7-65.5	13	18.9	07.5-30.3	3	6.8	00.0-16.0				17	18.8	09.2-28.4	3	4.9	00.0-11.4
\$15,000- 24,999	75	7,844	41	50.9	32.5-69.3	25	39.4	19.4-59.4				1	1.1	00.0-03.3	7	6.7	00.8-12.6	1	1.8	00.0-05.3
\$25,000- 34,999	69	6,426	39	53.3	38.4-68.2	18	23.0	11.4-34.6				1	0.8	00.0-02.4	7	9.4	02.3-16.5	4	13.5	00.0-27.6
\$35,000- 49,999	64	6,044	34	51.2	37.9-64.5	25	39.3	26.6-52.0							5	9.4	00.2-18.6			
\$50,000- 74,999	54	4,926	28	53.5	38.8-68.2	20	37.8	23.3-52.3							4	6.1	00.0-12.2	2	2.6	00.0-06.3
\$75,000+	65	6,301	39	55.9	42.2-69.6	19	28.0	16.0-40.0	1	4.2	00.0-12.0	1	1.9	00.0-05.6	3	6.0	00.0-12.9	2	4.0	00.0-09.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	209	23,054	110	51.3	43.3-59.3	63	29.3	22.4-36.2	1	1.3	00.0-03.8	2	0.7	00.0-01.9	26	11.8	07.1-16.5	7	5.7	00.8-10.6
Non-Native	201	21,513	107	51.4	43.4-59.4	61	30.6	23.5-37.7				2	0.8	00.0-02.0	24	11.1	06.4-15.8	7	6.1	01.0-11.2
55-64	58	6,352	32	54.1	39.0-69.2	19	32.5	19.0-46.0	1	4.8	00.0-14.0				5	5.4	00.3-10.5	1	3.2	00.0-09.5
65+	112	10,129	61	52.1	41.9-62.3	29	23.8	15.6-32.0				2	1.7	00.0-04.2	15	15.9	08.3-23.5	5	6.5	00.4-12.6
H.S. or G.E.D.	63	6,691	32	45.7	31.6-59.8	23	35.4	22.1-48.7	1	4.6	00.0-13.2				6	7.8	01.5-14.1	1	6.6	00.0-18.9
Some Post-H.S.	60	7,907	32	54.6	40.7-68.5	18	30.6	17.7-43.5				2	2.1	00.0-05.2	6	9.4	02.0-16.8	2	3.2	00.0-07.9
College Graduate	60	4,409	36	58.3	44.0-72.6	17	29.5	17.0-42.0							6	11.1	00.3-21.9	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	251	20,603	136	54.9	46.3-63.5	74	31.5	22.3-40.7	6	2.7	00.0-05.4	1	0.4	00.0-01.2	25	7.5	04.2-10.8	9	3.1	00.7-05.5
Non-Native	242	19,648	130	54.8	45.8-63.8	73	32.6	23.2-42.0	5	1.4	00.0-02.8	1	0.5	00.0-01.5	25	7.9	04.6-11.2	8	2.8	00.6-05.0
55-64	61	5,207	31	51.8	38.1-65.5	25	37.6	24.5-50.7	1	1.1	00.0-03.3				2	5.2	00.0-12.3	2	4.3	00.0-10.4
65+	162	10,654	88	56.6	48.4-64.8	40	25.4	18.0-32.8	4	2.1	00.0-04.3	1	0.8	00.0-02.4	22	11.1	06.4-15.8	7	3.9	00.8-07.0
H.S. or G.E.D.	76	4,945	39	52.5	40.5-64.5	20	30.7	19.1-42.3	1	1.4	00.0-04.1				11	10.1	04.0-16.2	5	5.3	00.4-10.2
Some Post-H.S.	84	8,442	50	55.4	38.0-72.8	24	35.4	16.4-54.4	1	0.5	00.0-01.5				9	8.7	02.4-15.0			
College Graduate	55	3,416	25	44.8	29.7-59.9	25	42.4	27.3-57.5	3	10.1	00.0-24.2				1	1.2	00.0-03.6	1	1.5	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Respondents that reported having no feet  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	480	45,231	120	25.6	20.7-30.5	112	22.5	18.0-27.0	47	11.0	07.7-14.3	62	14.0	08.9-19.1	30	6.2	03.7-08.7	109	20.7	16.6-24.8
Male	219	24,066	51	24.6	17.7-31.5	55	24.7	17.8-31.6	23	12.2	07.1-17.3	26	10.6	06.3-14.9	12	6.3	02.4-10.2	52	21.6	15.7-27.5
Female	261	21,165	69	26.6	19.7-33.5	57	20.0	14.3-25.7	24	9.6	05.5-13.7	36	17.8	08.4-27.2	18	6.2	03.1-09.3	57	19.7	14.0-25.4
Non-Native	463	42,672	116	25.5	20.6-30.4	107	22.1	17.6-26.6	47	11.6	08.1-15.1	60	14.2	08.9-19.5	29	5.9	03.5-08.3	104	20.7	16.4-25.0
45-54	51	7,107	12	24.7	11.4-38.0	13	25.7	12.0-39.4	9	17.9	06.3-29.5	5	8.2	00.8-15.6	4	6.6	00.0-13.3	8	16.8	05.4-28.2
55-64	121	11,888	31	24.0	15.8-32.2	32	26.5	17.1-35.9	12	13.1	05.8-20.4	16	11.7	05.8-17.6	6	5.8	00.1-11.5	24	18.9	11.1-26.7
65+	290	21,798	71	24.9	19.4-30.4	63	20.4	15.5-25.3	25	8.7	05.0-12.4	39	14.5	09.8-19.2	20	7.6	03.9-11.3	72	23.8	18.5-29.1
Less Than H.S.	68	8,528	14	24.8	12.1-37.5	10	14.0	03.4-24.6	6	9.2	01.4-17.0	11	13.5	05.5-21.5	5	7.3	00.6-14.0	22	31.3	19.1-43.5
H.S. or G.E.D.	147	12,045	33	20.1	13.2-27.0	42	32.5	23.1-41.9	15	11.6	05.3-17.9	17	11.8	06.1-17.5	9	7.1	01.4-12.8	31	16.9	10.4-23.4
Some Post-H.S.	148	16,715	46	31.1	21.7-40.5	30	18.0	10.7-25.3	16	11.9	05.6-18.2	18	16.0	04.2-27.8	8	5.0	01.3-08.7	30	18.0	11.3-24.7
College Graduate	117	7,944	27	22.9	14.1-31.7	30	26.2	16.8-35.6	10	9.9	03.4-16.4	16	13.5	06.4-20.6	8	6.5	01.8-11.2	26	21.0	12.4-29.6
Less than \$15,000	64	6,493	13	23.6	10.1-37.1	17	24.2	11.5-36.9	4	8.2	00.0-17.4	8	11.2	03.0-19.4	4	8.6	00.0-18.4	18	24.1	11.9-36.3
\$15,000- 24,999	82	8,288	18	19.6	07.8-31.4	19	20.7	08.7-32.7	8	6.8	00.9-12.7	11	23.6	02.4-44.8	9	10.9	03.1-18.7	17	18.4	08.0-28.8
\$25,000- 34,999	73	6,672	16	25.0	11.7-38.3	17	22.7	09.4-36.0	10	16.6	06.0-27.2	6	5.4	00.5-10.3	3	6.1	00.0-13.4	21	24.1	13.3-34.9
\$35,000- 49,999	69	6,453	20	26.7	15.5-37.9	13	19.6	09.4-29.8	8	14.1	05.1-23.1	14	18.9	09.3-28.5	2	3.3	00.0-07.8	12	17.3	07.1-27.5
\$50,000- 74,999	52	4,784	16	31.9	17.2-46.6	11	22.0	09.7-34.3	4	9.8	00.0-19.8	10	14.9	05.5-24.3	4	5.6	00.1-11.1	7	15.8	04.6-27.0
\$75,000+	66	6,459	17	28.4	16.1-40.7	21	31.5	18.8-44.2	7	9.7	02.1-17.3	3	7.5	00.0-15.7	2	2.3	00.0-05.4	16	20.7	10.5-30.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	24,066	51	24.6	17.7-31.5	55	24.7	17.6-31.8	23	12.2	07.1-17.3	26	10.6	06.3-14.9	12	6.3	02.4-10.2	52	21.6	15.7-27.5
Non-Native	212	22,506	50	24.6	17.9-31.3	53	24.8	17.7-31.9	23	13.0	07.5-18.5	25	10.6	06.3-14.9	11	5.4	02.1-08.7	50	21.7	15.6-27.8
55-64	59	6,636	15	24.2	12.2-36.2	17	29.5	15.2-43.8	6	12.8	02.8-22.8	4	7.2	00.1-14.3	4	8.6	00.0-18.2	13	17.7	06.9-28.5
65+	120	10,699	27	23.3	14.9-31.7	30	23.0	15.2-30.8	10	8.5	03.0-14.0	18	14.8	07.7-21.9	6	6.0	00.7-11.3	29	24.4	16.0-32.8
H.S. or G.E.D.	68	7,061	13	16.3	07.5-25.1	23	36.0	22.1-49.9	9	13.8	04.2-23.4	9	12.1	04.3-19.9	3	7.1	00.0-15.9	11	14.7	05.5-23.9
Some Post-H.S.	63	8,203	18	31.1	18.2-44.0	13	21.4	09.8-33.0	7	13.2	03.4-23.0	8	10.6	03.0-18.2	5	6.5	00.4-12.6	12	17.2	07.8-26.6
College Graduate	61	4,477	14	25.3	12.4-38.2	16	22.4	11.8-33.0	4	7.3	00.0-14.7	7	11.4	01.8-21.0	2	4.3	00.0-10.4	18	29.1	15.8-42.4
\$75,000+	50	4,990	13	31.3	16.4-46.2	14	25.2	12.1-38.3	4	6.7	00.0-14.0	3	9.7	00.0-20.3	2	2.9	00.0-07.0	14	24.2	11.7-36.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	261	21,165	69	26.6	19.9-33.3	57	20.0	14.3-25.7	24	9.6	05.5-13.7	36	17.8	08.4-27.2	18	6.2	03.1-09.3	57	19.7	14.0-25.4
Non-Native	251	20,167	66	26.4	19.5-33.3	54	19.1	13.6-24.6	24	10.1	05.6-14.6	35	18.3	08.5-28.1	18	6.5	03.4-09.6	54	19.5	13.6-25.4
55-64	62	5,252	16	23.8	12.4-35.2	15	22.7	11.5-33.9	6	13.6	03.0-24.2	12	17.3	07.9-26.7	2	2.3	00.0-05.4	11	20.3	08.9-31.7
65+	170	11,100	44	26.4	19.1-33.7	33	18.0	11.9-24.1	15	8.9	04.2-13.6	21	14.2	08.1-20.3	14	9.2	04.1-14.3	43	23.3	16.6-30.0
H.S. or G.E.D.	79	4,984	20	25.6	15.0-36.2	19	27.5	16.3-38.7	6	8.6	01.3-15.9	8	11.3	03.3-19.3	6	7.0	01.1-12.9	20	20.0	11.4-28.6
Some Post-H.S.	85	8,512	28	31.1	17.8-44.4	17	14.7	06.9-22.5	9	10.7	02.9-18.5	10	21.2	00.4-42.0	3	3.6	00.0-07.7	18	18.7	08.9-28.5
College Graduate	56	3,467	13	19.7	08.9-30.5	14	31.1	15.2-47.0	6	13.2	02.2-24.2	9	16.3	05.9-26.7	6	9.2	01.8-16.6	8	10.5	02.9-18.1
\$15,000- 24,999	52	4,789	12	16.6	04.6-28.6	9	12.4	02.0-22.8	5	6.5	00.0-13.9	7	33.0	01.4-64.6	7	12.7	01.9-23.5	12	18.7	05.0-32.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	481	45,336	93	17.4	13.7-21.1	268	54.5	48.8-60.2	53	12.0	08.5-15.5	60	14.6	10.3-18.9	7	1.5	00.3-02.7
Male	219	24,052	37	17.1	11.4-22.8	125	53.3	45.5-61.1	26	11.2	06.7-15.7	28	16.9	10.0-23.8	3	1.5	00.0-03.5
Female	262	21,284	56	17.8	12.7-22.9	143	55.8	47.8-63.8	27	12.9	07.4-18.4	32	12.1	07.4-16.8	4	1.5	00.0-03.1
Non-Native	460	42,441	87	17.2	13.3-21.1	260	55.4	49.7-61.1	50	11.9	08.4-15.4	56	14.0	09.9-18.1	7	1.6	00.2-03.0
45-54	50	7,034	8	12.2	03.6-20.8	26	54.1	39.2-69.0	7	16.5	04.5-28.5	9	17.2	06.2-28.2			
55-64	122	11,968	19	13.5	07.4-19.6	61	51.6	41.4-61.8	18	15.3	08.0-22.6	20	15.5	08.4-22.6	4	4.2	00.0-08.5
65+	291	21,896	61	20.9	15.6-26.2	175	59.9	53.6-66.2	27	10.3	06.4-14.2	25	8.1	04.8-11.4	3	0.8	00.0-01.8
Less Than H.S.	69	8,641	13	19.7	09.1-30.3	35	46.0	32.5-59.5	6	7.9	01.4-14.4	13	22.4	10.2-34.6	2	4.0	00.0-09.5
H.S. or G.E.D.	149	12,228	35	19.1	12.4-25.8	83	57.3	47.9-66.7	10	6.9	02.6-11.2	20	15.9	07.7-24.1	1	0.8	00.0-02.4
Some Post-H.S.	147	16,596	26	15.8	09.3-22.3	82	55.5	45.1-65.9	22	17.1	09.8-24.4	15	11.0	04.5-17.5	2	0.7	00.0-01.7
College Graduate	116	7,871	19	15.8	08.2-23.4	68	57.2	46.6-67.8	15	13.4	05.4-21.4	12	12.0	04.4-19.6	2	1.5	00.0-03.7
Less than \$15,000	66	6,674	17	20.3	09.7-30.9	33	58.7	44.6-72.8	3	2.7	00.0-06.0	11	14.2	04.2-24.2	2	4.0	00.0-10.1
\$15,000- 24,999	82	8,280	14	11.5	04.4-18.6	46	61.4	45.9-76.9	11	12.3	03.9-20.7	9	12.4	02.0-22.8	2	2.4	00.0-06.1
\$25,000- 34,999	72	6,553	12	13.6	04.4-22.8	41	50.6	35.9-65.3	10	14.2	05.2-23.2	7	19.1	03.4-34.8	2	2.5	00.0-06.0
\$35,000- 49,999	69	6,453	15	23.2	12.2-34.2	36	48.4	35.7-61.1	9	13.7	05.1-22.3	8	13.9	04.1-23.7	1	0.8	00.0-02.4
\$50,000- 74,999	53	4,864	9	13.1	04.7-21.5	35	63.3	48.4-78.2	4	11.4	00.0-23.7	5	12.2	01.6-22.8			
\$75,000+	65	6,386	10	18.5	07.5-29.5	39	55.1	41.4-68.8	8	15.1	04.1-26.1	8	11.3	02.3-20.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	24,052	37	17.1	11.4-22.8	125	53.3	45.5-61.1	26	11.2	06.7-15.7	28	16.9	10.0-23.8	3	1.5	00.0-03.5
Non-Native	209	22,236	33	16.4	10.7-22.1	122	54.4	46.6-62.2	25	11.8	07.1-16.5	26	15.8	09.1-22.5	3	1.7	00.0-03.9
55-64	59	6,636	6	8.9	01.6-16.2	31	54.9	40.4-69.4	7	12.3	03.1-21.5	13	19.4	08.6-30.2	2	4.6	00.0-11.1
65+	121	10,758	25	24.0	15.2-32.8	75	59.4	49.8-69.0	15	12.6	06.1-19.1	5	3.4	00.1-06.7	1	0.6	00.0-01.8
H.S. or G.E.D.	68	7,066	11	14.4	06.0-22.8	42	60.2	46.3-74.1	5	6.6	00.9-12.3	9	17.5	04.6-30.4	1	1.4	00.0-04.1
Some Post-H.S.	62	8,085	9	13.6	04.6-22.6	35	53.3	39.6-67.0	11	17.7	07.7-27.7	7	15.3	03.5-27.1			
College Graduate	60	4,404	9	16.6	05.0-28.2	37	60.2	45.5-74.9	6	7.1	01.0-13.2	7	14.5	02.7-26.3	1	1.6	00.0-04.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,284	56	17.8	12.7-22.9	143	55.8	47.8-63.8	27	12.9	07.4-18.4	32	12.1	07.4-16.8	4	1.5	00.0-03.1
Non-Native	251	20,205	54	18.0	12.7-23.3	138	56.4	48.2-64.6	25	12.0	06.7-17.3	30	12.0	07.3-16.7	4	1.5	00.0-03.3
55-64	63	5,332	13	19.2	09.0-29.4	30	47.5	34.0-61.0	11	19.0	07.6-30.4	7	10.6	02.4-18.8	2	3.7	00.0-09.2
65+	170	11,138	36	18.0	12.1-23.9	100	60.5	52.5-68.5	12	8.0	03.3-12.7	20	12.5	06.8-18.2	2	1.0	00.0-02.4
H.S. or G.E.D.	81	5,163	24	25.5	15.5-35.5	41	53.4	41.6-65.2	5	7.4	00.9-13.9	11	13.7	05.7-21.7			
Some Post-H.S.	85	8,512	17	17.8	08.4-27.2	47	57.5	42.2-72.8	11	16.5	05.9-27.1	8	6.8	01.5-12.1	2	1.4	00.0-03.4
College Graduate	56	3,467	10	14.9	05.7-24.1	31	53.4	37.9-68.9	9	21.4	05.9-36.9	5	8.8	00.8-16.8	1	1.5	00.0-04.4
\$15,000- 24,999	52	4,789	10	13.2	02.8-23.6	27	59.0	36.7-81.3	7	13.1	00.9-25.3	6	10.5	00.9-20.1	2	4.1	00.0-10.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	482	45,350	65	15.6	11.5-19.7	417	84.4	80.3-88.5
Male	220	24,055	35	18.8	12.5-25.1	185	81.2	74.9-87.5
Female	262	21,295	30	12.0	07.3-16.7	232	88.0	83.3-92.7
Non-Native	461	42,455	58	14.7	10.6-18.8	403	85.3	81.2-89.4
45-54	51	7,107	9	20.8	07.9-33.7	42	79.2	66.3-92.1
55-64	123	12,030	19	13.8	07.5-20.1	104	86.2	79.9-92.5
65+	290	21,775	33	13.2	08.7-17.7	257	86.8	82.3-91.3
Less Than H.S.	70	8,701	10	19.9	07.7-32.1	60	80.1	67.9-92.3
H.S. or G.E.D.	148	12,165	29	17.5	11.0-24.0	119	82.5	76.0-89.0
Some Post-H.S.	147	16,540	15	12.5	06.0-19.0	132	87.5	81.0-94.0
College Graduate	117	7,944	11	14.2	05.2-23.2	106	85.8	76.8-94.8
Less than \$15,000	66	6,674	16	25.2	12.7-37.7	50	74.8	62.3-87.3
\$15,000- 24,999	81	8,216	10	14.1	03.1-25.1	71	85.9	74.9-96.9
\$25,000- 34,999	73	6,672	11	13.6	04.6-22.6	62	86.4	77.4-95.4
\$35,000- 49,999	67	6,216	9	16.0	06.0-26.0	58	84.0	74.0-94.0
\$50,000- 74,999	54	4,926	5	11.0	01.4-20.6	49	89.0	79.4-98.6
\$75,000+	66	6,459	8	16.0	04.4-27.6	58	84.0	72.4-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	220	24,055	35	18.8	12.5-25.1	185	81.2	74.9-87.5
Non-Native	210	22,239	31	18.3	11.8-24.8	179	81.7	75.2-88.2
55-64	60	6,698	9	12.7	04.1-21.3	51	87.3	78.7-95.9
65+	120	10,626	16	15.9	08.3-23.5	104	84.1	76.5-91.7
H.S. or G.E.D.	68	7,051	13	15.7	06.9-24.5	55	84.3	75.5-93.1
Some Post-H.S.	62	8,029	8	16.0	05.2-26.8	54	84.0	73.2-94.8
College Graduate	61	4,477	7	15.0	03.4-26.6	54	85.0	73.4-96.6
\$75,000+	50	4,990	5	13.1	01.3-24.9	45	86.9	75.1-98.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	262	21,295	30	12.0	07.3-16.7	232	88.0	83.3-92.7
Non-Native	251	20,216	27	10.6	06.3-14.9	224	89.4	85.1-93.7
55-64	63	5,332	10	15.3	05.9-24.7	53	84.7	75.3-94.1
65+	170	11,149	17	10.6	05.5-15.7	153	89.4	84.3-94.5
H.S. or G.E.D.	80	5,113	16	20.1	10.9-29.3	64	79.9	70.7-89.1
Some Post-H.S.	85	8,512	7	9.2	01.9-16.5	78	90.8	83.5-98.1
College Graduate	56	3,467	4	13.1	00.0-27.6	52	86.9	72.4-0100
\$15,000- 24,999	51	4,740	6	11.6	01.0-22.2	45	88.4	77.8-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	480	45,275	269	55.8	50.1-61.5	211	44.2	38.5-49.9
Male	221	24,097	116	49.6	42.0-57.2	105	50.4	42.8-58.0
Female	259	21,178	153	62.9	55.5-70.3	106	37.1	29.7-44.5
Non-Native	459	42,380	260	56.9	51.2-62.6	199	43.1	37.4-48.8
45-54	51	7,107	28	55.9	41.2-70.6	23	44.1	29.4-58.8
55-64	123	12,030	81	61.1	50.7-71.5	42	38.9	28.5-49.3
65+	288	21,700	151	54.2	47.9-60.5	137	45.8	39.5-52.1
Less Than H.S.	67	8,353	31	39.0	26.3-51.7	36	61.0	48.3-73.7
H.S. or G.E.D.	148	12,238	79	53.4	43.8-63.0	69	46.6	37.0-56.2
Some Post-H.S.	149	16,777	87	63.1	53.5-72.7	62	36.9	27.3-46.5
College Graduate	116	7,907	72	61.6	51.4-71.8	44	38.4	28.2-48.6
Less than \$15,000	64	6,579	29	45.4	30.5-60.3	35	54.6	39.7-69.5
\$15,000- 24,999	83	8,358	43	54.2	37.3-71.1	40	45.8	28.9-62.7
\$25,000- 34,999	71	6,384	46	55.8	40.5-71.1	25	44.2	28.9-59.5
\$35,000- 49,999	69	6,453	44	69.0	57.6-80.4	25	31.0	19.6-42.4
\$50,000- 74,999	54	4,926	29	55.7	41.0-70.4	25	44.3	29.6-59.0
\$75,000+	66	6,459	43	62.9	49.6-76.2	23	37.1	23.8-50.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**  
**Denominator excludes: Respondents that reported not being diagnosed with diabetes**  
**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	221	24,097	116	49.6	42.0-57.2	105	50.4	42.8-58.0
Non-Native	211	22,281	113	51.0	43.4-58.6	98	49.0	41.4-56.6
55-64	60	6,698	36	52.6	37.7-67.5	24	47.4	32.5-62.3
65+	121	10,667	60	50.3	40.7-59.9	61	49.7	40.1-59.3
H.S. or G.E.D.	69	7,144	38	51.1	37.2-65.0	31	48.9	35.0-62.8
Some Post-H.S.	64	8,266	35	54.4	41.1-67.7	29	45.6	32.3-58.9
College Graduate	61	4,477	34	59.2	45.7-72.7	27	40.8	27.3-54.3
\$75,000+	50	4,990	32	63.8	48.9-78.7	18	36.2	21.3-51.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2012  
MODULE 2: DIABETES**

**TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**  
**Denominator excludes: Respondents that reported not being diagnosed with diabetes**  
**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	259	21,178	153	62.9	55.5-70.3	106	37.1	29.7-44.5
Non-Native	248	20,100	147	63.5	55.9-71.1	101	36.5	28.9-44.1
55-64	63	5,332	45	71.6	59.3-83.9	18	28.4	16.1-40.7
65+	167	11,032	91	58.0	50.0-66.0	76	42.0	34.0-50.0
H.S. or G.E.D.	79	5,094	41	56.8	45.0-68.6	38	43.2	31.4-55.0
Some Post-H.S.	85	8,512	52	71.6	59.8-83.4	33	28.4	16.6-40.2
College Graduate	55	3,430	38	64.7	48.8-80.6	17	35.3	19.4-51.2
\$15,000- 24,999	52	4,789	29	66.9	47.9-85.9	23	33.1	14.1-52.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'