


NORTH DAKOTA

2013 Calculated Variables Report

Behavioral Risk Factor Surveillance System

September 19, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7788	557,401	4899	70.3	68.9-71.7	2889	29.7	28.3-31.1
Male	3512	281,535	2154	68.1	66.1-70.1	1358	31.9	29.9-33.9
Female	4276	275,866	2745	72.4	70.6-74.2	1531	27.6	25.8-29.4
18-24	494	84,419	473	95.9	93.7-98.1	21	4.1	01.9-06.3
25-34	897	98,657	780	87.0	84.1-89.9	117	13.0	10.1-15.9
35-44	870	78,655	719	81.7	78.4-85.0	151	18.3	15.0-21.6
45-54	1319	91,421	922	69.4	66.1-72.7	397	30.6	27.3-33.9
55-64	1705	90,813	984	56.6	53.5-59.7	721	43.4	40.3-46.5
65+	2432	108,959	975	39.5	37.0-42.0	1457	60.5	58.0-63.0
Less Than H.S.	520	52,847	244	58.2	52.3-64.1	276	41.8	35.9-47.7
H.S. or G.E.D.	2405	151,050	1432	68.2	65.8-70.6	973	31.8	29.4-34.2
Some Post-H.S.	2524	215,443	1567	70.3	67.9-72.7	957	29.7	27.3-32.1
College Graduate	2314	136,393	1640	77.4	75.2-79.6	674	22.6	20.4-24.8
Less than \$15,000	501	45,879	262	66.5	60.8-72.2	239	33.5	27.8-39.2
\$15,000- 24,999	928	70,092	473	59.3	54.8-63.8	455	40.7	36.2-45.2
\$25,000- 34,999	709	49,390	419	68.4	63.7-73.1	290	31.6	26.9-36.3
\$35,000- 49,999	1044	72,154	629	67.2	63.3-71.1	415	32.8	28.9-36.7
\$50,000- 74,999	1258	94,203	844	75.4	72.5-78.3	414	24.6	21.7-27.5
\$75,000+	2327	155,029	1671	76.8	74.6-79.0	656	23.2	21.0-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3512	281,535	2154	68.1	66.1-70.1	1358	31.9	29.9-33.9
18-24	285	45,130	268	94.1	90.6-97.6	17	5.9	02.4-09.4
25-34	448	52,359	366	83.2	78.9-87.5	82	16.8	12.5-21.1
35-44	412	40,818	312	75.4	70.1-80.7	100	24.6	19.3-29.9
45-54	628	46,376	405	65.1	60.2-70.0	223	34.9	30.0-39.8
55-64	788	46,971	412	52.5	47.8-57.2	376	47.5	42.8-52.2
65+	926	48,383	373	39.5	35.4-43.6	553	60.5	56.4-64.6
Less Than H.S.	272	30,070	142	59.1	51.3-66.9	130	40.9	33.1-48.7
H.S. or G.E.D.	1152	83,939	711	67.8	64.3-71.3	441	32.2	28.7-35.7
Some Post-H.S.	1087	103,906	669	69.6	66.1-73.1	418	30.4	26.9-33.9
College Graduate	989	62,575	623	70.5	67.0-74.0	366	29.5	26.0-33.0
Less than \$15,000	163	17,568	96	68.0	59.0-77.0	67	32.0	23.0-41.0
\$15,000- 24,999	356	32,948	185	57.6	50.3-64.9	171	42.4	35.1-49.7
\$25,000- 34,999	289	24,763	168	68.2	60.9-75.5	121	31.8	24.5-39.1
\$35,000- 49,999	527	42,091	295	64.0	58.7-69.3	232	36.0	30.7-41.3
\$50,000- 74,999	645	52,347	406	72.4	68.1-76.7	239	27.6	23.3-31.9
\$75,000+	1211	83,953	807	71.9	68.8-75.0	404	28.1	25.0-31.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	275,866	2745	72.4	70.6-74.2	1531	27.6	25.8-29.4
18-24	209	39,289	205	98.0	95.5-100	4	2.0	00.0-04.5
25-34	449	46,298	414	91.2	87.5-94.9	35	8.8	05.1-12.5
35-44	458	37,837	407	88.4	84.9-91.9	51	11.6	08.1-15.1
45-54	691	45,045	517	73.9	69.6-78.2	174	26.1	21.8-30.4
55-64	917	43,842	572	61.0	56.9-65.1	345	39.0	34.9-43.1
65+	1506	60,576	602	39.5	36.4-42.6	904	60.5	57.4-63.6
Less Than H.S.	248	22,778	102	57.1	48.3-65.9	146	42.9	34.1-51.7
H.S. or G.E.D.	1253	67,111	721	68.7	65.4-72.0	532	31.3	28.0-34.6
Some Post-H.S.	1437	111,537	898	70.9	68.0-73.8	539	29.1	26.2-32.0
College Graduate	1325	73,818	1017	83.2	80.8-85.6	308	16.8	14.4-19.2
Less than \$15,000	338	28,311	166	65.6	58.3-72.9	172	34.4	27.1-41.7
\$15,000- 24,999	572	37,144	288	60.8	55.3-66.3	284	39.2	33.7-44.7
\$25,000- 34,999	420	24,627	251	68.5	62.6-74.4	169	31.5	25.6-37.4
\$35,000- 49,999	517	30,063	334	71.5	66.2-76.8	183	28.5	23.2-33.8
\$50,000- 74,999	613	41,856	438	79.3	75.4-83.2	175	20.7	16.8-24.6
\$75,000+	1116	71,076	864	82.7	80.2-85.2	252	17.3	14.8-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.