


NORTH DAKOTA

2013 Core Variables Report

Behavioral Risk Factor Surveillance System

June 11, 2014



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	61
11 MALES ONLY	62
12 FEMALES ONLY	63
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	64
14 MALES ONLY	65
15 FEMALES ONLY	66
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	67
17 MALES ONLY	68
18 FEMALES ONLY	69
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	70
20 MALES ONLY	71
21 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	73
23 MALES ONLY	74
24 FEMALES ONLY	75
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	76
26 MALES ONLY	77
27 FEMALES ONLY	78
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	79
29 MALES ONLY	80
30 FEMALES ONLY	81
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	82
32 MALES ONLY	83
33 FEMALES ONLY	84
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	85
35 MALES ONLY	86
36 FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7760	555,922	440	4.1	03.5-04.7	7320	95.9	95.3-96.5
Male	3494	280,593	276	5.8	05.0-06.6	3218	94.2	93.4-95.0
Female	4266	275,330	164	2.4	02.0-02.8	4102	97.6	97.2-98.0
18-24	494	84,377				494	100.0	0100-0100
25-34	894	98,387	2	0.2	00.0-00.4	892	99.8	99.6-0100
35-44	871	78,725	6	0.8	00.2-01.4	865	99.2	98.6-99.8
45-54	1316	91,468	26	1.7	00.9-02.5	1290	98.3	97.5-99.1
55-64	1701	90,449	93	6.3	04.7-07.9	1608	93.7	92.1-95.3
65+	2410	107,715	308	13.7	11.7-15.7	2102	86.3	84.3-88.3
Less Than H.S.	511	51,911	62	8.7	06.0-11.4	449	91.3	88.6-94.0
H.S. or G.E.D.	2397	150,706	166	4.9	03.9-05.9	2231	95.1	94.1-96.1
Some Post-H.S.	2520	215,545	129	3.5	02.7-04.3	2391	96.5	95.7-97.3
College Graduate	2307	136,092	83	2.7	01.9-03.5	2224	97.3	96.5-98.1
Less than \$15,000	495	45,193	51	6.4	04.0-08.8	444	93.6	91.2-96.0
\$15,000- 24,999	924	69,769	83	6.7	04.7-08.7	841	93.3	91.3-95.3
\$25,000- 34,999	705	49,375	49	4.5	02.9-06.1	656	95.5	93.9-97.1
\$35,000- 49,999	1042	71,945	71	4.9	03.3-06.5	971	95.1	93.5-96.7
\$50,000- 74,999	1253	94,158	47	2.8	01.8-03.8	1206	97.2	96.2-98.2
\$75,000+	2322	154,865	75	2.4	01.6-03.2	2247	97.6	96.8-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3494	280,593	276	5.8	05.0-06.6	3218	94.2	93.4-95.0
18-24	285	45,088				285	100.0	0100-0100
25-34	447	52,256	2	0.3	00.0-00.7	445	99.7	99.3-0100
35-44	413	40,888	3	0.6	00.0-01.4	410	99.4	98.6-0100
45-54	626	46,305	18	2.6	01.0-04.2	608	97.4	95.8-99.0
55-64	786	46,609	70	9.9	07.2-12.6	716	90.1	87.4-92.8
65+	911	47,698	180	20.6	17.1-24.1	731	79.4	75.9-82.9
Less Than H.S.	267	29,545	37	10.5	06.2-14.8	230	89.5	85.2-93.8
H.S. or G.E.D.	1145	83,579	99	6.1	04.5-07.7	1046	93.9	92.3-95.5
Some Post-H.S.	1084	103,959	79	4.9	03.5-06.3	1005	95.1	93.7-96.5
College Graduate	986	62,463	61	4.8	03.2-06.4	925	95.2	93.6-96.8
Less than \$15,000	160	17,240	16	6.7	02.8-10.6	144	93.3	89.4-97.2
\$15,000- 24,999	354	32,756	55	10.6	06.7-14.5	299	89.4	85.5-93.3
\$25,000- 34,999	285	24,678	29	6.6	03.7-09.5	256	93.4	90.5-96.3
\$35,000- 49,999	524	41,779	50	6.4	04.0-08.8	474	93.6	91.2-96.0
\$50,000- 74,999	642	52,320	37	4.2	02.6-05.8	605	95.8	94.2-97.4
\$75,000+	1208	83,887	61	4.0	02.8-05.2	1147	96.0	94.8-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4266	275,330	164	2.4	02.0-02.8	4102	97.6	97.2-98.0
18-24	209	39,289				209	100.0	0100-0100
25-34	447	46,130				447	100.0	0100-0100
35-44	458	37,837	3	0.9	00.0-02.1	455	99.1	97.9-0100
45-54	690	45,163	8	0.8	00.2-01.4	682	99.2	98.6-99.8
55-64	915	43,840	23	2.4	01.2-03.6	892	97.6	96.4-98.8
65+	1499	60,017	128	8.2	06.4-10.0	1371	91.8	90.0-93.6
Less Than H.S.	244	22,366	25	6.3	03.4-09.2	219	93.7	90.8-96.6
H.S. or G.E.D.	1252	67,126	67	3.4	02.4-04.4	1185	96.6	95.6-97.6
Some Post-H.S.	1436	111,586	50	2.2	01.4-03.0	1386	97.8	97.0-98.6
College Graduate	1321	73,629	22	0.9	00.5-01.3	1299	99.1	98.7-99.5
Less than \$15,000	335	27,952	35	6.2	03.5-08.9	300	93.8	91.1-96.5
\$15,000- 24,999	570	37,013	28	3.4	01.8-05.0	542	96.6	95.0-98.2
\$25,000- 34,999	420	24,697	20	2.3	01.1-03.5	400	97.7	96.5-98.9
\$35,000- 49,999	518	30,166	21	2.9	01.5-04.3	497	97.1	95.7-98.5
\$50,000- 74,999	611	41,837	10	0.9	00.1-01.7	601	99.1	98.3-99.9
\$75,000+	1114	70,978	14	0.5	00.3-00.7	1100	99.5	99.3-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7730	554,648	424	4.1	03.5-04.7	7306	95.9	95.3-96.5
Male	3487	280,275	227	4.7	03.9-05.5	3260	95.3	94.5-96.1
Female	4243	274,372	197	3.4	02.8-04.0	4046	96.6	96.0-97.2
18-24	495	84,482				495	100.0	0100-0100
25-34	895	98,625	1	0.1	00.0-00.3	894	99.9	99.7-0100
35-44	871	78,725	5	0.3	00.0-00.7	866	99.7	99.3-0100
45-54	1320	91,800	29	2.4	01.4-03.4	1291	97.6	96.6-98.6
55-64	1690	89,592	88	6.3	04.7-07.9	1602	93.7	92.1-95.3
65+	2385	106,621	297	13.3	11.5-15.1	2088	86.7	84.9-88.5
Less Than H.S.	511	51,956	45	5.8	03.6-08.0	466	94.2	92.0-96.4
H.S. or G.E.D.	2377	149,882	155	4.5	03.5-05.5	2222	95.5	94.5-96.5
Some Post-H.S.	2510	214,946	134	4.1	03.3-04.9	2376	95.9	95.1-96.7
College Graduate	2307	136,195	89	2.9	02.1-03.7	2218	97.1	96.3-97.9
Less than \$15,000	493	45,291	44	5.6	03.4-07.8	449	94.4	92.2-96.6
\$15,000- 24,999	916	69,639	92	7.3	05.3-09.3	824	92.7	90.7-94.7
\$25,000- 34,999	704	49,462	49	5.1	03.3-06.9	655	94.9	93.1-96.7
\$35,000- 49,999	1035	71,363	51	4.0	02.6-05.4	984	96.0	94.6-97.4
\$50,000- 74,999	1253	94,053	72	3.9	02.7-05.1	1181	96.1	94.9-97.3
\$75,000+	2319	154,647	70	2.3	01.5-03.1	2249	97.7	96.9-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3487	280,275	227	4.7	03.9-05.5	3260	95.3	94.5-96.1
18-24	286	45,193				286	100.0	0100-0100
25-34	448	52,359				448	100.0	0100-0100
35-44	413	40,888	2	0.2	00.0-00.4	411	99.8	99.6-0100
45-54	629	46,617	17	2.6	01.0-04.2	612	97.4	95.8-99.0
55-64	779	46,044	60	8.2	05.7-10.7	719	91.8	89.3-94.3
65+	906	47,426	147	17.3	14.0-20.6	759	82.7	79.4-86.0
Less Than H.S.	270	29,620	23	6.0	03.1-08.9	247	94.0	91.1-96.9
H.S. or G.E.D.	1135	83,280	73	4.2	03.0-05.4	1062	95.8	94.6-97.0
Some Post-H.S.	1082	103,821	68	4.8	03.4-06.2	1014	95.2	93.8-96.6
College Graduate	988	62,508	63	4.8	03.4-06.2	925	95.2	93.8-96.6
Less than \$15,000	161	17,269	13	5.2	01.9-08.5	148	94.8	91.5-98.1
\$15,000- 24,999	350	32,764	38	7.0	03.9-10.1	312	93.0	89.9-96.1
\$25,000- 34,999	286	24,711	26	6.7	03.8-09.6	260	93.3	90.4-96.2
\$35,000- 49,999	521	41,552	33	4.4	02.4-06.4	488	95.6	93.6-97.6
\$50,000- 74,999	643	52,298	50	5.3	03.5-07.1	593	94.7	92.9-96.5
\$75,000+	1209	83,793	55	3.6	02.4-04.8	1154	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4243	274,372	197	3.4	02.8-04.0	4046	96.6	96.0-97.2
18-24	209	39,289				209	100.0	0100-0100
25-34	447	46,266	1	0.2	00.0-00.6	446	99.8	99.4-0100
35-44	458	37,837	3	0.5	00.0-01.1	455	99.5	98.9-0100
45-54	691	45,183	12	2.2	00.8-03.6	679	97.8	96.4-99.2
55-64	911	43,549	28	4.2	02.4-06.0	883	95.8	94.0-97.6
65+	1479	59,194	150	10.1	08.1-12.1	1329	89.9	87.9-91.9
Less Than H.S.	241	22,335	22	5.5	02.8-08.2	219	94.5	91.8-97.2
H.S. or G.E.D.	1242	66,602	82	4.9	03.5-06.3	1160	95.1	93.7-96.5
Some Post-H.S.	1428	111,125	66	3.5	02.5-04.5	1362	96.5	95.5-97.5
College Graduate	1319	73,687	26	1.2	00.6-01.8	1293	98.8	98.2-99.4
Less than \$15,000	332	28,023	31	5.9	03.2-08.6	301	94.1	91.4-96.8
\$15,000- 24,999	566	36,875	54	7.5	05.1-09.9	512	92.5	90.1-94.9
\$25,000- 34,999	418	24,751	23	3.5	01.3-05.7	395	96.5	94.3-98.7
\$35,000- 49,999	514	29,810	18	3.5	01.7-05.3	496	96.5	94.7-98.3
\$50,000- 74,999	610	41,755	22	2.3	01.1-03.5	588	97.7	96.5-98.9
\$75,000+	1110	70,854	15	0.8	00.2-01.4	1095	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7785	557,417	262	2.5	02.1-02.9	7523	97.5	97.1-97.9
Male	3512	281,835	116	2.5	01.9-03.1	3396	97.5	96.9-98.1
Female	4273	275,583	146	2.5	01.9-03.1	4127	97.5	96.9-98.1
18-24	495	84,482				495	100.0	0100-0100
25-34	897	98,657	1	0.1	00.0-00.3	896	99.9	99.7-0100
35-44	870	78,587	8	1.0	00.0-02.0	862	99.0	98.0-0100
45-54	1321	91,638	17	1.3	00.5-02.1	1304	98.7	97.9-99.5
55-64	1702	90,690	52	3.4	02.2-04.6	1650	96.6	95.4-97.8
65+	2426	108,561	182	7.9	06.3-09.5	2244	92.1	90.5-93.7
Less Than H.S.	521	52,828	41	6.6	04.1-09.1	480	93.4	90.9-95.9
H.S. or G.E.D.	2405	151,231	83	2.7	01.9-03.5	2322	97.3	96.5-98.1
Some Post-H.S.	2520	215,353	91	2.3	01.7-02.9	2429	97.7	97.1-98.3
College Graduate	2314	136,337	47	1.0	00.6-01.4	2267	99.0	98.6-99.4
Less than \$15,000	497	45,539	50	6.5	04.1-08.9	447	93.5	91.1-95.9
\$15,000- 24,999	928	70,135	54	4.0	02.6-05.4	874	96.0	94.6-97.4
\$25,000- 34,999	710	49,464	25	1.6	00.8-02.4	685	98.4	97.6-99.2
\$35,000- 49,999	1044	72,204	32	2.0	01.0-03.0	1012	98.0	97.0-99.0
\$50,000- 74,999	1258	94,289	23	1.6	00.6-02.6	1235	98.4	97.4-99.4
\$75,000+	2324	154,741	35	1.2	00.8-01.6	2289	98.8	98.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3512	281,835	116	2.5	01.9-03.1	3396	97.5	96.9-98.1
18-24	286	45,193				286	100.0	0100-0100
25-34	448	52,359				448	100.0	0100-0100
35-44	412	40,750	2	0.1	00.0-00.3	410	99.9	99.7-0100
45-54	630	46,593	7	1.0	00.2-01.8	623	99.0	98.2-99.8
55-64	787	46,935	29	4.2	02.2-06.2	758	95.8	93.8-97.8
65+	923	48,257	77	9.3	06.8-11.8	846	90.7	88.2-93.2
Less Than H.S.	274	30,197	23	7.4	03.7-11.1	251	92.6	88.9-96.3
H.S. or G.E.D.	1151	84,009	27	1.7	00.9-02.5	1124	98.3	97.5-99.1
Some Post-H.S.	1087	104,114	37	2.2	01.4-03.0	1050	97.8	97.0-98.6
College Graduate	988	62,469	29	1.7	00.9-02.5	959	98.3	97.5-99.1
Less than \$15,000	161	17,456	17	8.7	03.8-13.6	144	91.3	86.4-96.2
\$15,000- 24,999	357	33,002	20	3.4	01.2-05.6	337	96.6	94.4-98.8
\$25,000- 34,999	290	24,837	10	1.7	00.3-03.1	280	98.3	96.9-99.7
\$35,000- 49,999	527	42,091	21	2.2	01.0-03.4	506	97.8	96.6-99.0
\$50,000- 74,999	644	52,410	15	2.3	00.9-03.7	629	97.7	96.3-99.1
\$75,000+	1209	83,807	20	1.3	00.5-02.1	1189	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4273	275,583	146	2.5	01.9-03.1	4127	97.5	96.9-98.1
18-24	209	39,289				209	100.0	0100-0100
25-34	449	46,298	1	0.3	00.0-00.9	448	99.7	99.1-0100
35-44	458	37,837	6	2.0	00.2-03.8	452	98.0	96.2-99.8
45-54	691	45,045	10	1.7	00.3-03.1	681	98.3	96.9-99.7
55-64	915	43,756	23	2.5	01.3-03.7	892	97.5	96.3-98.7
65+	1503	60,304	105	6.8	05.2-08.4	1398	93.2	91.6-94.8
Less Than H.S.	247	22,631	18	5.6	02.3-08.9	229	94.4	91.1-97.7
H.S. or G.E.D.	1254	67,222	56	3.9	02.5-05.3	1198	96.1	94.7-97.5
Some Post-H.S.	1433	111,239	54	2.4	01.6-03.2	1379	97.6	96.8-98.4
College Graduate	1326	73,868	18	0.4	00.2-00.6	1308	99.6	99.4-99.8
Less than \$15,000	336	28,083	33	5.2	02.8-07.6	303	94.8	92.4-97.2
\$15,000- 24,999	571	37,133	34	4.5	02.5-06.5	537	95.5	93.5-97.5
\$25,000- 34,999	420	24,627	15	1.6	00.6-02.6	405	98.4	97.4-99.4
\$35,000- 49,999	517	30,113	11	1.8	00.4-03.2	506	98.2	96.8-99.6
\$50,000- 74,999	614	41,879	8	0.9	00.1-01.7	606	99.1	98.3-99.9
\$75,000+	1115	70,934	15	1.0	00.4-01.6	1100	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7780	557,399	845	12.3	11.1-13.5	6935	87.7	86.5-88.9
Male	3504	281,421	345	11.6	10.0-13.2	3159	88.4	86.8-90.0
Female	4276	275,978	500	13.1	11.5-14.7	3776	86.9	85.3-88.5
18-24	494	84,464	76	14.0	10.1-17.9	418	86.0	82.1-89.9
25-34	895	98,281	121	15.7	12.6-18.8	774	84.3	81.2-87.4
35-44	870	78,711	110	13.8	10.7-16.9	760	86.2	83.1-89.3
45-54	1323	91,941	139	10.3	08.1-12.5	1184	89.7	87.5-91.9
55-64	1703	90,922	165	11.3	08.9-13.7	1538	88.7	86.3-91.1
65+	2422	108,299	230	9.6	08.0-11.2	2192	90.4	88.8-92.0
Less Than H.S.	521	52,866	74	16.6	11.3-21.9	447	83.4	78.1-88.7
H.S. or G.E.D.	2403	151,027	272	12.1	10.3-13.9	2131	87.9	86.1-89.7
Some Post-H.S.	2518	215,618	272	12.3	10.3-14.3	2246	87.7	85.7-89.7
College Graduate	2314	136,473	223	10.8	09.0-12.6	2091	89.2	87.4-91.0
Less than \$15,000	503	45,985	96	15.9	11.2-20.6	407	84.1	79.4-88.8
\$15,000- 24,999	922	69,886	122	15.7	12.0-19.4	800	84.3	80.6-88.0
\$25,000- 34,999	708	49,592	82	12.9	09.0-16.8	626	87.1	83.2-91.0
\$35,000- 49,999	1043	72,153	114	13.5	10.6-16.4	929	86.5	83.6-89.4
\$50,000- 74,999	1256	94,165	124	12.3	09.4-15.2	1132	87.7	84.8-90.6
\$75,000+	2326	155,020	211	9.5	07.9-11.1	2115	90.5	88.9-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3504	281,421	345	11.6	10.0-13.2	3159	88.4	86.8-90.0
18-24	285	45,175	45	11.8	07.5-16.1	240	88.2	83.9-92.5
25-34	446	51,983	60	15.9	11.4-20.4	386	84.1	79.6-88.6
35-44	412	40,874	47	12.9	08.4-17.4	365	87.1	82.6-91.6
45-54	631	46,670	51	9.4	06.3-12.5	580	90.6	87.5-93.7
55-64	787	47,003	63	10.2	06.7-13.7	724	89.8	86.3-93.3
65+	918	47,989	76	8.8	06.3-11.3	842	91.2	88.7-93.7
Less Than H.S.	272	30,022	35	13.6	07.7-19.5	237	86.4	80.5-92.3
H.S. or G.E.D.	1148	83,918	123	11.9	09.4-14.4	1025	88.1	85.6-90.6
Some Post-H.S.	1085	104,085	105	12.0	09.1-14.9	980	88.0	85.1-90.9
College Graduate	988	62,605	82	9.6	07.1-12.1	906	90.4	87.9-92.9
Less than \$15,000	163	17,568	23	11.2	05.9-16.5	140	88.8	83.5-94.1
\$15,000- 24,999	354	32,976	59	19.8	13.5-26.1	295	80.2	73.9-86.5
\$25,000- 34,999	288	24,742	25	11.3	05.0-17.6	263	88.7	82.4-95.0
\$35,000- 49,999	525	41,986	53	12.0	08.3-15.7	472	88.0	84.3-91.7
\$50,000- 74,999	643	52,310	61	13.3	09.2-17.4	582	86.7	82.6-90.8
\$75,000+	1210	83,944	99	8.6	06.4-10.8	1111	91.4	89.2-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	275,978	500	13.1	11.5-14.7	3776	86.9	85.3-88.5
18-24	209	39,289	31	16.6	09.7-23.5	178	83.4	76.5-90.3
25-34	449	46,298	61	15.4	10.9-19.9	388	84.6	80.1-89.1
35-44	458	37,837	63	14.9	10.8-19.0	395	85.1	81.0-89.2
45-54	692	45,271	88	11.2	08.5-13.9	604	88.8	86.1-91.5
55-64	916	43,918	102	12.4	09.7-15.1	814	87.6	84.9-90.3
65+	1504	60,310	154	10.1	08.1-12.1	1350	89.9	87.9-91.9
Less Than H.S.	249	22,845	39	20.7	11.5-29.9	210	79.3	70.1-88.5
H.S. or G.E.D.	1255	67,110	149	12.4	09.9-14.9	1106	87.6	85.1-90.1
Some Post-H.S.	1433	111,533	167	12.6	10.1-15.1	1266	87.4	84.9-89.9
College Graduate	1326	73,868	141	11.8	09.3-14.3	1185	88.2	85.7-90.7
Less than \$15,000	340	28,417	73	18.7	11.8-25.6	267	81.3	74.4-88.2
\$15,000- 24,999	568	36,910	63	12.1	08.0-16.2	505	87.9	83.8-92.0
\$25,000- 34,999	420	24,851	57	14.5	09.8-19.2	363	85.5	80.8-90.2
\$35,000- 49,999	518	30,166	61	15.6	10.9-20.3	457	84.4	79.7-89.1
\$50,000- 74,999	613	41,856	63	11.1	07.0-15.2	550	88.9	84.8-93.0
\$75,000+	1116	71,076	112	10.6	08.1-13.1	1004	89.4	86.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	807	66,092	586	69.9	65.4-74.4	221	30.1	25.6-34.6
Male	324	31,095	211	62.6	55.3-69.9	113	37.4	30.1-44.7
Female	483	34,997	375	76.3	70.8-81.8	108	23.7	18.2-29.2
18-24	72	11,591	40	63.1	49.0-77.2	32	36.9	22.8-51.0
25-34	115	14,723	68	61.3	50.1-72.5	47	38.7	27.5-49.9
35-44	107	10,697	73	72.8	62.6-83.0	34	27.2	17.0-37.4
45-54	132	8,917	100	77.9	69.3-86.5	32	22.1	13.5-30.7
55-64	158	9,754	127	73.0	61.2-84.8	31	27.0	15.2-38.8
65+	219	10,027	177	78.0	69.2-86.8	42	22.0	13.2-30.8
Less Than H.S.	72	8,686	57	82.1	69.4-94.8	15	17.9	05.2-30.6
H.S. or G.E.D.	259	17,361	184	65.3	57.3-73.3	75	34.7	26.7-42.7
Some Post-H.S.	255	25,457	187	70.0	61.8-78.2	68	30.0	21.8-38.2
College Graduate	217	14,406	155	67.5	59.1-75.9	62	32.5	24.1-40.9
Less than \$15,000	93	7,158	77	82.2	72.2-92.2	16	17.8	07.8-27.8
\$15,000- 24,999	116	10,863	88	63.0	49.5-76.5	28	37.0	23.5-50.5
\$25,000- 34,999	77	6,163	58	76.2	59.0-93.4	19	23.8	06.6-41.0
\$35,000- 49,999	105	8,975	72	65.3	53.3-77.3	33	34.7	22.7-46.7
\$50,000- 74,999	119	11,310	86	77.9	68.3-87.5	33	22.1	12.5-31.7
\$75,000+	204	14,031	137	64.3	55.7-72.9	67	35.7	27.1-44.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	324	31,095	211	62.6	55.3-69.9	113	37.4	30.1-44.7
25-34	56	7,872	33	61.9	46.2-77.6	23	38.1	22.4-53.8
55-64	61	4,615	43	59.6	39.2-80.0	18	40.4	20.0-60.8
65+	72	4,175	56	69.6	53.1-86.1	16	30.4	13.9-46.9
H.S. or G.E.D.	116	9,319	76	60.1	48.5-71.7	40	39.9	28.3-51.5
Some Post-H.S.	96	11,993	64	67.4	54.3-80.5	32	32.6	19.5-45.7
College Graduate	77	5,703	45	52.5	38.0-67.0	32	47.5	33.0-62.0
\$15,000- 24,999	57	6,478	41	60.6	42.0-79.2	16	39.4	20.8-58.0
\$50,000- 74,999	57	6,740	37	74.5	60.4-88.6	20	25.5	11.4-39.6
\$75,000+	96	6,918	57	57.2	44.5-69.9	39	42.8	30.1-55.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	483	34,997	375	76.3	70.8-81.8	108	23.7	18.2-29.2
25-34	59	6,850	35	60.7	44.8-76.6	24	39.3	23.4-55.2
35-44	62	5,595	49	81.0	69.6-92.4	13	19.0	07.6-30.4
45-54	87	5,000	66	76.0	65.0-87.0	21	24.0	13.0-35.0
55-64	97	5,139	84	85.0	76.2-93.8	13	15.0	06.2-23.8
65+	147	5,852	121	84.0	77.1-90.9	26	16.0	09.1-22.9
H.S. or G.E.D.	143	8,043	108	71.3	60.5-82.1	35	28.7	17.9-39.5
Some Post-H.S.	159	13,465	123	72.3	62.3-82.3	36	27.7	17.7-37.7
College Graduate	140	8,703	110	77.3	67.5-87.1	30	22.7	12.9-32.5
Less than \$15,000	71	5,232	58	81.5	69.2-93.8	13	18.5	06.2-30.8
\$15,000- 24,999	59	4,385	47	66.4	46.8-86.0	12	33.6	14.0-53.2
\$25,000- 34,999	56	3,584	44	85.9	74.1-97.7	12	14.1	02.3-25.9
\$35,000- 49,999	59	4,568	45	80.0	66.9-93.1	14	20.0	06.9-33.1
\$50,000- 74,999	62	4,571	49	82.8	71.8-93.8	13	17.2	06.2-28.2
\$75,000+	108	7,114	80	71.3	59.5-83.1	28	28.7	16.9-40.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7783	557,911	479	4.2	03.8-04.6	7304	95.8	95.4-96.2
Male	3507	281,812	232	4.5	03.7-05.3	3275	95.5	94.7-96.3
Female	4276	276,099	247	4.0	03.4-04.6	4029	96.0	95.4-96.6
18-24	495	84,482	2	0.1	00.1-00.1	493	99.9	99.9-99.9
25-34	897	98,657	5	0.5	00.0-01.1	892	99.5	98.9-0100
35-44	868	78,623	14	1.3	00.5-02.1	854	98.7	97.9-99.5
45-54	1320	91,689	46	3.9	02.5-05.3	1274	96.1	94.7-97.5
55-64	1702	90,843	92	4.7	03.5-05.9	1610	95.3	94.1-96.5
65+	2427	108,815	316	12.9	11.1-14.7	2111	87.1	85.3-88.9
Less Than H.S.	521	52,907	45	4.6	02.8-06.4	476	95.4	93.6-97.2
H.S. or G.E.D.	2404	151,205	138	4.3	03.3-05.3	2266	95.7	94.7-96.7
Some Post-H.S.	2523	215,707	150	4.2	03.4-05.0	2373	95.8	95.0-96.6
College Graduate	2310	136,422	144	4.2	03.2-05.2	2166	95.8	94.8-96.8
Less than \$15,000	501	45,853	26	3.2	01.6-04.8	475	96.8	95.2-98.4
\$15,000- 24,999	924	69,955	64	4.1	02.9-05.3	860	95.9	94.7-97.1
\$25,000- 34,999	711	49,690	50	4.0	02.6-05.4	661	96.0	94.6-97.4
\$35,000- 49,999	1039	71,968	67	5.1	03.5-06.7	972	94.9	93.3-96.5
\$50,000- 74,999	1259	94,317	77	3.7	02.5-04.9	1182	96.3	95.1-97.5
\$75,000+	2325	154,987	117	4.2	03.2-05.2	2208	95.8	94.8-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3507	281,812	232	4.5	03.7-05.3	3275	95.5	94.7-96.3
18-24	286	45,193				286	100.0	0100-0100
25-34	448	52,359	4	0.9	00.0-01.9	444	99.1	98.1-0100
35-44	412	40,825	6	1.1	00.1-02.1	406	98.9	97.9-99.9
45-54	630	46,593	17	3.0	01.2-04.8	613	97.0	95.2-98.8
55-64	785	46,926	47	5.6	03.6-07.6	738	94.4	92.4-96.4
65+	920	48,168	155	15.5	12.6-18.4	765	84.5	81.6-87.4
Less Than H.S.	273	30,096	27	4.7	02.5-06.9	246	95.3	93.1-97.5
H.S. or G.E.D.	1151	84,085	69	4.2	03.0-05.4	1082	95.8	94.6-97.0
Some Post-H.S.	1085	103,973	60	3.8	02.6-05.0	1025	96.2	95.0-97.4
College Graduate	986	62,610	75	5.8	04.2-07.4	911	94.2	92.6-95.8
Less than \$15,000	162	17,491	4	1.6	00.0-03.6	158	98.4	96.4-0100
\$15,000- 24,999	355	32,881	32	5.1	02.9-07.3	323	94.9	92.7-97.1
\$25,000- 34,999	290	24,837	23	4.5	02.3-06.7	267	95.5	93.3-97.7
\$35,000- 49,999	523	41,948	41	5.4	03.2-07.6	482	94.6	92.4-96.8
\$50,000- 74,999	645	52,438	44	4.8	03.0-06.6	601	95.2	93.4-97.0
\$75,000+	1211	83,967	65	4.4	03.0-05.8	1146	95.6	94.2-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	276,099	247	4.0	03.4-04.6	4029	96.0	95.4-96.6
18-24	209	39,289	2	0.1	00.0-00.3	207	99.9	99.7-0100
25-34	449	46,298	1	0.1	00.0-00.3	448	99.9	99.7-0100
35-44	456	37,798	8	1.5	00.3-02.7	448	98.5	97.3-99.7
45-54	690	45,096	29	4.8	02.8-06.8	661	95.2	93.2-97.2
55-64	917	43,917	45	3.8	02.4-05.2	872	96.2	94.8-97.6
65+	1507	60,647	161	10.9	08.9-12.9	1346	89.1	87.1-91.1
Less Than H.S.	248	22,811	18	4.5	01.8-07.2	230	95.5	92.8-98.2
H.S. or G.E.D.	1253	67,120	69	4.4	03.0-05.8	1184	95.6	94.2-97.0
Some Post-H.S.	1438	111,734	90	4.5	03.3-05.7	1348	95.5	94.3-96.7
College Graduate	1324	73,812	69	2.9	01.9-03.9	1255	97.1	96.1-98.1
Less than \$15,000	339	28,362	22	4.2	01.8-06.6	317	95.8	93.4-98.2
\$15,000- 24,999	569	37,074	32	3.3	01.9-04.7	537	96.7	95.3-98.1
\$25,000- 34,999	421	24,854	27	3.4	01.6-05.2	394	96.6	94.8-98.4
\$35,000- 49,999	516	30,020	26	4.7	02.5-06.9	490	95.3	93.1-97.5
\$50,000- 74,999	614	41,879	33	2.3	01.1-03.5	581	97.7	96.5-98.9
\$75,000+	1114	71,020	52	3.9	02.5-05.3	1062	96.1	94.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7789	557,580	725	7.0	06.4-07.6	7064	93.0	92.4-93.6
Male	3513	281,704	256	5.2	04.4-06.0	3257	94.8	94.0-95.6
Female	4276	275,876	469	8.8	07.8-09.8	3807	91.2	90.2-92.2
18-24	495	84,482	4	0.4	00.0-00.8	491	99.6	99.2-100.0
25-34	895	98,350	11	1.4	00.2-02.6	884	98.6	97.4-99.8
35-44	871	78,725	26	3.4	01.8-05.0	845	96.6	95.0-98.2
45-54	1320	91,737	67	4.7	03.3-06.1	1253	95.3	93.9-96.7
55-64	1706	90,994	165	10.1	08.1-12.1	1541	89.9	87.9-91.9
65+	2429	108,671	449	19.3	17.1-21.5	1980	80.7	78.5-82.9
Less Than H.S.	518	52,674	68	10.6	07.3-13.9	450	89.4	86.1-92.7
H.S. or G.E.D.	2405	150,968	241	7.7	06.5-08.9	2164	92.3	91.1-93.5
Some Post-H.S.	2528	216,044	210	6.1	05.1-07.1	2318	93.9	92.9-94.9
College Graduate	2315	136,544	206	6.3	05.1-07.5	2109	93.7	92.5-94.9
Less than \$15,000	502	45,925	68	8.5	05.8-11.2	434	91.5	88.8-94.2
\$15,000- 24,999	925	69,861	108	9.5	07.0-12.0	817	90.5	88.0-93.0
\$25,000- 34,999	710	49,657	74	7.0	04.8-09.2	636	93.0	90.8-95.2
\$35,000- 49,999	1043	72,199	104	7.7	05.7-09.7	939	92.3	90.3-94.3
\$50,000- 74,999	1260	94,393	109	5.5	04.1-06.9	1151	94.5	93.1-95.9
\$75,000+	2325	154,849	136	4.7	03.7-05.7	2189	95.3	94.3-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3513	281,704	256	5.2	04.4-06.0	3257	94.8	94.0-95.6
18-24	286	45,193	2	0.3	00.0-00.7	284	99.7	99.3-0100
25-34	446	52,052	1	0.1	00.0-00.3	445	99.9	99.7-0100
35-44	413	40,888	6	1.8	00.2-03.4	407	98.2	96.6-99.8
45-54	631	46,670	10	1.2	00.2-02.2	621	98.8	97.8-99.8
55-64	789	47,077	58	7.4	05.0-09.8	731	92.6	90.2-95.0
65+	923	48,257	179	20.0	16.7-23.3	744	80.0	76.7-83.3
Less Than H.S.	272	30,076	28	8.9	04.8-13.0	244	91.1	87.0-95.2
H.S. or G.E.D.	1150	83,866	92	5.9	04.3-07.5	1058	94.1	92.5-95.7
Some Post-H.S.	1090	104,289	55	3.6	02.4-04.8	1035	96.4	95.2-97.6
College Graduate	991	62,745	81	5.1	03.7-06.5	910	94.9	93.5-96.3
Less than \$15,000	163	17,568	12	4.4	01.3-07.5	151	95.6	92.5-98.7
\$15,000- 24,999	355	32,881	38	8.1	04.6-11.6	317	91.9	88.4-95.4
\$25,000- 34,999	290	24,837	25	5.1	02.6-07.6	265	94.9	92.4-97.4
\$35,000- 49,999	525	42,033	47	6.6	04.2-09.0	478	93.4	91.0-95.8
\$50,000- 74,999	646	52,514	47	4.4	02.8-06.0	599	95.6	94.0-97.2
\$75,000+	1211	83,842	66	4.4	03.0-05.8	1145	95.6	94.2-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4276	275,876	469	8.8	07.8-09.8	3807	91.2	90.2-92.2
18-24	209	39,289	2	0.5	00.0-01.3	207	99.5	98.7-0100
25-34	449	46,298	10	2.8	00.4-05.2	439	97.2	94.8-99.6
35-44	458	37,837	20	5.2	02.5-07.9	438	94.8	92.1-97.5
45-54	689	45,067	57	8.3	05.8-10.8	632	91.7	89.2-94.2
55-64	917	43,917	107	13.0	09.9-16.1	810	87.0	83.9-90.1
65+	1506	60,414	270	18.7	16.2-21.2	1236	81.3	78.8-83.8
Less Than H.S.	246	22,598	40	12.8	07.5-18.1	206	87.2	81.9-92.5
H.S. or G.E.D.	1255	67,101	149	9.9	07.9-11.9	1106	90.1	88.1-92.1
Some Post-H.S.	1438	111,755	155	8.4	06.6-10.2	1283	91.6	89.8-93.4
College Graduate	1324	73,799	125	7.4	05.8-09.0	1199	92.6	91.0-94.2
Less than \$15,000	339	28,357	56	11.1	07.2-15.0	283	88.9	85.0-92.8
\$15,000- 24,999	570	36,980	70	10.7	07.2-14.2	500	89.3	85.8-92.8
\$25,000- 34,999	420	24,820	49	8.9	05.6-12.2	371	91.1	87.8-94.4
\$35,000- 49,999	518	30,166	57	9.3	06.2-12.4	461	90.7	87.6-93.8
\$50,000- 74,999	614	41,879	62	6.9	04.7-09.1	552	93.1	90.9-95.3
\$75,000+	1114	71,007	70	5.0	03.4-06.6	1044	95.0	93.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7755	555,593	424	4.8	04.2-05.4	7331	95.2	94.6-95.8
Male	3492	280,488	171	4.6	03.6-05.6	3321	95.4	94.4-96.4
Female	4263	275,105	253	5.0	04.0-06.0	4010	95.0	94.0-96.0
18-24	493	84,246	8	2.0	00.0-04.0	485	98.0	96.0-100.0
25-34	894	98,393	14	1.4	00.4-02.4	880	98.6	97.6-99.6
35-44	871	78,725	15	2.2	00.8-03.6	856	97.8	96.4-99.2
45-54	1320	91,678	54	5.4	03.6-07.2	1266	94.6	92.8-96.4
55-64	1698	90,482	93	6.4	04.6-08.2	1605	93.6	91.8-95.4
65+	2405	107,267	237	10.3	08.7-11.9	2168	89.7	88.1-91.3
Less Than H.S.	512	52,073	52	10.0	06.3-13.7	460	90.0	86.3-93.7
H.S. or G.E.D.	2393	150,242	172	5.8	04.6-07.0	2221	94.2	93.0-95.4
Some Post-H.S.	2513	215,249	133	4.5	03.5-05.5	2380	95.5	94.5-96.5
College Graduate	2312	136,360	65	2.1	01.5-02.7	2247	97.9	97.3-98.5
Less than \$15,000	495	45,338	86	11.7	08.4-15.0	409	88.3	85.0-91.6
\$15,000- 24,999	917	69,252	92	9.0	06.5-11.5	825	91.0	88.5-93.5
\$25,000- 34,999	703	49,201	44	4.6	02.8-06.4	659	95.4	93.6-97.2
\$35,000- 49,999	1042	72,139	51	5.5	03.7-07.3	991	94.5	92.7-96.3
\$50,000- 74,999	1256	94,043	42	3.2	01.4-05.0	1214	96.8	95.0-98.6
\$75,000+	2320	154,671	54	2.0	01.2-02.8	2266	98.0	97.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3492	280,488	171	4.6	03.6-05.6	3321	95.4	94.4-96.4
18-24	284	44,957	4	1.7	00.0-03.7	280	98.3	96.3-0100
25-34	446	52,263	6	1.2	00.0-02.4	440	98.8	97.6-0100
35-44	413	40,888	7	2.6	00.2-05.0	406	97.4	95.0-99.8
45-54	630	46,586	20	4.9	02.4-07.4	610	95.1	92.6-97.6
55-64	785	46,791	45	6.8	04.3-09.3	740	93.2	90.7-95.7
65+	908	47,256	88	10.2	07.5-12.9	820	89.8	87.1-92.5
Less Than H.S.	267	29,626	22	8.9	04.4-13.4	245	91.1	86.6-95.6
H.S. or G.E.D.	1144	83,353	66	5.1	03.5-06.7	1078	94.9	93.3-96.5
Some Post-H.S.	1081	103,793	47	4.0	02.4-05.6	1034	96.0	94.4-97.6
College Graduate	988	62,669	36	2.9	01.7-04.1	952	97.1	95.9-98.3
Less than \$15,000	160	17,371	26	13.3	07.0-19.6	134	86.7	80.4-93.0
\$15,000- 24,999	349	32,431	41	9.7	05.4-14.0	308	90.3	86.0-94.6
\$25,000- 34,999	284	24,514	13	3.0	01.0-05.0	271	97.0	95.0-99.0
\$35,000- 49,999	525	41,982	21	4.8	02.3-07.3	504	95.2	92.7-97.7
\$50,000- 74,999	644	52,292	26	3.2	01.4-05.0	618	96.8	95.0-98.6
\$75,000+	1207	83,685	29	2.1	01.1-03.1	1178	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4263	275,105	253	5.0	04.0-06.0	4010	95.0	94.0-96.0
18-24	209	39,289	4	2.2	00.0-05.5	205	97.8	94.5-0100
25-34	448	46,131	8	1.7	00.1-03.3	440	98.3	96.7-99.9
35-44	458	37,837	8	1.7	00.3-03.1	450	98.3	96.9-99.7
45-54	690	45,092	34	6.0	03.5-08.5	656	94.0	91.5-96.5
55-64	913	43,691	48	6.0	03.8-08.2	865	94.0	91.8-96.2
65+	1497	60,011	149	10.3	08.1-12.5	1348	89.7	87.5-91.9
Less Than H.S.	245	22,447	30	11.4	04.9-17.9	215	88.6	82.1-95.1
H.S. or G.E.D.	1249	66,889	106	6.8	05.0-08.6	1143	93.2	91.4-95.0
Some Post-H.S.	1432	111,456	86	5.1	03.7-06.5	1346	94.9	93.5-96.3
College Graduate	1324	73,691	29	1.4	00.8-02.0	1295	98.6	98.0-99.2
Less than \$15,000	335	27,966	60	10.8	07.1-14.5	275	89.2	85.5-92.9
\$15,000- 24,999	568	36,821	51	8.4	05.3-11.5	517	91.6	88.5-94.7
\$25,000- 34,999	419	24,687	31	6.2	03.1-09.3	388	93.8	90.7-96.9
\$35,000- 49,999	517	30,157	30	6.5	03.8-09.2	487	93.5	90.8-96.2
\$50,000- 74,999	612	41,751	16	3.2	00.1-06.3	596	96.8	93.7-99.9
\$75,000+	1113	70,986	25	1.9	00.9-02.9	1088	98.1	97.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7759	555,721	2514	26.1	24.7-27.5	5245	73.9	72.5-75.3
Male	3494	280,265	954	22.9	21.1-24.7	2540	77.1	75.3-78.9
Female	4265	275,457	1560	29.3	27.5-31.1	2705	70.7	68.9-72.5
18-24	494	84,469	18	4.1	01.4-06.8	476	95.9	93.2-98.6
25-34	893	98,386	64	8.3	05.8-10.8	829	91.7	89.2-94.2
35-44	869	78,568	114	15.8	12.5-19.1	755	84.2	80.9-87.5
45-54	1316	91,402	337	26.7	23.6-29.8	979	73.3	70.2-76.4
55-64	1702	90,541	648	39.4	36.3-42.5	1054	60.6	57.5-63.7
65+	2411	107,553	1302	54.8	52.3-57.3	1109	45.2	42.7-47.7
Less Than H.S.	517	52,340	237	40.0	33.9-46.1	280	60.0	53.9-66.1
H.S. or G.E.D.	2392	150,171	869	29.3	26.9-31.7	1523	70.7	68.3-73.1
Some Post-H.S.	2518	215,521	836	25.9	23.7-28.1	1682	74.1	71.9-76.3
College Graduate	2307	136,021	566	17.6	15.8-19.4	1741	82.4	80.6-84.2
Less than \$15,000	499	45,717	238	33.5	27.6-39.4	261	66.5	60.6-72.4
\$15,000- 24,999	923	69,640	416	36.5	32.2-40.8	507	63.5	59.2-67.8
\$25,000- 34,999	707	49,441	250	27.8	23.3-32.3	457	72.2	67.7-76.7
\$35,000- 49,999	1040	71,780	351	25.4	22.1-28.7	689	74.6	71.3-77.9
\$50,000- 74,999	1251	93,950	346	22.4	19.5-25.3	905	77.6	74.7-80.5
\$75,000+	2318	154,437	527	18.5	16.5-20.5	1791	81.5	79.5-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3494	280,265	954	22.9	21.1-24.7	2540	77.1	75.3-78.9
18-24	285	45,180	6	2.1	00.1-04.1	279	97.9	95.9-99.9
25-34	447	52,250	27	7.0	03.5-10.5	420	93.0	89.5-96.5
35-44	412	40,852	50	16.0	11.1-20.9	362	84.0	79.1-88.9
45-54	627	46,339	160	27.2	22.5-31.9	467	72.8	68.1-77.5
55-64	787	46,683	268	34.4	29.9-38.9	519	65.6	61.1-70.1
65+	910	47,213	434	50.0	45.7-54.3	476	50.0	45.7-54.3
Less Than H.S.	270	29,603	94	31.6	24.3-38.9	176	68.4	61.1-75.7
H.S. or G.E.D.	1142	83,275	350	26.7	23.4-30.0	792	73.3	70.0-76.6
Some Post-H.S.	1084	103,905	289	21.4	18.3-24.5	795	78.6	75.5-81.7
College Graduate	986	62,437	219	16.6	13.9-19.3	767	83.4	80.7-86.1
Less than \$15,000	161	17,379	60	29.8	20.6-39.0	101	70.2	61.0-79.4
\$15,000- 24,999	354	32,715	139	32.5	25.8-39.2	215	67.5	60.8-74.2
\$25,000- 34,999	288	24,673	91	25.3	18.4-32.2	197	74.7	67.8-81.6
\$35,000- 49,999	522	41,613	159	23.7	19.2-28.2	363	76.3	71.8-80.8
\$50,000- 74,999	640	52,227	150	18.1	14.6-21.6	490	81.9	78.4-85.4
\$75,000+	1208	83,652	268	19.4	16.5-22.3	940	80.6	77.7-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4265	275,457	1560	29.3	27.5-31.1	2705	70.7	68.9-72.5
18-24	209	39,289	12	6.3	01.2-11.4	197	93.7	88.6-98.8
25-34	446	46,136	37	9.7	05.6-13.8	409	90.3	86.2-94.4
35-44	457	37,716	64	15.6	11.3-19.9	393	84.4	80.1-88.7
45-54	689	45,063	177	26.1	21.8-30.4	512	73.9	69.6-78.2
55-64	915	43,858	380	44.6	40.5-48.7	535	55.4	51.3-59.5
65+	1501	60,340	868	58.6	55.3-61.9	633	41.4	38.1-44.7
Less Than H.S.	247	22,737	143	51.0	41.6-60.4	104	49.0	39.6-58.4
H.S. or G.E.D.	1250	66,896	519	32.4	28.9-35.9	731	67.6	64.1-71.1
Some Post-H.S.	1434	111,616	547	30.2	27.1-33.3	887	69.8	66.7-72.9
College Graduate	1321	73,585	347	18.4	16.0-20.8	974	81.6	79.2-84.0
Less than \$15,000	338	28,338	178	35.7	28.1-43.3	160	64.3	56.7-71.9
\$15,000- 24,999	569	36,924	277	40.0	34.3-45.7	292	60.0	54.3-65.7
\$25,000- 34,999	419	24,769	159	30.2	24.3-36.1	260	69.8	63.9-75.7
\$35,000- 49,999	518	30,166	192	27.6	22.9-32.3	326	72.4	67.7-77.1
\$50,000- 74,999	611	41,723	196	27.7	22.8-32.6	415	72.3	67.4-77.2
\$75,000+	1110	70,785	259	17.6	14.9-20.3	851	82.4	79.7-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7767	555,849	1243	16.8	15.6-18.0	6524	83.2	82.0-84.4
Male	3501	280,839	425	12.6	11.0-14.2	3076	87.4	85.8-89.0
Female	4266	275,010	818	21.1	19.1-23.1	3448	78.9	76.9-80.9
18-24	492	84,155	69	17.8	13.1-22.5	423	82.2	77.5-86.9
25-34	893	98,103	134	17.0	13.7-20.3	759	83.0	79.7-86.3
35-44	864	78,050	148	16.2	13.1-19.3	716	83.8	80.7-86.9
45-54	1316	91,359	244	18.4	15.7-21.1	1072	81.6	78.9-84.3
55-64	1705	91,007	336	19.4	16.9-21.9	1369	80.6	78.1-83.1
65+	2424	108,495	308	13.4	11.6-15.2	2116	86.6	84.8-88.4
Less Than H.S.	518	52,340	77	16.7	12.0-21.4	441	83.3	78.6-88.0
H.S. or G.E.D.	2399	150,752	355	16.1	13.9-18.3	2044	83.9	81.7-86.1
Some Post-H.S.	2519	215,415	457	18.3	16.1-20.5	2062	81.7	79.5-83.9
College Graduate	2306	135,673	352	15.4	13.4-17.4	1954	84.6	82.6-86.6
Less than \$15,000	499	45,682	144	28.0	22.1-33.9	355	72.0	66.1-77.9
\$15,000- 24,999	922	69,487	189	22.8	18.7-26.9	733	77.2	73.1-81.3
\$25,000- 34,999	710	49,625	124	16.6	12.5-20.7	586	83.4	79.3-87.5
\$35,000- 49,999	1042	72,125	173	16.0	12.7-19.3	869	84.0	80.7-87.3
\$50,000- 74,999	1259	94,351	188	15.2	12.3-18.1	1071	84.8	81.9-87.7
\$75,000+	2316	154,131	285	12.0	10.2-13.8	2031	88.0	86.2-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3501	280,839	425	12.6	11.0-14.2	3076	87.4	85.8-89.0
18-24	284	45,057	27	10.8	06.1-15.5	257	89.2	84.5-93.9
25-34	447	52,346	50	12.9	08.8-17.0	397	87.1	83.0-91.2
35-44	409	40,377	43	11.1	07.2-15.0	366	88.9	85.0-92.8
45-54	626	46,230	83	13.8	10.3-17.3	543	86.2	82.7-89.7
55-64	789	47,110	118	14.8	11.1-18.5	671	85.2	81.5-88.9
65+	921	48,093	103	12.0	09.1-14.9	818	88.0	85.1-90.9
Less Than H.S.	272	29,984	35	15.3	09.2-21.4	237	84.7	78.6-90.8
H.S. or G.E.D.	1146	83,713	144	13.2	10.5-15.9	1002	86.8	84.1-89.5
Some Post-H.S.	1084	103,795	145	12.3	09.6-15.0	939	87.7	85.0-90.4
College Graduate	987	62,301	101	11.1	08.6-13.6	886	88.9	86.4-91.4
Less than \$15,000	161	17,334	47	26.8	17.8-35.8	114	73.2	64.2-82.2
\$15,000- 24,999	352	32,498	66	21.5	15.2-27.8	286	78.5	72.2-84.8
\$25,000- 34,999	289	24,771	44	15.0	08.7-21.3	245	85.0	78.7-91.3
\$35,000- 49,999	525	41,969	67	11.6	07.9-15.3	458	88.4	84.7-92.1
\$50,000- 74,999	646	52,514	63	9.4	06.5-12.3	583	90.6	87.7-93.5
\$75,000+	1206	83,674	98	8.1	05.9-10.3	1108	91.9	89.7-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4266	275,010	818	21.1	19.1-23.1	3448	78.9	76.9-80.9
18-24	208	39,098	42	25.8	17.8-33.8	166	74.2	66.2-82.2
25-34	446	45,757	84	21.7	16.6-26.8	362	78.3	73.2-83.4
35-44	455	37,673	105	21.6	16.9-26.3	350	78.4	73.7-83.1
45-54	690	45,129	161	23.0	18.7-27.3	529	77.0	72.7-81.3
55-64	916	43,896	218	24.4	20.9-27.9	698	75.6	72.1-79.1
65+	1503	60,403	205	14.5	12.1-16.9	1298	85.5	83.1-87.9
Less Than H.S.	246	22,357	42	18.5	10.9-26.1	204	81.5	73.9-89.1
H.S. or G.E.D.	1253	67,040	211	19.8	16.5-23.1	1042	80.2	76.9-83.5
Some Post-H.S.	1435	111,620	312	23.9	20.6-27.2	1123	76.1	72.8-79.4
College Graduate	1319	73,372	251	19.0	16.1-21.9	1068	81.0	78.1-83.9
Less than \$15,000	338	28,348	97	28.7	21.1-36.3	241	71.3	63.7-78.9
\$15,000- 24,999	570	36,989	123	23.9	18.6-29.2	447	76.1	70.8-81.4
\$25,000- 34,999	421	24,854	80	18.3	12.8-23.8	341	81.7	76.2-87.2
\$35,000- 49,999	517	30,156	106	22.2	16.7-27.7	411	77.8	72.3-83.3
\$50,000- 74,999	613	41,837	125	22.6	17.5-27.7	488	77.4	72.3-82.5
\$75,000+	1110	70,458	187	16.6	13.7-19.5	923	83.4	80.5-86.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7780	557,282	224	2.6	02.2-03.0	7556	97.4	97.0-97.8
Male	3507	281,771	80	2.0	01.4-02.6	3427	98.0	97.4-98.6
Female	4273	275,511	144	3.1	02.3-03.9	4129	96.9	96.1-97.7
18-24	495	84,482	6	1.3	00.1-02.5	489	98.7	97.5-99.9
25-34	896	98,404	7	0.7	00.0-01.5	889	99.3	98.5-0100
35-44	870	78,683	6	1.1	00.1-02.1	864	98.9	97.9-99.9
45-54	1321	91,718	27	2.1	01.1-03.1	1294	97.9	96.9-98.9
55-64	1705	90,994	54	3.7	02.5-04.9	1651	96.3	95.1-97.5
65+	2419	108,198	123	5.9	04.5-07.3	2296	94.1	92.7-95.5
Less Than H.S.	519	52,767	20	4.4	02.0-06.8	499	95.6	93.2-98.0
H.S. or G.E.D.	2399	150,871	53	2.1	01.3-02.9	2346	97.9	97.1-98.7
Some Post-H.S.	2525	215,608	82	2.7	01.9-03.5	2443	97.3	96.5-98.1
College Graduate	2312	136,367	67	2.2	01.4-03.0	2245	97.8	97.0-98.6
Less than \$15,000	499	45,783	26	5.0	02.5-07.5	473	95.0	92.5-97.5
\$15,000- 24,999	925	69,972	39	3.2	01.8-04.6	886	96.8	95.4-98.2
\$25,000- 34,999	711	49,690	28	3.8	02.0-05.6	683	96.2	94.4-98.0
\$35,000- 49,999	1043	72,086	30	2.8	01.4-04.2	1013	97.2	95.8-98.6
\$50,000- 74,999	1258	94,363	28	1.6	00.8-02.4	1230	98.4	97.6-99.2
\$75,000+	2324	154,658	42	1.6	01.0-02.2	2282	98.4	97.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3507	281,771	80	2.0	01.4-02.6	3427	98.0	97.4-98.6
18-24	286	45,193	1	0.3	00.0-00.9	285	99.7	99.1-0100
25-34	448	52,359	3	0.4	00.0-01.0	445	99.6	99.0-0100
35-44	413	40,888				413	100.0	0100-0100
45-54	630	46,573	7	1.5	00.1-02.9	623	98.5	97.1-99.9
55-64	788	47,077	27	4.4	02.4-06.4	761	95.6	93.6-97.6
65+	916	47,933	42	5.4	03.0-07.8	874	94.6	92.2-97.0
Less Than H.S.	273	30,185	7	4.0	00.9-07.1	266	96.0	92.9-99.1
H.S. or G.E.D.	1146	83,719	16	1.2	00.4-02.0	1130	98.8	98.0-99.6
Some Post-H.S.	1088	104,154	26	2.0	01.0-03.0	1062	98.0	97.0-99.0
College Graduate	988	62,667	31	2.2	01.2-03.2	957	97.8	96.8-98.8
Less than \$15,000	162	17,506	5	4.0	00.1-07.9	157	96.0	92.1-99.9
\$15,000- 24,999	355	32,938	12	2.8	00.4-05.2	343	97.2	94.8-99.6
\$25,000- 34,999	290	24,837	12	2.7	00.9-04.5	278	97.3	95.5-99.1
\$35,000- 49,999	525	41,920	14	3.0	01.0-05.0	511	97.0	95.0-99.0
\$50,000- 74,999	644	52,484	15	1.7	00.7-02.7	629	98.3	97.3-99.3
\$75,000+	1210	83,960	17	1.2	00.4-02.0	1193	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4273	275,511	144	3.1	02.3-03.9	4129	96.9	96.1-97.7
18-24	209	39,289	5	2.4	00.0-04.8	204	97.6	95.2-0100
25-34	448	46,045	4	1.0	00.0-02.4	444	99.0	97.6-0100
35-44	457	37,795	6	2.2	00.2-04.2	451	97.8	95.8-99.8
45-54	691	45,145	20	2.8	01.4-04.2	671	97.2	95.8-98.6
55-64	917	43,917	27	3.0	01.6-04.4	890	97.0	95.6-98.4
65+	1503	60,264	81	6.3	04.5-08.1	1422	93.7	91.9-95.5
Less Than H.S.	246	22,582	13	4.8	01.3-08.3	233	95.2	91.7-98.7
H.S. or G.E.D.	1253	67,152	37	3.2	01.6-04.8	1216	96.8	95.2-98.4
Some Post-H.S.	1437	111,454	56	3.3	02.3-04.3	1381	96.7	95.7-97.7
College Graduate	1324	73,700	36	2.3	01.1-03.5	1288	97.7	96.5-98.9
Less than \$15,000	337	28,277	21	5.6	02.3-08.9	316	94.4	91.1-97.7
\$15,000- 24,999	570	37,033	27	3.5	01.7-05.3	543	96.5	94.7-98.3
\$25,000- 34,999	421	24,854	16	4.8	01.9-07.7	405	95.2	92.3-98.1
\$35,000- 49,999	518	30,166	16	2.5	00.9-04.1	502	97.5	95.9-99.1
\$50,000- 74,999	614	41,879	13	1.6	00.6-02.6	601	98.4	97.4-99.4
\$75,000+	1114	70,698	25	2.1	01.1-03.1	1089	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7800	558,580	865	8.9	08.1-09.7	46	0.7	00.3-01.1	6782	89.4	88.6-90.2	107	1.0	00.8-01.2
Male	3519	282,296	448	10.0	08.8-11.2				3033	89.4	88.2-90.6	38	0.7	00.5-00.9
Female	4281	276,285	417	7.8	06.8-08.8	46	1.5	00.9-02.1	3749	89.5	88.3-90.7	69	1.2	00.8-01.6
18-24	495	84,482	4	0.4	00.0-01.0	5	1.3	00.0-02.9	486	98.2	96.6-99.8			
25-34	897	98,657	17	2.7	01.1-04.3	9	0.9	00.3-01.5	870	96.3	94.5-98.1	1	0.1	00.0-00.3
35-44	870	78,714	32	3.4	01.8-05.0	8	0.8	00.0-01.6	830	95.9	94.1-97.7			
45-54	1322	91,922	131	10.5	08.3-12.7	11	0.8	00.2-01.4	1166	87.6	85.2-90.0	14	1.1	00.3-01.9
55-64	1707	91,000	220	13.8	11.4-16.2	6	0.4	00.0-00.8	1460	84.8	82.4-87.2	21	1.1	00.5-01.7
65+	2435	109,003	448	19.5	17.3-21.7	7	0.3	00.1-00.5	1910	77.2	75.0-79.4	70	3.0	02.2-03.8
Less Than H.S.	523	53,042	98	14.1	10.4-17.8	2	0.3	00.0-00.7	411	84.2	80.5-87.9	12	1.4	00.4-02.4
H.S. or G.E.D.	2408	151,268	308	10.8	09.2-12.4	11	0.9	00.1-01.7	2053	87.3	85.5-89.1	36	0.9	00.5-01.3
Some Post-H.S.	2527	215,989	275	8.4	07.0-09.8	12	0.5	00.1-00.9	2199	89.9	88.5-91.3	41	1.1	00.7-01.5
College Graduate	2317	136,613	183	5.7	04.7-06.7	21	1.0	00.4-01.6	2096	92.8	91.6-94.0	17	0.5	00.3-00.7
Less than \$15,000	503	45,985	78	12.1	08.4-15.8	5	1.6	00.0-03.4	409	85.1	81.0-89.2	11	1.2	00.2-02.2
\$15,000- 24,999	929	70,146	162	13.8	10.9-16.7	2	0.4	00.0-01.0	746	84.2	81.1-87.3	19	1.6	00.8-02.4
\$25,000- 34,999	710	49,671	102	12.6	09.1-16.1	2	0.4	00.0-01.0	594	85.9	82.4-89.4	12	1.1	00.3-01.9
\$35,000- 49,999	1043	72,137	120	9.3	07.1-11.5	4	0.3	00.0-00.7	906	89.4	87.2-91.6	13	0.9	00.3-01.5
\$50,000- 74,999	1260	94,393	117	6.5	04.9-08.1	10	1.3	00.1-02.5	1121	91.6	89.6-93.6	12	0.6	00.2-01.0
\$75,000+	2328	155,099	170	6.0	04.8-07.2	16	0.5	00.1-00.9	2126	93.0	91.8-94.2	16	0.4	00.2-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3519	282,296	448	10.0	08.8-11.2	3033	89.4	88.2-90.6	38	0.7	00.5-00.9
18-24	286	45,193	3	0.5	00.0-01.3	283	99.5	98.7-0100			
25-34	448	52,359	10	2.3	00.3-04.3	437	97.6	95.6-99.6	1	0.1	00.0-00.3
35-44	413	40,888	18	4.2	01.7-06.7	395	95.8	93.3-98.3			
45-54	631	46,670	73	11.8	08.3-15.3	553	87.5	84.0-91.0	5	0.7	00.0-01.5
55-64	789	47,055	127	16.4	12.7-20.1	657	83.0	79.3-86.7	5	0.6	00.0-01.2
65+	926	48,383	214	24.1	20.6-27.6	685	73.3	69.6-77.0	27	2.6	01.4-03.8
Less Than H.S.	274	30,197	50	15.0	09.7-20.3	222	84.8	79.5-90.1	2	0.2	00.0-00.4
H.S. or G.E.D.	1153	84,105	159	11.3	09.1-13.5	978	88.0	85.8-90.2	16	0.7	00.3-01.1
Some Post-H.S.	1089	104,202	122	8.6	06.4-10.8	954	90.5	88.3-92.7	13	0.9	00.3-01.5
College Graduate	991	62,745	117	8.1	06.3-09.9	867	91.3	89.3-93.3	7	0.6	00.2-01.0
Less than \$15,000	163	17,568	27	12.0	06.7-17.3	134	87.6	82.3-92.9	2	0.4	00.0-01.0
\$15,000- 24,999	357	33,002	69	15.8	10.7-20.9	285	83.8	78.5-89.1	3	0.5	00.0-01.1
\$25,000- 34,999	290	24,837	46	12.1	06.6-17.6	242	87.7	82.2-93.2	2	0.3	00.0-00.7
\$35,000- 49,999	527	42,091	72	10.9	07.8-14.0	447	88.3	85.2-91.4	8	0.9	00.1-01.7
\$50,000- 74,999	646	52,514	76	8.2	05.8-10.6	561	90.9	88.4-93.4	9	0.9	00.1-01.7
\$75,000+	1212	84,022	124	8.3	06.5-10.1	1081	91.3	89.3-93.3	7	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4281	276,285	417	7.8	06.8-08.8	46	1.5	00.9-02.1	3749	89.5	88.3-90.7	69	1.2	00.8-01.6
18-24	209	39,289	1	0.4	00.0-01.2	5	2.9	00.0-06.0	203	96.7	93.6-99.8			
25-34	449	46,298	7	3.1	00.4-05.8	9	1.9	00.5-03.3	433	94.9	91.8-98.0			
35-44	457	37,826	14	2.5	00.9-04.1	8	1.6	00.0-03.2	435	95.9	93.7-98.1			
45-54	691	45,252	58	9.0	06.3-11.7	11	1.7	00.5-02.9	613	87.7	84.6-90.8	9	1.5	00.3-02.7
55-64	918	43,945	93	11.0	08.5-13.5	6	0.8	00.0-01.6	803	86.7	84.0-89.4	16	1.6	00.6-02.6
65+	1509	60,620	234	15.9	13.5-18.3	7	0.6	00.0-01.2	1225	80.2	77.5-82.9	43	3.3	02.1-04.5
Less Than H.S.	249	22,845	48	12.9	08.4-17.4	2	0.6	00.0-01.4	189	83.4	78.1-88.7	10	3.1	00.7-05.5
H.S. or G.E.D.	1255	67,163	149	10.2	08.0-12.4	11	2.1	00.1-04.1	1075	86.5	83.8-89.2	20	1.2	00.4-02.0
Some Post-H.S.	1438	111,787	153	8.2	06.4-10.0	12	1.0	00.2-01.8	1245	89.4	87.4-91.4	28	1.3	00.7-01.9
College Graduate	1326	73,868	66	3.6	02.4-04.8	21	1.9	00.9-02.9	1229	94.0	92.4-95.6	10	0.5	00.1-00.9
Less than \$15,000	340	28,417	51	12.2	07.3-17.1	5	2.5	00.0-05.4	275	83.6	77.9-89.3	9	1.7	00.3-03.1
\$15,000- 24,999	572	37,144	93	12.0	08.9-15.1	2	0.8	00.0-02.0	461	84.7	81.2-88.2	16	2.6	01.0-04.2
\$25,000- 34,999	420	24,834	56	13.1	08.8-17.4	2	0.8	00.0-02.0	352	84.1	79.6-88.6	10	2.0	00.2-03.8
\$35,000- 49,999	516	30,045	48	7.2	04.7-09.7	4	0.8	00.0-02.0	459	91.1	88.2-94.0	5	1.0	00.0-02.0
\$50,000- 74,999	614	41,879	41	4.3	02.7-05.9	10	2.9	00.2-05.6	560	92.6	89.7-95.5	3	0.2	00.0-00.4
\$75,000+	1116	71,076	46	3.4	02.0-04.8	16	1.2	00.4-02.0	1045	95.0	93.4-96.6	9	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.