


NORTH DAKOTA

2013 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 29, 2014



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013**

MODULE 8: CARDIOVASCULAR HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)	
1	MALES AND FEMALES	84
2	MALES ONLY	85
3	FEMALES ONLY	86
	FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)	
4	MALES AND FEMALES	87
5	MALES ONLY	88
6	FEMALES ONLY	89
	DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7	MALES AND FEMALES	90
8	MALES ONLY	91
9	FEMALES ONLY	92
	DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10	MALES AND FEMALES	93
11	MALES ONLY	94
12	FEMALES ONLY	95
	DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)	
13	MALES AND FEMALES	96
14	MALES ONLY	97
15	FEMALES ONLY	98
	DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)	
16	MALES AND FEMALES	99
17	MALES ONLY	100
18	FEMALES ONLY	101
	DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)	
19	MALES AND FEMALES	102
20	MALES ONLY	103
21	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 1: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	403	20,121	199	52.1	45.8-58.4	204	47.9	41.6-54.2
Male	252	14,037	127	54.9	47.1-62.7	125	45.1	37.3-52.9
Female	151	6,084	72	45.8	35.6-56.0	79	54.2	44.0-64.4
55-64	87	5,099	43	48.1	34.6-61.6	44	51.9	38.4-65.4
65+	283	12,790	144	56.8	49.5-64.1	139	43.2	35.9-50.5
Less Than H.S.	54	3,638	23	47.1	30.4-63.8	31	52.9	36.2-69.6
H.S. or G.E.D.	150	6,055	69	46.7	36.3-57.1	81	53.3	42.9-63.7
Some Post-H.S.	121	7,115	61	53.7	42.3-65.1	60	46.3	34.9-57.7
College Graduate	78	3,312	46	64.3	50.6-78.0	32	35.7	22.0-49.4
\$15,000- 24,999	76	3,812	38	57.4	42.7-72.1	38	42.6	27.9-57.3
\$35,000- 49,999	65	3,051	28	50.1	34.6-65.6	37	49.9	34.4-65.4
\$75,000+	69	3,405	39	66.8	52.9-80.7	30	33.2	19.3-47.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 2: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	252	14,037	127	54.9	47.1-62.7	125	45.1	37.3-52.9
55-64	64	4,027	33	50.9	35.4-66.4	31	49.1	33.6-64.6
65+	167	8,500	85	59.5	50.5-68.5	82	40.5	31.5-49.5
H.S. or G.E.D.	89	4,147	40	46.4	33.3-59.5	49	53.6	40.5-66.7
Some Post-H.S.	73	4,704	40	60.7	46.8-74.6	33	39.3	25.4-53.2
College Graduate	58	2,810	35	65.1	49.6-80.6	23	34.9	19.4-50.4
\$15,000- 24,999	51	2,701	27	64.7	48.4-81.0	24	35.3	19.0-51.6
\$75,000+	55	3,082	34	70.6	55.9-85.3	21	29.4	14.7-44.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 3: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	151	6,084	72	45.8	35.8-55.8	79	54.2	44.2-64.2
65+	116	4,291	59	51.4	39.6-63.2	57	48.6	36.8-60.4
H.S. or G.E.D.	61	1,908	29	47.2	31.1-63.3	32	52.8	36.7-68.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 4: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	240	12,473	73	27.1	20.0-34.2	167	72.9	65.8-80.0
Male	107	6,540	39	31.8	20.6-43.0	68	68.2	57.0-79.4
Female	133	5,933	34	22.0	13.4-30.6	99	78.0	69.4-86.6
65+	167	7,826	51	28.3	19.5-37.1	116	71.7	62.9-80.5
H.S. or G.E.D.	77	3,778	23	24.3	13.1-35.5	54	75.7	64.5-86.9
Some Post-H.S.	84	4,572	25	24.8	13.0-36.6	59	75.2	63.4-87.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 5: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	107	6,540	39	31.8	20.6-43.0	68	68.2	57.0-79.4
65+	70	4,164	27	34.4	20.1-48.7	43	65.6	51.3-79.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 6: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	133	5,933	34	22.0	13.2-30.8	99	78.0	69.2-86.8
65+	97	3,663	24	21.4	12.2-30.6	73	78.6	69.4-87.8
H.S. or G.E.D.	50	2,323	13	22.0	07.9-36.1	37	78.0	63.9-92.1
Some Post-H.S.	50	2,533	11	18.2	05.3-31.1	39	81.8	68.9-94.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 35 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7152	499,320	2488	27.1	25.7-28.5	4664	72.9	71.5-74.3
Male	3207	251,000	1175	29.2	27.2-31.2	2032	70.8	68.8-72.8
Female	3945	248,321	1313	25.1	23.3-26.9	2632	74.9	73.1-76.7
18-24	425	71,962	25	5.9	02.8-09.0	400	94.1	91.0-97.2
25-34	795	84,806	47	6.1	03.9-08.3	748	93.9	91.7-96.1
35-44	800	71,208	74	8.4	06.0-10.8	726	91.6	89.2-94.0
45-54	1215	83,941	299	24.3	21.2-27.4	916	75.7	72.6-78.8
55-64	1590	83,204	669	44.4	41.1-47.7	921	55.6	52.3-58.9
65+	2264	99,996	1351	61.2	58.7-63.7	913	38.8	36.3-41.3
Less Than H.S.	460	44,838	212	37.9	31.8-44.0	248	62.1	56.0-68.2
H.S. or G.E.D.	2184	133,632	837	30.5	28.0-33.0	1347	69.5	67.0-72.0
Some Post-H.S.	2327	195,718	783	25.2	23.0-27.4	1544	74.8	72.6-77.0
College Graduate	2159	123,548	649	22.7	20.5-24.9	1510	77.3	75.1-79.5
Less than \$15,000	449	38,685	189	26.9	21.4-32.4	260	73.1	67.6-78.6
\$15,000- 24,999	845	60,852	374	35.9	31.4-40.4	471	64.1	59.6-68.6
\$25,000- 34,999	655	44,983	269	31.3	26.6-36.0	386	68.7	64.0-73.4
\$35,000- 49,999	961	64,124	345	29.2	25.5-32.9	616	70.8	67.1-74.5
\$50,000- 74,999	1173	86,320	379	25.0	21.7-28.3	794	75.0	71.7-78.3
\$75,000+	2184	142,792	602	21.6	19.6-23.6	1582	78.4	76.4-80.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3207	251,000	1175	29.2	27.2-31.2	2032	70.8	68.8-72.8
18-24	250	38,758	16	4.5	01.6-07.4	234	95.5	92.6-98.4
25-34	393	44,957	33	8.2	04.9-11.5	360	91.8	88.5-95.1
35-44	375	36,751	44	11.3	07.2-15.4	331	88.7	84.6-92.8
45-54	576	42,170	170	28.1	23.4-32.8	406	71.9	67.2-76.6
55-64	731	42,958	349	50.8	45.9-55.7	382	49.2	44.3-54.1
65+	860	43,907	556	66.6	62.5-70.7	304	33.4	29.3-37.5
Less Than H.S.	245	25,871	107	34.2	26.8-41.6	138	65.8	58.4-73.2
H.S. or G.E.D.	1032	73,068	387	29.8	26.3-33.3	645	70.2	66.7-73.7
Some Post-H.S.	998	94,776	346	27.1	23.6-30.6	652	72.9	69.4-76.4
College Graduate	921	56,291	334	29.8	26.3-33.3	587	70.2	66.7-73.7
Less than \$15,000	141	14,458	53	26.0	17.6-34.4	88	74.0	65.6-82.4
\$15,000- 24,999	317	27,841	143	37.2	29.9-44.5	174	62.8	55.5-70.1
\$25,000- 34,999	265	22,326	103	30.8	23.4-38.2	162	69.2	61.8-76.6
\$35,000- 49,999	477	37,123	195	32.9	27.6-38.2	282	67.1	61.8-72.4
\$50,000- 74,999	598	47,650	232	28.9	24.4-33.4	366	71.1	66.6-75.6
\$75,000+	1128	76,918	368	26.8	23.7-29.9	760	73.2	70.1-76.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3945	248,321	1313	25.1	23.3-26.9	2632	74.9	73.1-76.7
18-24	175	33,204	9	7.4	01.7-13.1	166	92.6	86.9-98.3
25-34	402	39,850	14	3.7	01.0-06.4	388	96.3	93.6-99.0
35-44	425	34,457	30	5.3	03.1-07.5	395	94.7	92.5-96.9
45-54	639	41,771	129	20.5	16.4-24.6	510	79.5	75.4-83.6
55-64	859	40,246	320	37.5	33.4-41.6	539	62.5	58.4-66.6
65+	1404	56,089	795	56.9	53.6-60.2	609	43.1	39.8-46.4
Less Than H.S.	215	18,967	105	42.9	32.9-52.9	110	57.1	47.1-67.1
H.S. or G.E.D.	1152	60,564	450	31.2	27.5-34.9	702	68.8	65.1-72.5
Some Post-H.S.	1329	100,942	437	23.3	20.6-26.0	892	76.7	74.0-79.4
College Graduate	1238	67,257	315	16.8	14.4-19.2	923	83.2	80.8-85.6
Less than \$15,000	308	24,227	136	27.5	20.4-34.6	172	72.5	65.4-79.6
\$15,000- 24,999	528	33,011	231	34.8	29.3-40.3	297	65.2	59.7-70.7
\$25,000- 34,999	390	22,657	166	31.8	25.7-37.9	224	68.2	62.1-74.3
\$35,000- 49,999	484	27,000	150	24.2	19.5-28.9	334	75.8	71.1-80.5
\$50,000- 74,999	575	38,670	147	20.2	15.3-25.1	428	79.8	74.9-84.7
\$75,000+	1056	65,874	234	15.5	13.1-17.9	822	84.5	82.1-86.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4632	362,065	286	4.7	03.9-05.5	140	2.5	01.9-03.1	4206	92.7	91.7-93.7
Male	2021	176,875	91	3.3	02.5-04.1	45	2.3	01.3-03.3	1885	94.4	93.2-95.6
Female	2611	185,189	195	6.1	04.9-07.3	95	2.8	01.8-03.8	2321	91.1	89.5-92.7
18-24	398	67,659	5	1.1	00.0-02.5	7	2.0	00.0-04.2	386	96.9	94.4-99.4
25-34	748	79,668	18	2.3	01.1-03.5	9	1.6	00.4-02.8	721	96.1	94.3-97.9
35-44	722	64,895	16	2.2	00.8-03.6	9	1.1	00.3-01.9	697	96.7	95.1-98.3
45-54	913	63,199	38	5.3	03.3-07.3	20	3.0	01.2-04.8	855	91.7	89.2-94.2
55-64	917	46,067	63	8.6	06.1-11.1	40	4.2	02.4-06.0	814	87.2	84.3-90.1
65+	894	37,997	143	14.8	11.9-17.7	54	5.3	03.5-07.1	697	79.9	76.6-83.2
Less Than H.S.	242	27,427	16	5.3	01.8-08.8	12	5.4	00.0-10.9	214	89.3	83.0-95.6
H.S. or G.E.D.	1340	92,547	94	4.6	03.4-05.8	51	3.5	02.1-04.9	1195	91.8	90.0-93.6
Some Post-H.S.	1531	145,759	89	4.6	03.4-05.8	35	1.7	00.9-02.5	1407	93.7	92.1-95.3
College Graduate	1505	95,315	86	4.9	03.5-06.3	41	2.0	01.2-02.8	1378	93.1	91.5-94.7
Less than \$15,000	253	27,767	22	5.5	02.6-08.4	15	6.5	01.0-12.0	216	88.0	81.9-94.1
\$15,000- 24,999	468	38,824	38	5.3	03.1-07.5	24	4.2	01.8-06.6	406	90.4	87.3-93.5
\$25,000- 34,999	384	30,799	20	3.5	01.1-05.9	17	3.4	01.2-05.6	347	93.0	89.9-96.1
\$35,000- 49,999	612	45,209	52	7.4	04.7-10.1	15	1.2	00.4-02.0	545	91.3	88.6-94.0
\$50,000- 74,999	791	64,643	58	5.9	03.9-07.9	14	1.3	00.3-02.3	719	92.8	90.6-95.0
\$75,000+	1578	111,763	43	2.2	01.4-03.0	30	1.6	00.8-02.4	1505	96.2	95.0-97.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	176,875	91	3.3	02.5-04.1	45	2.3	01.3-03.3	1885	94.4	93.2-95.6
18-24	233	36,933	1	0.5	00.0-01.5	5	1.0	00.0-02.2	227	98.5	96.9-0100
25-34	360	41,156	7	1.5	00.1-02.9	5	2.4	00.0-04.8	348	96.2	93.5-98.9
35-44	328	32,316	5	1.5	00.0-03.1	1	0.5	00.0-01.5	322	98.0	96.2-99.8
45-54	405	30,222	14	4.5	01.8-07.2	6	3.2	00.3-06.1	385	92.3	88.4-96.2
55-64	382	21,120	31	9.1	05.2-13.0	14	3.9	01.4-06.4	337	87.0	82.5-91.5
65+	298	14,292	33	8.9	05.2-12.6	14	5.4	02.1-08.7	251	85.7	80.8-90.6
Less Than H.S.	136	16,738	7	3.7	00.0-07.4	3	2.4	00.0-06.5	126	93.8	88.3-99.3
H.S. or G.E.D.	643	51,014	32	3.5	02.1-04.9	18	3.3	01.5-05.1	593	93.2	90.8-95.6
Some Post-H.S.	647	68,782	23	2.9	01.3-04.5	11	1.8	00.4-03.2	613	95.3	93.3-97.3
College Graduate	585	39,430	29	3.6	02.0-05.2	12	1.7	00.3-03.1	544	94.7	92.5-96.9
Less than \$15,000	85	10,371	6	6.0	00.3-11.7	6	7.3	00.0-15.1	73	86.7	77.3-96.1
\$15,000- 24,999	174	17,394	10	2.2	00.4-04.0	6	3.1	00.2-06.0	158	94.6	91.1-98.1
\$25,000- 34,999	162	15,472	5	0.8	00.0-01.6	6	3.7	00.2-07.2	151	95.5	92.0-99.0
\$35,000- 49,999	280	24,726	18	5.6	02.1-09.1	5	1.3	00.0-02.7	257	93.1	89.4-96.8
\$50,000- 74,999	365	33,852	28	5.8	03.3-08.3	7	1.5	00.1-02.9	330	92.7	89.8-95.6
\$75,000+	758	56,144	14	1.3	00.5-02.1	8	1.5	00.0-03.1	736	97.2	95.4-99.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	185,189	195	6.1	04.9-07.3	95	2.8	01.8-03.8	2321	91.1	89.5-92.7
18-24	165	30,726	4	1.8	00.0-04.3	2	3.2	00.0-07.9	159	95.0	89.7-0100
25-34	388	38,512	11	3.2	01.0-05.4	4	0.7	00.0-01.5	373	96.1	93.9-98.3
35-44	394	32,580	11	2.9	00.5-05.3	8	1.6	00.2-03.0	375	95.4	92.7-98.1
45-54	508	32,977	24	6.0	03.1-08.9	14	2.8	00.6-05.0	470	91.2	87.7-94.7
55-64	535	24,948	32	8.2	04.9-11.5	26	4.5	02.3-06.7	477	87.3	83.6-91.0
65+	596	23,706	110	18.4	14.3-22.5	40	5.3	03.3-07.3	446	76.3	72.0-80.6
Less Than H.S.	106	10,689	9	7.7	01.0-14.4	9	10.0	00.0-22.0	88	82.3	69.4-95.2
H.S. or G.E.D.	697	41,533	62	6.0	04.0-08.0	33	3.9	01.9-05.9	602	90.1	87.4-92.8
Some Post-H.S.	884	76,977	66	6.0	04.0-08.0	24	1.7	00.7-02.7	794	92.3	90.1-94.5
College Graduate	920	55,884	57	5.9	03.9-07.9	29	2.1	01.1-03.1	834	92.0	89.8-94.2
Less than \$15,000	168	17,396	16	5.2	01.9-08.5	9	6.1	00.0-13.7	143	88.7	80.7-96.7
\$15,000- 24,999	294	21,430	28	7.8	04.1-11.5	18	5.1	01.8-08.4	248	87.0	82.1-91.9
\$25,000- 34,999	222	15,327	15	6.3	01.8-10.8	11	3.1	00.9-05.3	196	90.5	85.6-95.4
\$35,000- 49,999	332	20,483	34	9.6	05.5-13.7	10	1.2	00.2-02.2	288	89.2	85.1-93.3
\$50,000- 74,999	426	30,791	30	6.0	02.9-09.1	7	1.1	00.0-02.3	389	92.9	89.6-96.2
\$75,000+	820	55,619	29	3.1	01.7-04.5	22	1.7	00.7-02.7	769	95.1	93.3-96.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 13: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2470	134,765	557	26.1	23.6-28.6	1913	73.9	71.4-76.4
Male	1166	72,893	254	25.1	21.6-28.6	912	74.9	71.4-78.4
Female	1304	61,872	303	27.2	23.3-31.1	1001	72.8	68.9-76.7
35-44	74	5,983	23	38.2	23.1-53.3	51	61.8	46.7-76.9
45-54	297	20,377	82	29.4	22.1-36.7	215	70.6	63.3-77.9
55-64	667	36,861	170	26.0	21.7-30.3	497	74.0	69.7-78.3
65+	1337	60,530	228	16.6	14.1-19.1	1109	83.4	80.9-85.9
Less Than H.S.	205	16,685	48	28.7	19.1-38.3	157	71.3	61.7-80.9
H.S. or G.E.D.	831	40,442	199	27.9	23.4-32.4	632	72.1	67.6-76.6
Some Post-H.S.	782	49,197	183	27.2	22.7-31.7	599	72.8	68.3-77.3
College Graduate	645	27,964	125	20.2	16.1-24.3	520	79.8	75.7-83.9
Less than \$15,000	187	10,355	55	39.3	28.3-50.3	132	60.7	49.7-71.7
\$15,000- 24,999	373	21,830	82	26.4	19.5-33.3	291	73.6	66.7-80.5
\$25,000- 34,999	265	13,795	63	25.9	18.3-33.5	202	74.1	66.5-81.7
\$35,000- 49,999	344	18,734	74	23.5	17.4-29.6	270	76.5	70.4-82.6
\$50,000- 74,999	378	21,520	92	32.6	24.8-40.4	286	67.4	59.6-75.2
\$75,000+	598	30,705	116	19.4	15.3-23.5	482	80.6	76.5-84.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 14: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1166	72,893	254	25.1	21.6-28.6	912	74.9	71.4-78.4
45-54	168	11,800	43	27.0	17.6-36.4	125	73.0	63.6-82.4
55-64	348	21,828	88	24.8	18.9-30.7	260	75.2	69.3-81.1
65+	550	28,991	74	13.0	09.5-16.5	476	87.0	83.5-90.5
Less Than H.S.	104	8,793	22	24.5	13.3-35.7	82	75.5	64.3-86.7
H.S. or G.E.D.	383	21,615	92	27.4	20.9-33.9	291	72.6	66.1-79.1
Some Post-H.S.	346	25,693	83	28.0	21.5-34.5	263	72.0	65.5-78.5
College Graduate	332	16,709	57	18.2	12.9-23.5	275	81.8	76.5-87.1
Less than \$15,000	52	3,737	13	24.4	09.9-38.9	39	75.6	61.1-90.1
\$15,000- 24,999	142	10,348	34	30.4	19.0-41.8	108	69.6	58.2-81.0
\$25,000- 34,999	101	6,732	26	27.8	15.5-40.1	75	72.2	59.9-84.5
\$35,000- 49,999	195	12,212	40	23.4	15.6-31.2	155	76.6	68.8-84.4
\$50,000- 74,999	231	13,699	55	29.5	20.9-38.1	176	70.5	61.9-79.1
\$75,000+	365	20,565	65	17.9	12.6-23.2	300	82.1	76.8-87.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 15: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1304	61,872	303	27.2	23.3-31.1	1001	72.8	68.9-76.7
45-54	129	8,578	39	32.8	21.6-44.0	90	67.2	56.0-78.4
55-64	319	15,033	82	27.6	21.3-33.9	237	72.4	66.1-78.7
65+	787	31,539	154	19.9	16.2-23.6	633	80.1	76.4-83.8
Less Than H.S.	101	7,892	26	33.5	17.8-49.2	75	66.5	50.8-82.2
H.S. or G.E.D.	448	18,827	107	28.4	21.9-34.9	341	71.6	65.1-78.1
Some Post-H.S.	436	23,504	100	26.4	20.3-32.5	336	73.6	67.5-79.7
College Graduate	313	11,255	68	23.0	16.5-29.5	245	77.0	70.5-83.5
Less than \$15,000	135	6,619	42	47.7	34.2-61.2	93	52.3	38.8-65.8
\$15,000- 24,999	231	11,482	48	22.8	15.4-30.2	183	77.2	69.8-84.6
\$25,000- 34,999	164	7,063	37	24.1	14.7-33.5	127	75.9	66.5-85.3
\$35,000- 49,999	149	6,522	34	23.8	13.8-33.8	115	76.2	66.2-86.2
\$50,000- 74,999	147	7,821	37	38.2	23.5-52.9	110	61.8	47.1-76.5
\$75,000+	233	10,139	51	22.6	15.5-29.7	182	77.4	70.3-84.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 16: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2427	132,834	2066	80.9	78.4-83.4	361	19.1	16.6-21.6
Male	1152	72,067	989	81.6	78.5-84.7	163	18.4	15.3-21.5
Female	1275	60,767	1077	79.9	76.0-83.8	198	20.1	16.2-24.0
35-44	74	5,983	49	59.2	44.5-73.9	25	40.8	26.1-55.5
45-54	298	20,347	246	80.2	73.9-86.5	52	19.8	13.5-26.1
55-64	660	36,380	582	86.8	83.5-90.1	78	13.2	09.9-16.5
65+	1300	59,111	1154	89.0	86.8-91.2	146	11.0	08.8-13.2
Less Than H.S.	200	16,338	158	74.3	64.9-83.7	42	25.7	16.3-35.1
H.S. or G.E.D.	819	40,003	699	80.1	75.6-84.6	120	19.9	15.4-24.4
Some Post-H.S.	764	48,483	651	81.2	77.1-85.3	113	18.8	14.7-22.9
College Graduate	637	27,533	553	85.1	81.2-89.0	84	14.9	11.0-18.8
Less than \$15,000	183	10,263	147	72.7	61.5-83.9	36	27.3	16.1-38.5
\$15,000- 24,999	365	21,657	305	82.1	76.2-88.0	60	17.9	12.0-23.8
\$25,000- 34,999	260	13,518	226	84.4	77.7-91.1	34	15.6	08.9-22.3
\$35,000- 49,999	338	18,518	286	80.5	74.4-86.6	52	19.5	13.4-25.6
\$50,000- 74,999	374	21,276	323	77.5	69.7-85.3	51	22.5	14.7-30.3
\$75,000+	597	30,614	515	81.9	77.6-86.2	82	18.1	13.8-22.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 17: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1152	72,067	989	81.6	78.5-84.7	163	18.4	15.3-21.5
45-54	169	11,769	148	85.4	78.1-92.7	21	14.6	07.3-21.9
55-64	344	21,467	301	85.8	81.1-90.5	43	14.2	09.5-18.9
65+	539	28,557	492	90.8	87.7-93.9	47	9.2	06.1-12.3
Less Than H.S.	103	8,699	78	74.2	63.8-84.6	25	25.8	15.4-36.2
H.S. or G.E.D.	379	21,409	329	80.8	74.7-86.9	50	19.2	13.1-25.3
Some Post-H.S.	340	25,465	286	81.2	75.5-86.9	54	18.8	13.1-24.5
College Graduate	329	16,411	295	87.3	82.6-92.0	34	12.7	08.0-17.4
\$15,000- 24,999	140	10,322	121	84.6	75.4-93.8	19	15.4	06.2-24.6
\$25,000- 34,999	101	6,651	86	83.7	72.9-94.5	15	16.3	05.5-27.1
\$35,000- 49,999	191	12,076	164	82.5	75.2-89.8	27	17.5	10.2-24.8
\$50,000- 74,999	229	13,552	195	78.3	70.5-86.1	34	21.7	13.9-29.5
\$75,000+	365	20,479	319	82.7	77.2-88.2	46	17.3	11.8-22.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 18: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1275	60,767	1077	79.9	76.2-83.6	198	20.1	16.4-23.8
45-54	129	8,578	98	73.2	62.2-84.2	31	26.8	15.8-37.8
55-64	316	14,912	281	88.2	83.7-92.7	35	11.8	07.3-16.3
65+	761	30,554	662	87.4	84.5-90.3	99	12.6	09.7-15.5
Less Than H.S.	97	7,639	80	74.4	58.1-90.7	17	25.6	09.3-41.9
H.S. or G.E.D.	440	18,594	370	79.2	72.7-85.7	70	20.8	14.3-27.3
Some Post-H.S.	424	23,019	365	81.2	75.3-87.1	59	18.8	12.9-24.7
College Graduate	308	11,122	258	81.8	75.5-88.1	50	18.2	11.9-24.5
Less than \$15,000	134	6,630	109	71.0	56.1-85.9	25	29.0	14.1-43.9
\$15,000- 24,999	225	11,334	184	79.8	72.4-87.2	41	20.2	12.8-27.6
\$25,000- 34,999	159	6,867	140	85.0	76.8-93.2	19	15.0	06.8-23.2
\$35,000- 49,999	147	6,442	122	76.7	66.1-87.3	25	23.3	12.7-33.9
\$50,000- 74,999	145	7,723	128	76.2	59.5-92.9	17	23.8	07.1-40.5
\$75,000+	232	10,135	196	80.3	73.0-87.6	36	19.7	12.4-27.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 19: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2313	127,327	1698	69.5	66.8-72.2	615	30.5	27.8-33.2
Male	1102	68,688	793	68.0	64.3-71.7	309	32.0	28.3-35.7
Female	1211	58,638	905	71.3	67.2-75.4	306	28.7	24.6-32.8
35-44	73	5,824	47	60.8	46.1-75.5	26	39.2	24.5-53.9
45-54	291	19,939	207	66.8	59.4-74.2	84	33.2	25.8-40.6
55-64	639	35,273	489	74.7	70.2-79.2	150	25.3	20.8-29.8
65+	1219	55,486	924	75.7	72.6-78.8	295	24.3	21.2-27.4
Less Than H.S.	190	15,552	120	59.4	49.4-69.4	70	40.6	30.6-50.6
H.S. or G.E.D.	778	38,073	568	68.9	64.2-73.6	210	31.1	26.4-35.8
Some Post-H.S.	727	46,283	539	70.6	66.1-75.1	188	29.4	24.9-33.9
College Graduate	611	26,942	466	74.7	70.2-79.2	145	25.3	20.8-29.8
Less than \$15,000	171	9,583	124	65.3	53.5-77.1	47	34.7	22.9-46.5
\$15,000- 24,999	351	20,389	240	66.8	59.7-73.9	111	33.2	26.1-40.3
\$25,000- 34,999	254	13,399	186	67.1	58.7-75.5	68	32.9	24.5-41.3
\$35,000- 49,999	319	17,597	239	74.4	67.9-80.9	80	25.6	19.1-32.1
\$50,000- 74,999	362	20,753	262	63.0	55.2-70.8	100	37.0	29.2-44.8
\$75,000+	570	29,546	433	71.6	66.7-76.5	137	28.4	23.5-33.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 20: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1102	68,688	793	68.0	64.3-71.7	309	32.0	28.3-35.7
45-54	165	11,500	120	68.4	58.8-78.0	45	31.6	22.0-41.2
55-64	332	20,710	239	70.5	64.0-77.0	93	29.5	23.0-36.0
65+	508	26,493	391	75.7	71.0-80.4	117	24.3	19.6-29.0
Less Than H.S.	99	8,217	60	57.8	45.3-70.3	39	42.2	29.7-54.7
H.S. or G.E.D.	362	20,299	263	68.0	61.3-74.7	99	32.0	25.3-38.7
Some Post-H.S.	323	24,012	219	65.8	58.9-72.7	104	34.2	27.3-41.1
College Graduate	317	16,078	250	76.0	70.1-81.9	67	24.0	18.1-29.9
\$15,000- 24,999	135	9,545	90	64.3	52.5-76.1	45	35.7	23.9-47.5
\$25,000- 34,999	99	6,527	70	63.8	50.1-77.5	29	36.2	22.5-49.9
\$35,000- 49,999	184	11,460	131	72.0	63.8-80.2	53	28.0	19.8-36.2
\$50,000- 74,999	220	13,104	153	62.2	53.6-70.8	67	37.8	29.2-46.4
\$75,000+	348	19,780	261	70.4	64.1-76.7	87	29.6	23.3-35.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 21: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1211	58,638	905	71.3	67.2-75.4	306	28.7	24.6-32.8
45-54	126	8,439	87	64.6	53.0-76.2	39	35.4	23.8-47.0
55-64	307	14,563	250	80.8	75.3-86.3	57	19.2	13.7-24.7
65+	711	28,993	533	75.7	71.6-79.8	178	24.3	20.2-28.4
Less Than H.S.	91	7,335	60	61.2	44.7-77.7	31	38.8	22.3-55.3
H.S. or G.E.D.	416	17,774	305	69.8	63.1-76.5	111	30.2	23.5-36.9
Some Post-H.S.	404	22,271	320	75.8	69.5-82.1	84	24.2	17.9-30.5
College Graduate	294	10,865	216	72.8	65.9-79.7	78	27.2	20.3-34.1
Less than \$15,000	127	6,374	91	62.3	47.2-77.4	36	37.7	22.6-52.8
\$15,000- 24,999	216	10,844	150	69.1	60.7-77.5	66	30.9	22.5-39.3
\$25,000- 34,999	155	6,872	116	70.2	60.2-80.2	39	29.8	19.8-39.8
\$35,000- 49,999	135	6,138	108	78.8	68.4-89.2	27	21.2	10.8-31.6
\$50,000- 74,999	142	7,650	109	64.4	48.9-79.9	33	35.6	20.1-51.1
\$75,000+	222	9,766	172	74.2	66.4-82.0	50	25.8	18.0-33.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'