

**Recommended Childhood and Adolescent Immunization Schedule
North Dakota Immunization Advisory Committee**

Vaccine	Age	Birth	2 mo	4 mo	6 mo	12 mo	15 mo	18 mo	24 mo	4-6 yr	11-12 yr	13-18 yr
	Hepatitis B		Hep B #1	Hep B #2		Hep B #3						
Inactivated Poliovirus (IPV)			Pentacel® #1 IPV DTaP Hib	Pentacel® #2 IPV DTaP Hib	Pentacel® #3 IPV DTaP Hib		Pentacel® #4 IPV DTaP Hib			Kinrix® or IPV #5 DTaP #5	Tdap	Tdap (if not given at 11 - 12 yr.)
Diphtheria, tetanus, pertussis												
<i>Haemophilus influenzae</i> type B												
Rotavirus (RV)		RV #1 (6 - 14 wks) (must be given by 14 wks, 6 days)	RV #2	RV#3* (must be given by 8 months, 0 days)								
Pneumococcal (Pevnar13®)		PCV13 #1	PCV13 #2	PCV13 #3	PCV13 #4	PCV13 supplemental dose for children < 5 who completed PCV7 series.						
Measles, Mumps, Rubella (MMR)					ProQuad® (MMRV) or MMR #1 Varicella #1				ProQuad® (MMRV) or MMR #2 Varicella #2		Varicella series for children not previously vaccinated	
Varicella (Chickenpox)												
Hepatitis A					Hep A #1		Hep A #2	Hepatitis A series for children not previously vaccinated				
Influenza				Influenza (yearly for all children 6 months – 18 years)								
HPV (Gardasil®)											#1: Now #2: 2 mo. #3: 6 mo.	If not given at age 11 - 12 years
Meningococcal (Menactra®)											MCV4	MCV4

*If a child receives Rotateq® (3-dose rotavirus vaccine) or an unknown brand of rotavirus for the first or second dose in the rotavirus series, than 3 doses of rotavirus vaccine are needed.



This schedule is to be used as a guide in vaccinating children with vaccines provided by the North Dakota Immunization Program. Please refer to the CDC Recommended Childhood and Adolescent Schedule for more detail and for the catch-up schedule. Please contact the Immunization Program at 800.472.2180 with any questions about vaccine availability or the schedule.

Reviewed 02/2011