

Immunization Schedule Using Combination Vaccines: Pediarix®

	Birth Dose of HBV	2 months	4 months	6 months	12 months	15-18 months	4-6 years	11-12 years	13-18 years
Combination Vaccines		Pediarix® DTaP/IPV/HBV	Pediarix® DTaP/IPV/HBV	Pediarix® DTaP/IPV/HBV	Catch-up	Catch-up	Kinrix® ³ ProQuad® ⁴		
DTaP					Catch-up	DTaP	Catch-up		
PCV		PCV13	PCV13	PCV13	PCV13	Catch-up	Catch-up	High Risk	High Risk
Rotavirus ¹		Rotavirus	Rotavirus	Rotavirus					
Hib ²		Hib	Hib	Hib	Hib	Catch-up	Catch-up		
MMR					MMR	Catch-up	Catch-up	Catch-up	Catch-up
Varicella					Varicella	Catch-up	Catch-up	Catch-up	Catch-up
Hepatitis A					Hepatitis A	Hepatitis A	Catch-up	Catch-up	Catch-up
Meningococcal		High risk only	High risk only	High risk only	High risk only	High risk only	High risk only	MCV4	MCV4 booster (after age 16)
HPV							HPV (3 dose series)		Catch-up
Tdap							Tdap		Catch-up
Influenza									Influenza

1. If a child received Rotateq® or an unknown brand of rotavirus vaccine for the first or second dose in the series, three doses of rotavirus are needed.
2. If only using PedvaxHib®, a dose at 6 months is not necessary.
3. Kinrix® is a combination vaccine containing DTaP and Polio (IPV).
4. ProQuad® is a combination vaccine containing MMR and Varicella.

Contact the North Dakota Immunization Program:
800.472.2180

www.ndhealth.gov/immunize