

## WHAT'S COVERED – 2013 Women's Way CPT Code Medicare Part B Rate List Effective March 1, 2013 For questions, call the Women's Way state office at 1.800.280.5512.

- Screening services should include CBE, mammogram and a Pap test.
- Reimbursement for treatment services is not allowed. (See note on page 5.)
- Procedures specifically not allowed in *Women's Way* screening program include:
  - Cervista HPV 16/18 (See page 4.)
  - Magnetic Resonance Imaging (MRI) for breast cancer screening or diagnostics.
- Centers for Medicare and Medicaid Services (CMS) have eliminated all consultation codes which includes 99241-99244. Consultations should be billed through the standard "new patient" office visit CPT codes: 99201-99205. Consultations billed as 99204 or 99205 must meet the criteria for these codes.

## 2013 – The following CPT codes are approved for billing through Women's Way.

| Description of Services   | СРТ   | \$ Rate |
|---|-------|---------|
| Office Visits   |       |         |
| New patient; history, exam, straightforward decision-making; 10 minutes   | 99201 | 43.23   |
| New patient; expanded history, exam, straightforward decision-making; 20 minutes  | 99202 | 73.36   |
| New patient; detailed history, exam, straightforward decision-making; 30 minutes  | 99203 | 105.89  |
| Established patient; evaluation and management, may not require presence of physician; 5 minutes  | 99211 | 20.25   |
| Established patient; history, exam, straightforward decision-making; 10 minutes   | 99212 | 43.23   |
| Established patient; <i>expanded</i> history, exam, straightforward decision-making; 15 minutes   | 99213 | 71.66   |
| Established patient; office visit (25 minutes face to face)   | 99214 | 71.66   |
| Established patient; office visit (40 minutes face to face)   | 99215 | 71.66   |
| Initial comprehensive preventive medicine evaluation and management; history, examination, counseling/guidance, risk factor reduction, ordering of appropriate immunizations, lab procedures, etc; 18 to 39 years of age                      | 99385 | 105.89  |
| Initial comprehensive preventive medicine evaluation and management; same as 99385 but 40 to 64 years of age  | 99386 | 105.89  |
| Initial comprehensive preventive medicine evaluation and management; same as 99385 but 65 years and older   | 99387 | 105.89  |
| Periodic comprehensive preventive medicine evaluation and management; history, examination, counseling/guidance, risk factor reduction, ordering of appropriate immunizations, lab procedures, etc; 18 to 39 years of age                     | 99395 | 71.66   |
| Periodic comprehensive preventive medicine evaluation and management; same as 99395 but 40 to 64 years of age   | 99396 | 71.66   |
| Periodic comprehensive preventive medicine evaluation and management; same as 99395 but 65 years and older  | 99397 | 71.66   |
| Consultation visit only; comprehensive history, exam, moderate complexity decision-making; 45 minutes (Consultation billed must meet criteria for this code. This code is not appropriate for Women's Way screening visits.)                  | 99204 | 160.89  |
| Consultation visit only; <i>comprehensive</i> history, exam, <b>high complexity</b> decision-making; 60 minutes (Consultation billed must meet criteria for this code. This code is not appropriate for <i>Women's Way</i> screening visits.) | 99205 | 199.36  |

| Description of Services   | CPT      | \$ Rate |
|---|----------|---------|
| Breast Screening  |          |         |
| Computer-aided detection (computer algorithm analysis of digital image data for lesion detection) with further physician review for interpretation, with or without digitization of film radiographic images; screening mammography.  | 77052    | 9.88    |
| Technical Component   | 77052-TC | 6.98    |
| Professional Component  | 77052-26 | 2.90    |
| Screening mammogram, Bilateral (two view film study of each breast)   | 77057    | 80.84   |
| Technical Component   | 77057-TC | 47.47   |
| Professional Component  | 77057-26 | 33.37   |
| Screening mammography, Digital, Bilateral   | G0202    | 138.00  |
| Technical Component   | G0202-TC | 103.95  |
| Professional Component  | G0202-26 | 34.05   |
| Breast Diagnostics  |          |         |
| Fine needle aspiration; without imaging guidance  | 10021    | 150.51  |
| Fine needle aspiration; with imaging guidance   | 10022    | 138.89  |
| Puncture aspiration of cyst of breast (surgical procedure only)   | 19000    | 112.17  |
| Puncture aspiration of cyst of breast, each additional cyst, used with 19000  | 19001    | 25.72   |
| Breast biopsy; percutaneous, needle core, not using imaging guidance  | 19100    | 151.21  |
| Breast biopsy, open, incisional   | 19101    | 340.45  |
| Breast biopsy, percutaneous, needle core, using imaging guidance  Note: for placement of localization clip use CPT 19295  | 19102    | 213.79  |
| Breast biopsy, percutaneous, automated vacuum assisted or rotating biopsy device, using imaging guidance  | 19103    | 557.57  |
| Excision of cyst, fibroadenoma, or other benign or malignant tumor, aberrant breast tissue, duct lesion, nipple or areolar lesion, open, one or more lesions  | 19120    | 480.96  |
| Excision of breast lesion identified by preoperative placement of radiological marker; open; single lesion  | 19125    | 533.28  |
| Excision of breast lesion identified by preoperative placement of radiological marker; open; ea add'l lesion separately identified by a preop radiological marker   | 19126    | 150.24  |
| Preoperative placement of needle localization wire, breast  | 19290    | 157.94  |
| Preoperative placement of needle localization wire, breast; each additional lesion  | 19291    | 67.56   |
| Image guided placement, metallic localization clip, percutaneous, during breast bx  | 19295    | 95.44   |
| Biopsy or excision of lymph node(s); open, superficial; separate procedure  | 38500    | 327.41  |
| Computer-aided detection (computer algorithm analysis of digital image data for lesion detection) with further physician review for interpretation, with or without digitization of film radiographic images; diagnostic mammography. | 77051    | 9.88    |
| Technical Component   | 77051-TC | 6.98    |
| Professional Component  | 77051-26 | 2.90    |
| Diagnostic/Follow-Up, Unilateral Mammogram  | 77055    | 88.32   |
| Technical Component   | 77055-TC | 55.29   |
| Professional Component  | 77055-26 | 33.03   |
| Diagnostic/Follow-Up, Bilateral Mammogram   | 77056    | 113.67  |
| Technical Component   | 77056-TC | 72.30   |
| Professional Component  | 77056-26 | 41.37   |

| Description of Services   | СРТ      | \$ Rate |
|---|----------|---------|
| Breast Diagnostics (continued)  |          |         |
| Diagnostic mammography, Digital, Bilateral  | G0204    | 168.11  |
| Technical Component   | G0204-TC | 125.72  |
| Professional Component  | G0204-26 | 42.39   |
| Diagnostic mammography, Digital, Unilateral   | G0206    | 132.55  |
| Technical Component   | G0206-TC | 98.50   |
| Professional Component  | G0206-26 | 34.05   |
| Stereotactic localization guidance for breast biopsy or needle placement (e.g., for wire localization or for injection), each lesion, radiological supervision and interpretation | 77031    | 127.83  |
| Technical Component   | 77031-TC | 51.89   |
| Professional Component  | 77031-26 | 75.94   |
| Mammographic guidance for needle placement, breast, (e.g., for wire localization or for injection), each lesion, radiologic supervision and interpretation                        | 77032    | 51.74   |
| Technical Component   | 77032-TC | 25.35   |
| Professional Component  | 77032-26 | 26.39   |
| Radiological examination, surgical specimen   | 76098    | 18.72   |
| Technical Component   | 76098-TC | 11.06   |
| Professional Component  | 76098-26 | 7.66    |
| Ultrasound, breast(s) (unilateral   | 76645    | 90.36   |
| or bilateral), B-scan and/or real time with image documentation   |          |         |
| Technical Component   | 76645-TC | 64.48   |
| Professional Component  | 76645-26 | 25.88   |
| Ultrasonic guidance for needle placement (e.g., biopsy, aspiration, injection, localization device), imaging supervision and interpretation                                       | 76942    | 207.73  |
| Technical Component   | 76942-TC | 175.73  |
| Professional Component  | 76942-26 | 32.00   |
| Cytopathology, smears, any other source (i.e., nipple discharge on a slide), screening and interpretation   | 88160    | 63.29   |
| Technical Component   | 88160-TC | 37.94   |
| Professional Component  | 88160-26 | 25.35   |
| Cytopathology, evaluation of fine-needle aspirate; immediate cytohistologic study to determine adequacy of specimen(s)  | 88172    | 54.45   |
| Technical Component   | 88172-TC | 19.23   |
| Professional Component  | 88172-26 | 35.22   |
| Cytopathology, evaluation of fine-needle aspirate; interpretation and report  | 88173    | 149.22  |
| Technical Component   | 88173-TC | 79.79   |
| Professional Component  | 88173-26 | 69.43   |
| Breast biopsy - Surgical pathology, gross and microscopic examination; not requiring microscopic evaluation of surgical margins   | 88305    | 69.76   |
| Technical Component   | 88305-TC | 33.18   |
| Professional Component  | 88305-26 | 36.58   |

| Description of Services  | CPT      | \$ Rate               |
|--|----------|-----------------------|
| Breast Diagnostics (continued)   |          |                       |
| Breast, excision of lesion - Surgical pathology, gross and microscopic examination; requiring microscopic evaluation of surgical margins   | 88307    | 296.54                |
| Technical Component  | 88307-TC | 215.20                |
| Professional Component   | 88307-26 | 81.34                 |
| Cervical Screening   |          |                       |
| Cytopathology, cervical or vaginal, any reporting system, requiring interpretation by physician (Use in conjunction with 88142, 88143, 88164, 88174, 88175)  | 88141    | 31.15                 |
| Cytopathology (Liquid-based Pap test), cervical or vaginal, collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision  | 88142    | * 27.85<br>see page 5 |
| Cytopathology, cervical or vaginal, collected in preservative fluid, automated thin layer preparation; manual screening and rescreening under physician supervision  | 88143    | * 27.85<br>see page 5 |
| Cytopathology (Conventional Pap test), slides cervical or vaginal reported in Bethesda System, manual screening under physician supervision  | 88164    | * 14.53<br>see page 5 |
| Cytopathology, cervical or vaginal, collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision  | 88174    | *27.85<br>see page 5  |
| Cytopathology, cervical or vaginal, collected in preservative fluid, automated thin layer preparation; screening by automated system and manual rescreening, under physician supervision   | 88175    | *27.85<br>see page 5  |
| Pap test handling fee  | 99000    | * 4.80                |
| HPV test - Hybrid Capture II from Digene ( <b>High Risk Typing only</b> ) or Cervista HPV HR is a reimbursable procedure if used for screening in conjunction with Pap testing or for follow-up of an abnormal Pap result or surveillance as per ASCCP guidelines. It is not reimbursable as a primary screening test. Providers should specify the high-risk HPV DNA panel only. Reimbursement of screening for low-risk genotypes is not permitted. Also reimbursement of Cervista HPV 16/18 is not permitted. | 87621    | 48.24                 |
| Cervical Diagnostics   |          |                       |
| Colposcopy without biopsy, (surgical procedure only)   | 57452    | 106.97                |
| Colposcopy w/biopsy(s) of cervix &/or endocervical curettage (surgical procedure only)   | 57454    | 149.92                |
| Colposcopy with biopsy(s) of the cervix  | 57455    | 140.54                |
| Colposcopy with endocervical curettage   | 57456    | 132.70                |
| Biopsy, single or multiple, or local excision of lesion, with or without fulguration (separate procedure)  | 57500    | 128.72                |
| Colposcopy biopsy, interpretation – surgical pathology, gross & microscopic exam   | 88305    | 69.76                 |
| Technical Component  | 88305-TC | 33.18                 |
| Professional Component   | 88305-26 | 36.58                 |
| Pathology consultation during surgery (this code should only be used when a pathologist is consulted during surgery)   | 88329    | 56.84                 |

A LEEP or conization of the cervix, **as a <u>diagnostic</u> procedure**, may be reimbursed based on ASCCP recommendations and according to their algorithm on management of women with HSIL. Copies of the ASCCP recommended algorithms for management of women with cervical cytological abnormalities, which includes the algorithm for HSIL, are available from your *Women's Way* local coordinator.

If a LEEP or cold-knife conization of the cervix is needed **as a <u>treatment</u> procedure**, it cannot be paid for by *Women's Way*. Refer the *Women's Way* client to her local coordinator. The local coordinator will determine her eligibility for the Medicaid – *Women's Way* treatment program.

| Description of Services  | СРТ      | \$ Rate |
|--|----------|---------|
| Cervical Diagnostics (continued)   |          |         |
| Endoscopy with loop electrode biopsy(s) of the cervix  | 57460    | 284.37  |
| Endoscopy with loop electrode conization of the cervix   | 57461    | 319.99  |
| Conization of cervix, with or without fulguration, with or without dilation and curettage, with or without repair; cold knife or laser   | 57520    | 300.48  |
| Loop electrode excision procedure  | 57522    | 259.11  |
| Endometrial sampling (biopsy) with or without endocervical sampling (biopsy), without cervical dilation, any method (separate procedure). For <i>Women's Way</i> clients 35 years and older who have <u>AGC</u> Pap test results. For <i>Women's Way</i> clients younger than 35 years only if recent abnormal vaginal bleeding is verified. | 58100    | 107.32  |
| Endometrial sampling (biopsy) performed in conjunction with colposcopy (List separately in addition to code for primary procedure). For Women's Way clients 35 years and older who have AGC Pap test results. For Women's Way clients younger than 35 years only if recent abnormal vaginal bleeding is verified.                            | 58110    | 46.68   |
| Immunohistochemistry   | 88342    | 114.69  |
| Technical Component  | 88342-TC | 72.99   |
| Professional Component   | 88342-26 | 41.70   |

The following procedures have been determined as not allowable in the Women's Way screening program:

■ Any **treatment** of breast cancer, cervical intraepithelial neoplasia and cervical cancer.

| Description of Services   | СРТ           | \$ Rate                                   |  |
|---|---------------|---|--|
| Other fees associated with the above procedures may be reimbursable on an outpatient basis  |               |   |  |
| Anesthesia for procedures on anterior integumentary system of chest, including subcutaneous tissue; not otherwise specified \$63.06 plus \$21.02 for each 15 minutes  | 00400<br>ANES | To a Max of 231.22 ←see formula           |  |
| Endoscopy with biopsy(s) of the cervix and endocervical curettage   | 57454         | 149.92                                    |  |
| Excision, endocervical curettage (not done as part of a dilation and curettage)   | 57505         | 101.50                                    |  |
| Surgical pathology, first tissue block, with frozen section(s) single specimen  | 88331         | 99.36                                     |  |
| Technical Component   | 88331-TC      | 38.28                                     |  |
| Professional Component  | 88331-26      | 61.08                                     |  |
| Each additional tissue block with frozen section  | 88332         | 43.22                                     |  |
| Technical Component   | 88332-TC      | 13.10                                     |  |
| Professional Component  | 88332-26      | 30.12                                     |  |
| Supplies and materials (except spectacles), specifically used for breast and/or cervical cancer screening and/or diagnostic procedures, provided by the physician over and above those usually included with the covered office visit or other covered services rendered (list drugs, trays, supplies, or material provided.) | 99070         | 83% of billed charges - to a max of \$100 |  |

Fees are based on current Medicare-Part B maximum reimbursement rate.

**Note**: For a *Women's Way* client who has had at least one screening or diagnostic test paid by *Women's Way*, and has been diagnosed with breast or cervical cancer, or cervical abnormalities requiring treatment, contact your *Women's Way* local coordinator at 800.449.6636 or state office at 800.280.5512 to enroll her in the Medicaid – *Women's Way* Treatment Program.

<sup>\*</sup>Fee based on current North Dakota Medicaid maximum reimbursement rate.

<sup>\*</sup>Women's Way will reimburse for a conventional or liquid-based Pap test every three years with Pap test alone, or every five years with a combination of Pap test and HPV testing for women who want to lengthen the screening interval. In the event of an abnormal Pap test, Women's Way will reimburse for the follow-up Pap tests.