



Breast Health

at your fingertips

*Picturing Wellness Among the Generations
of the **Fort Berthold Native Women***

“*Through a breast self-examination, I was able to detect an egg-sized lump in my left breast, which was removed surgically and was not malignant. I urge everyone to take time from your busy schedules to care for your health by exercising, eating properly and doing a breast self-examination, as well as getting a recommended mammogram from your doctor. I take care of my health because I love my family dearly and want to share and spend my life with them.*”



Alfreda Goodbird

Enrolled member of the Arikara Tribe



**ReNae Merrick, Madonna White Bear Azure
& Yvonne Chase**

As women working in health care, ReNae, Madonna and Yvonne encourage women to do breast self-examinations and get regular mammograms and clinical breast exams.

Photo from the cover

Journey Celo

Mandan, Hidatsa, Arikara, Jemez Pueblo

Three Steps of Breast Health

*American Cancer Society
Guidelines for Early Detection*

Mammogram

Ages 40 and older: Every year

Clinical Breast Exam

See a health-care provider for a clinical breast exam

Ages 20 to 39: Every three years

Ages 40 and older: Every year

Breast Self-Exam

An option for women starting in their 20s




**Marva Pretends Eagle, Madgaline Young Bear,
Glenda Rush & Emily Yellow Wolf**

Glenda Rush – *aunt, sister and niece – encourages her family to stay healthy by getting regular mammograms and clinical breast exams.*

Breast Self-Exam


Look for changes in front of a mirror.
View front and each side in each position.



Relax arms at your sides. Look for changes in shape and color. View for puckering, dimpling, skin changes, nipple discharge.




Raise hands above your head; bend forward. Check for puckering, dimpling and skin changes.



Place hands on hips, press down and bend forward. Check nipple direction and general appearance.

Feel for changes lying down. Remember the Seven "Ps!"

1. Position



Position 1: To examine the outer half of your breast, turn on your side. To check your left breast, lie on your right side and roll left shoulder back. Place back of left hand

on your forehead. To check your right breast, lie on your left side and roll right shoulder back. Place back of right hand on your forehead.

Position 2: When you reach the nipple area, keep fingers on skin and slowly roll back into a position flat on your back. Remove hand from forehead, place this arm at a right angle to your body.



2. Perimeter

All of the breast tissue should be examined within the following borders:



- From a line (beyond breast fullness) extending from the underarm area down and across to the middle of the chest (middle of the breast bone).
- From two finger widths above the collarbone to two finger widths below the bra line.

3. Pattern



Imagine you are mowing a lawn. Use straight, up-and-down, overlapping rows to check the entire breast area. Begin first row under your arm and move downward. When you reach the end of each row, move over about one finger width and start the next row moving in the opposite direction.



do not lift fingers from the breast.


When you reach the nipple, roll back into a position flat on your back. (See position 2 above). Continue examining the breast until you finish a row down the middle of the breastbone. Once you start,

4. Palpation



Use the flats (from the last joint to the end of fingers) of the three middle fingers – do not use fingertips. Keep fingers together.

Do a series of three dime-sized circles of pressure (light, medium, deep) in each spot.



Keep fingers, knuckles and wrists straight to avoid “gouging” into the breast tissue. “Walk and slide” fingers along so no breast tissue is missed.



5. Pressure

Lumps could be found at any level. Use three levels of pressure to examine each spot carefully.



Light – Use a very light touch on the first dime-sized circle. Don't press. Move the skin but don't disturb the tissue underneath. Pressing too hard right away could make a lump slide out of the way.



Medium – On the second circle, use medium pressure to feel for changes below the surface to mid-level of the breast tissue.



Deep – On the third circle, feel for lumps deep in the breast tissue. Press as firmly as you can without discomfort. With this pressure, the goal is to feel the ribs.

6. Pace

Go slowly. Take your time. Cover every square inch of the breast tissue. Performing breast self-exam every month could potentially save your life.

7. Practice

With monthly practice, you can become skilled at looking and feeling for changes in your breasts. Perform breast self-exam every month.

Check the lymph nodes...



Lymph nodes drain breast tissue.

The lymph nodes that drain the breast tissue are located in three areas:

- Above your collar bone
- Below your collar bone
- The underarm area

You will want to know if any nodes are enlarged, movable or unmovable.



Use horizontal rows to check above and below collarbone. Using firm pressure, begin two finger widths above the collarbone. End with last row at the start of breast fullness on the upper chest. Do these rows while sitting up.



When checking the underarm area, relax the arm and shoulder muscles on the side you are checking. One way to do this is to sit on a chair and rest your arm on the table. Reach over with the opposite hand and check all areas of the underarm. Be sure to use deep pressure.

Important Questions...

Why do a breast self-examination?

There are many good reasons for doing a breast self-examination each month. It is easy to do. When you get to know how your breasts normally feel, you may be able to feel a change. With practice, it should take about 15 minutes each month. Early detection is the key to successful treatment and cure.

When to do a breast self-examination?

The best time to do breast self-examination is right after your period, when breasts are not tender or swollen. If you do not have regular periods or sometimes skip a month, choose a day and do it the same time every month.

Remember the ABCs of Breast Health

- A** screening mammogram
- B** breast self-examination
- C** clinical breast examination

A breast self-examination can save your life. Most breast lumps are found by women themselves or their partners. Most lumps in the breast are not cancer. Any lump or change should be checked by a doctor.

Early detection is your best protection!

“ I am a breast cancer survivor. I would like to stress the importance of self-examination and screenings through Indian Health Services, which is supported by the Women’s Way Program. I encourage all women everywhere to take advantage of screenings and to be sure to do monthly self-examinations. ”




Winogene (White) Blacksmith, breast cancer survivor
Enrolled member of the Arikara Tribe



**Marie Old Rock, Ethel (Baker) Reeves,
Journey Celo (in front of Ethel) & Delia Celo**

“ Yearly mammograms are very important for the fight against breast cancer, but what I want everyone to know is that it’s just as important for you to examine your breasts and look for any changes such as a rash. That’s something I didn’t know. And that’s something everyone should know. ”

Ethel M. (Baker) Reeves, breast cancer survivor
Enrolled member of the Mandan-Hidatsa Tribe



1-800 44 WOMEN
(1-800-449-6636)

www.ndhealth.gov/womensway



NORTH DAKOTA
DEPARTMENT of HEALTH

600 E. Boulevard Ave., Dept. 301
Bismarck, N.D. 58505-0200

Photography by Bruce Wendt, 2007
through Makoche Recording Company