First District Health Unit

Burke County Community Health Profile

Authors:

Tracy K. Miller, PhD, MPH State Epidemiologist

Kodi Pinks, MPH Epidemiologist

Matt Schmidt Epidemiologist Intern

July 2018

NORTH DAKOTA DEPARTMENT of HEALTH

TABLE OF CONTENTS

Data Sources Photograph Credits	
POPULATION DATA	
	1
Table 1: Population by Age GroupTable 2: Female Population and Percentage Female by Age	1
Table 3: Race	1
Table 4: Household Populations	
Table 5: Population Change	2
Table 5: Population Change Table 6: Marital Status of Persons Age 15 and Older	
Table 7: Educational Attainment Among Persons 25+	
Table 8: Persons with Disability Table 9: Income and Poverty Status by Age Group	
Table 9: Income and Poverty Status by Age Group	
Table 10: Family Poverty and Childhood and Elderly Poverty Table 11: Age of Housing	
VITAL STATISTICS DATA	
Birth and Deaths Definitions	
Table 12: Births	
Table 13: Child Deaths	5
Table 14: Deaths and Age Adjusted Death Rate by Cause	
Table 15: Leading Causes of Death by Age Group for County	
Table 16: Leading Causes of Death by Age Group for North Dakota	
ADULT BEHAVIORAL RISK FACTORS	
Table 17:	
Adult Behavioral Risk Factors Definition	
Alcohol	
• Arthritis	
• Asthma	
Body Weight	
• Cancer	
Cardiovascular	
Table 18:	
• Cholesterol	9
Chronic Lung Disease	
Colorectal Cancer	
Diabetes	
Fruits and Vegetables	
• General Health Table 19:	
Health Care Access	1(
Hypertension	
• Immunization	
Injury Oral Hackback	
Oral Health	
Physical Activity	
Tobacco	
• Women's Health	1(
CRIME	
Table 20: County	
Table 21: North Dakota	
CHILD RISK	
Table 22: Child Indicators—Education	
Table 23: Child Indicators—Economic Health	12
Table 24: Child Indicators—Families and Child Care	
Table 25: Child Indicators—Juvenile Justice	

 $\widehat{}$



Data Sources

The Demographic Section of this report comes from the US Census Bureau (www.census.gov). Most tables are derived either from the census estimates for 2015 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentially, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: <u>www.ag.nd.gov/Reports/BCIReports/CrimeHomicide/</u><u>CrimeHomicide.htm</u>.

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: <u>www.datacenter.kidscount.org</u>.

Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography Theodore Roosevelt National Park in Winter www.sthomasphotos.com/
- Jerry Blank Lightening Storm north of Williston and Sunset over Little Missouri river www.jerryblank.us/gallery-nd.html
- ND Department of Commerce Oil wells <u>www.commerce.nd.gov/news/MediaGallery/</u>
- ND Tourism Division All other photos www.ndtourism.com/

POPULATION DATA

Table 1

Population by Age Group, 2016 Census Estimates					
Age Group	Burke C	ounty	North D	akota	
Age Gloup	Number	Percent	Number	Percent	
0-9	324	14.2%	105,035	13.9%	
10-19	243	10.6%	93,820	12.4%	
20-29	282	12.3%	127,579	16.8%	
30-39	247	10.8%	101,492	13.4%	
40-49	251	11.0%	79,632	10.5%	
50-59	359	15.7%	95,466	12.6%	
60-69	293	12.8%	80,159	10.6%	
70-79	163	7.1%	41,996	5.5%	
80+	124	5.4%	32,773	4.3%	
Total	2,286	100.0%	757,952	100.0%	
0-17	530	23.3%	176,311	23.3%	
65+	414	18.1%	109,999	14.5%	

Table 2



Eivo Voor Estimatos (2012-2016

Female Population and Percentage Female by Age, 2016 Census Estimates

Age Group	Burke C	ke County North Dakota		
Age Gloup	Number	Percent	Number	Percent
0-9	150	13.9%	51,145	13.9%
10-19	113	10.5%	45,349	12.3%
20-29	131	12.2%	58,619	15.9%
30-39	113	10.5%	47,001	12.7%
40-49	111	10.3%	37,992	10.3%
50-59	161	14.9%	46,809	12.7%
60-69	140	13.0%	39,397	10.7%
70-79	84	7.8%	22,236	6.0%
80+	74	6.9%	20,430	5.5%
Total	1077	100%	368,978	100.0%
0-17	246	22.8%	85,921	23.3%
65+	223	20.7%	60,025	16.3%

Race, rive fear Estimate	5 (2012-2010)				
Race	Burke C	ounty	North Dakota		
Nace	Number	Percentage	Number	Percentage	
Total	2,239	100.0%	736,162	100%	
White	2,166	96.7%	649,730	88.3%	
Black	10	0.4%	14,761	2.0%	
American Indian	34	1.5%	38,369	5.2%	
Asian	1	0.0%	9,296	1.3%	
Pacific Islander	0	0.0%	336	0.0%	
Other	7	0.3%	5,691	0.8%	
Multi-race	21	0.9%	17,979	2.4%	



POPULATION DATA

Table 4

 $\widehat{}$

lousehold Populations, 2011 ACS Five Year Estimates					
	Burke County		North Dakota		
	Number	Percent	Number	Percent	
Total	1,959	100.0%	666,783	100.0%	
In Family Households	1,524	77.8%	509,097	76.4%	
In Non-Family Households	429	21.9%	132,651	19.9%	
Total In Households	1,953	99.7%	641,748	96.2%	
Institutionalized*	0	0.0%	9,675	1.5%	
Non-institutionalized*	6	0.3%	15,360	2.3%	
Total in Group Quarters	6	0.3%	25,035	3.8%	*2011 is the most recent da

Table 5

Population 2000-2015	Change			
Census	Burke County	5 Year Change	North Dakota	5 Year Change
2000	2,242	(%)	642,200	
2005	1,966	-12.3%	635,365	-1.1%
2010	1,968	0.1%	672,591	5.9%
2015	2,312	17.5%	754,859	12.2%



Table 6

Marital Status	Burke (County	North Dakota		
Marital Status	Number	Percent	Number	Percent	
Total Age 15+	1,776	100.0%	594,068	100.0%	
Never Married	401	22.6%	189,508	31.9%	
Now Married	1,098	61.8%	308,915	52.0%	
Separated	28	1.6%	5,347	0.9%	
Widowed	144	8.1%	33,862	5.7%	
Divorced	105	5.9%	56,436	9.5%	

Education	Burke C	County	North D	North Dakota		
Education	Number	Percent	Number	Percent		
Total	1,519	100.0%	477,607	100.0%		
Less than 9th Grade	67	4.4%	16,846	3.5%		
Some High School	101	6.6%	21,188	4.4%		
High school or GRE	434	31.6%	131,086	27.4%		
Some College/Assoc. Degree	600	39.5%	173,933	36.4%		
Bachelor's Degree	228	15.0%	97,890	20.5%		
Post Graduate Degree	89	5.9%	36,664	7.7%		



POPULATION DATA

Group	Burke C	ounty	North Dakota		
Group	Number	Percent	Number	Percent	
Total	2,235	100.0%	720,312	100.0%	
Any Disability	206	9.2%	77,651	10.8%	
No Disability	2,029	90.8%	642,661	89.2%	
Self Care Disability	17	0.8%	11,469	1.7%	
0-17 with any disability	14	6.8%	5.618	7.29	
18-64 with any disability	63	30.6%	38,310	49.39	
65+ with any disability	129	62.6%	33,723	43.49	

Table 9

Table 8

9 Income and Poverty Status by Age Group, 2016 ACS Five Year Estimates

	Burke County	North Dakota
Median Household Income	\$65,521	\$59,114
Per Capita Income	\$35,857	\$33,107

	Number	Percent	Number	Percent
Below Poverty Level	265	11.8%	79,314	11.2%
Under 5 Years	15	5.7%	7,618	9.6%
5 to 11 Years	50	18.9%	8,423	10.6%
12 to 17 Years	19	7.2%	5,349	6.7%
18 to 64 Years	145	54.7%	48,969	61.7%
65 to 74 Years	11	4.2%	3,532	4.5%
75 Years and Over	25	9.4%	5,423	6.8%

Table 10

	Burke County		North Dakota	
	Number	Percent	Number	Percent
Total Families	619	100.0%	183,466	100.00%
Families in Poverty	46	7.4%	12,659	6.90%
Families with Own Children	281	45.4%	84,714	46.17%
Families with Own Children in Poverty	34	45.4 <i>%</i> 5.5%	9,912	40.17 /d 5.40%
Families with Own Children and Female Parent Only	28	4.5%	23,485	27.72%
Families with Own Children and Female Parent Only in Poverty	13	2.1%	8,408	4.58%
Total Known Children in Poverty	84	15.9%	21,390	12.1%
Total Known Age 65+ in Poverty	36	8.7%	8,955	8.1%

Age of Housing, 2016 ACS Five Year Estimates Table 11 **Burke County North Dakota** Number Percent Number Percent 100.0% Housing Units: Total 1,404 350,134 100.0% 149,657 1980 and Later 318 22.6% 42.7% 1970 to 1979 182 67,069 19.2% 13.0% Prior to 1970 904 64.4% 133,408 38.1%



Vital Statistics Data

BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

Birth Rate = Resident live births divided by the total resident population x 1000.

Pregnancies = Live births + Fetal deaths + Induced termination of pregnancy.

Pregnancy Rate = Total pregnancies divided by the total resident population x 1000.

Fertility Rate = Resident live births divided by female population (age 15-44) x 1000.

Teenage Birth Rate = Teenage births (age <20) divided by female teen population x 1000.

Teenage Pregnancy Rate = Teenage pregnancies (age<20) divided by female teen population x 1000.

Out of Wedlock (OOW) Live Birth Ratio = Resident OOW live births divided by total resident live births x 1000.

Out of Wedlock Pregnancy Ratio = Resident OOW pregnancies divided by total pregnancies x 1000.

Low Weight Ratio = Low weight births (birth weight < 2500 grams) divided by total resident live births x 1000.

Infant Death Ratio = Number of infant deaths divided by the total resident live births x 1000.

Childhood & Adolescent Deaths = Deaths to individuals 1 - 19 years of age.

Childhood and Adolescent Death Rate = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

Crude Death Rate = Death events divided by population x 100,000.

Age-Adjusted Death Rate = Death events with age specific adjustments x 100,000 population.





Vital Statistics Data

BIRTHS AND DEATHS

Table 12	Births, 2012-2016					
		Burke	County	North Dakota		
		Number	Rate or Ratio	Number	Rate or Ratio	
	Live Births and Rate	194	19.7	54,644	16.3	
	Pregnancies and Rate	203	20.6	59,226	17.6	
	Fertility Rate	159	159.7		.6	
	Teen Births and Rate	12	53.3	2,715	23.8	
	Teen Pregnancies and Rate	15	66.7	3,263	28.6	
	Out of Wedlock Births and Ratio	41	211.3	17,518	320.6	
	Out of Wedlock Pregnancies and Ratio	48	236.5	21,289	359.5	
	Low Birth Weight Birth and Ratio	14	72.2	3,448	63.1	

Table 13Child Deaths, 2012-2016

	Burke	County	North Dakota		
	Number	Rate or Ratio	Number	Rate or Ratio	
Infant Deaths and Ratio	NR	5.2	299	5.5	
Child and Adolescent Deaths and Rate	NR	48.4	235	28.8	
Total Deaths and Crude Rate	121	1,229.7	30,152	896.6	

Table 14

	Burke	County	North	Dakota
	Number	Adj. Rate	Number	Adj. Rate
All Causes	121	608.6	30,303	674.8
Heart Disease	29	142.9	6,571	140.3
Cancer	31	120.0	6,215	142.1
Stroke	NR	14.5	1,546	31.9
Alzheimer's Disease	6	32.5	2,130	41.2
COPD	9	17.3	1,623	35.2
Unintentional Injury	12	98.8	1,764	45.9
Diabetes Mellitus	7	26.4	908	20.6
Pneumonia and Influenza	NR	5.3	791	16.5
Cirrhosis	0	0.0	429	11.6
Suicide	NR	46.6	630	18.4
Hypertension	NR	6.6	467	9.5

NR-Not Reportable



Burke County Community Profile 2018

Vital Statistics Data

BIRTHS AND DEATHS

Table 15

 $\widehat{}$

ading Cau Age	ses of Death by Age Group 1	for Burke County, 2012-20 2	16 3		
0-4	Prematurity*	No Report	ed Deaths		
5-14	Unintentional Injury*	No Reported Deaths			
15-24	Suicide*	No Reported Deaths			
25-34	Unintentional Injury*	No Reported Deaths			
35-44	Unintentional Injury*	Suicide*	No Reported Deaths		
45-54	Cerebrovascular Disease*	Heart*	Diabetes*		
55-64	Cancer*	COPD*	Unintentional Injury*		
65-74	Cancer 10	Heart 8	Unintentional Injury*		
75-84	Cancer 12	Heart 7	Diabetes 6		
85+	Heart 11	Cancer*	Alzheimer's Disease		

*Numbers less than six are not listed.

Table 16


Age	1	2	3
0-4	Congenital Anomaly	Prematurity	Sudden Infant Deat
0-4	53	50	45
5-14	Unintentional Injury	Suicide	Homicide*
5-14	21	6	
15-24	Unintentional Injury	Suicide	Cancer
13-24	191	127	16
25-34	Unintentional Injury	Suicide	Heart
20-04	211	125	50
35-44	Unintentional Injury	Suicide	Heart
33-44	184	107	99
45-54	Cancer	Heart	Unintentional Injury
40-04	350	282	210
55-64	Cancer	Heart	Unintentional Injury
55-04	1,094	646	192
65-74	Cancer	Heart	COPD
03-74	1,563	902	348
75-84	Cancer	Heart	COPD
10-04	1,793	1,441	565
85+	Heart	Alzheimer's Disease	Cancer
007	3,141	1,566	1,261

*Numbers less than six are not listed.



ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas. To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap (see picture below) so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.





ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	ALCOHOL	Burke 2011-2015	North Dakota 2011-2015
Binge Drinking	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.	30.2 (19.4-40.9)	24.1 (23.3-24.9)
Heavy Drinking	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.	10.5 (3.2-17.9)	6.7 (6.3-7.2)
Drunk Driving	Respondents who reported driving when they had too much to drink one or more times during the past 30 days.	4.7 (0.0-10.3)	3.4 (2.8-3.9)
	ARTHRITIS		
Activity Limitation Due to Arthritis	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.	53.0 (31.1-74.9)	47.0 (45.2-48.9)
Doctor Diagnosed Arthritis	Respondents who reported ever have been told by a doctor or other health professional that they had some form or arthritis.	29.8 (21.0-38.6)	24.6 (24.0-25.2)
	ASTHMA		
Ever Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.	11.6 (3.6-19.5)	11.9 (11.3-12.4)
Current Asthma	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.	11.1 (3.1-19.1)	8.4 (7.9-8.9)
	BODY WEIGHT		
Overweight, Not Obese	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).	38.8 (28.4-49.3)	36.5 (35.7-37.3)
Obese	Respondents with a body mass index greater than or equal to 30 (obese).	30.9 (21.5-40.2)	30.3 (29.6-31.1)
Overweight or Obese	Respondents with a body mass index greater than or equal to 25 (overweight or obese).	69.7 (59.9-79.6)	66.8 (66.0-67.7)
	CANCER		
Any Cancer	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).	6.6 (2.5-10.6)	6.4 (6.1-6.7)
	CARDIOVASCULAR		
Heart Attack	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.	2.6 (0.0-5.3)	4.3 (4.0-4.5)
Angina	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.	2.4 (2.4-4.6)	4.0 (3.7-4.2)
Stroke	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.	1.1 (0.0-2.8)	2.4 (2.2-2.6)
Cardiovascular Disease	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.	5.8 (2.0-9.6)	7.5 (7.2-7.8)



ADULT BEHAVIORAL RISK FACTORS, 2011-2015

	CHOLESTEROL	Burke 2011-2015	North Dakota 2011-2015
Never Cholesterol Test	Respondents who reported never having a cholesterol test.	20.5 (8.7-32.2)	22.8 (21.8-23.8)
No Cholesterol Test in Past 5 Years	Respondents who reported never having a cholesterol test in the past five years.	27.7 (15.5-39.8)	27.2 (26.2-28.3)
High Cholesterol	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	30.3 (17.8-42.8)	36.1 (35.1-37.1)
	CHRONIC LUNG DISEASE		
COPD	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	3.6 (0.0-7.3)	4.7 (4.4-5.0)
	COLORECTAL CANCER		
No Colorectal Cancer Screening within Recommended Timeframe	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	49.2 (30.2-68.3)	40.0 (38.3-41.7)
	DIABETES		
Diabetes Diagnosis	Respondents who reported ever having been told by a doctor that they had diabetes.	4.3 (1.3-7.3)	8.5 (8.2-8.9)
	FRUITS AND VEGETABLES		
Five Fruits and Vegetables	Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	17.3 (5.1-29.5)	13.9 (13.2-14.6)
	GENERAL HEALTH		
Fair or Poor Health	Respondents who reported that their general health was fair or poor.	13.2 (6.9-19.4)	14.0 (13.5-14.6)
Poor Physical Health	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	10.7 (5.4-16.1)	11.3 (10.8-11.8)
Poor Mental Health	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	8.9 (3.2-14.6)	11.4 (10.9-12.0)
Activity Limitation Due to Poor Health	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	12.0 (4.1-19.9)	13.6 (12.8-14.4)
Any Activity Limitation	Respondents who reported being limited in any way due to physical, mental or emotional problem.	28.7 (18.8-38.5)	31.3 (30.6-32.1)





ADULT BEHAVIORAL RISK FACTORS, 2011-2015

HEALTH CARE ACCESS	Burke 2011-2015	North Dakota 2011-2015
Respondents who reported not having any form or health care coverage.	9.8 (3.1-16.4)	10.8 (10.2-11.3)
Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	6.3 (0.8-11.3)	7.8 (7.3-8.3)
Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	35.6 (25.2-46.1)	26.7 (25.9-27.5)
HYPERTENSION		
Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	30.6 (19.2-41.9)	29.9 (29.0-30.7)
IMMUNIZATION		
Respondents age 65 and older who reported that they did not have a flu shot in the past year.	41.6 (24.8-58.5)	40.1 (38.9-41.4)
Respondents age 65 or older who reported never having had a pneumonia shot.	37.9 (20.9-55.0)	28.5 (27.3-29.7)
INJURY		
Respondents 45 years and older who reported that they had fallen in the past 12 months.	19.2 (5.7-32.7)	27.4 (26.2-28.7)
Respondents who reported not always wearing their seatbelt.	43.8 (32.7-55.0)	61.4 (60.6-62.3)
ORAL HEALTH		
Respondents who reported that they have not had a dental visit in the past year.	33.2 (16.5-49.8)	33.7 (32.4-35.0)
Respondents who reported they ever had a permanent tooth extracted.	30.7 (15.7-45.6)	14.3 (13.6-15.1)
PHYSICAL ACTIVITY		
Respondents who reported that they did not get the recommended amount of physical activity.	31.9 (22.2-41.5)	25.1 (24.4-25.8)
TOBACCO		
or some days.	19.3 (10.9-27.8)	20.6 (19.9-21.4)
WOMEN'S HEALTH		
had a pap smear in the past three years.	9.7 (0-21.8)	25.1 (23.1-27.1)
Women 40 and older who reported that they have not had a mammogram in the past two years.	30.3 (11.7-48.9)	27.0 (25.4-28.6)
	Respondents who reported not having any form or health care coverage. Respondents who reported needing to see a doctor during the past 12 months but could not due to cost. Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider. HYPERTENSION Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure. IMMUNIZATION Respondents age 65 and older who reported that they did not have a flu shot in the past year. Respondents age 65 or older who reported never having had a pneumonia shot. INJURY Respondents 45 years and older who reported that they had fallen in the past 12 months. Respondents who reported not always wearing their seatbelt. ORAL HEALTH Respondents who reported that they have not had a dental visit in the past year. Respondents who reported that they did not get the recommended amount of physical activity. TOBACCO Respondents who reported that they did not get the recommended amount of physical activity. WOMEN'S HEALTH Women 18 and older who reported that they have not had a pap smear in the past three years. Women 40 and older who reported that they have not	HEALTH CARE ACCESS2011-2015Respondents who reported not having any form or health care coverage.9.8 (3.1-16.4)Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.6.3 (0.8-11.3)Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.35.6 (25.2-46.1)HYPERTENSIONRespondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.30.6 (19.2-41.9)IMMUNIZATIONRespondents age 65 and older who reported never having had a pneumonia shot.37.9 (20.9-55.0)INJURYRespondents 45 years and older who reported that they had fallen in the past 12 months.9.2 (5.7-32.7)Respondents who reported not always wearing their seatbelt.33.2 (16.5-49.8)ORAL HEALTHRespondents who reported that they have not had a dental visit in the past year.Respondents who reported that they have not had a dental visit in the past year.ORAL HEALTHRespondents who reported that they have not had a dental visit in the past year.CORAL HEALTHWOMEN'S HEALTHWOMEN'S HEALTHWOMEN'S HEALTHWOMEN'S HEALTHWOMEN'S HEALTHWOMEN'S HEALTHWOMEN'S HEALTHWOMEN'S HEALTH





CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the variables are defined as follows which differs slightly from the 2010-2013 data:

- <u>Rape</u>: includes statutory rape and forcible rape
- <u>Assault</u>: only includes aggravated assault
- <u>Larceny</u>: all other crimes against property

Table 20

		В	urke Co	ounty			
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	0	0	0	0	0	0	0.0
Rape	0	1	0	0	0	1	8.9
Robbery	0	0	0	0	0	0	0.0
Assault	1	0	2	1	0	4	35.8
Violent crime	1	1	2	1	0	5	44.7
Burglary	6	6	2	2	1	17	152.0
Larceny	14	18	2	2	3	39	348.7
Motor vehicle theft	5	10	1	0	0	16	143.0
Property crime	25	34	5	4	4	72	643.7
Total	26	35	7	5	4	77	688.4

*In 2013, crime data from Powers Lake PD was added.

		Ν	lorth Da	kota			
	2012	2013	2014	2015	2016	5 Year	5-Year Rate
Murder	20	14	19	21	17	91	2.5
Rape	243	237	389	428	365	1,662	44.9
Robbery	117	151	166	157	181	772	20.9
Assault	1,071	1,156	1,145	1,185	1,132	5,689	153.7
Violent crime	1,451	1,558	1,719	1,791	1,695	8,214	222.0
Burglary	2,200	2,656	2,490	3,212	3,051	13,609	367.8
Larceny	10,184	10,243	5,214	6,181	6,157	37,979	1,026.4
Motor vehicle theft	1,031	1,228	1,462	1,725	1,887	7,333	198.2
Property crime	13,415	14,127	9,166	11,118	11,095	47,826	1,292.5
Total	14,866	15,685	10,885	12,909	12,790	54,345	1,468.7





CHILD HEALTH INDICATORS

The following information is no longer available on the website:

High school dropouts (dropouts per 1000 persons Grades 9-12)

Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)

Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)

Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 22

Child Indicators: Education 2016	Burke County		North Dakota		
Children ages 3 to 21 enrolled in special education in public schools	66	18.0%	14,426	13.2%	
Four-year high school cohort graduates	N	N/A		88.7%	
Average expenditure per student in public school	\$16,288		\$11,418		

Table 23

Child Indicators: Economic Health 2016		Burke County		rth ota
TANF recipients ages 0-19	3	0.5%	4,649	2.3%
SNAP recipients ages 0-18	97	16.8%	37,758	20.3%
Eligible recipients of free or reduced price lunch	115	30.7%	37,928	32.6%
Medicaid recipients ages 0-20	141	23.1%	59,156	28.0%
Median income for families with children ages 0-17	\$69,375		\$75,818	
Children ages 0 to 17 living in low-income families (<200% of poverty)	220	40.1%	50,147	30.5%

Table 24

Child Indicators: Families and Child Care 2016	Burke County		North Dakota	
Women in labor force, by age of children (ages 0-17)	156	66.4%	59,532	79.4%
Children ages 0-17 living in a single parent family	86	15.7%	39,192	23.4%
Children in foster care	LNE	N/A	2,397	1.3%
Victims of child abuse and neglect - services required (Percent of suspected victims)	LNE	N/A	1,805	27.2%
Births to mothers receiving prenatal care beginning after first trimester or not at all	6	15.0%	1,612	14.2%

Table 25

Child Indicators: Juvenile Justice 2016	Burke County		North Dakota	
Children ages 10-17 referred to juvenile court	17	7.8%	3,471	4.9%

*LNE-Low Number Events